SOUTH CAROLINA DEPARTMENT OF SOCIAL SERVICES CHILD CARE LICENSING ORIGINAL & RENEWAL INSPECTION CHECKLIST

Type of Inspection: □ Provisional Evaluation □ Full Evaluation □ Renewal

Center Name Carmelita Douzart ARL/APP ID #: 15905 Address: 1222 Six Mile Road, Mount Pleasa Felephone #: 843-881-7491 Center Director/Designee:	nsed □ Registered ant, SC 29466 Any changes in contact in	□ Center □ Faith	Based GCCH C GCCH C GCCCCCCCCCCCCCCCCCCCCCCC		
Change in Ownership or Director? 🛭 Yes 🛚	No If yes, Name:				
Fotal Capacity: 12	Building 1:	_ Building 2:	Building 3:		
Maximum number of infants: 12	24 months □ 30 months i	□ I-4 facility Clear	Fire Report ∠ Yes □	No □ NA Date cleared	

Physical Site	CENTER	FAITH BASED	GCCH	С	N	N/A
The Approval/ License/ Registration is displayed in public view.	114-503 A.1	114-523 A.1	114-513 A.1	B		
Daily menu dated and posted in conspicuous location in public view.	114-508 A.1	114-528 A.1	114-518 A.1	2		
Building has proper ventilation to include kitchen and bathrooms.	114-507 A.2	114-527 A.2	114-517 A.2			
Tobacco free facility	114-505 A.3	114-525 A.2	114-517 A.2	JZ		
Decals on all glass doors, placed at eye level of children.	114-507 A.3	114-527 A.3	114~517 A.3	d		
Adequate lighting for rooms, hallway, bathrooms and fire escapes.	114-507 A.4	114-527 A.4	114-517 A.4(a)	Z		
Ceiling, floors, windows, doors and rugs properly secured.	114-507 A.5(d)	114-527 A.5(d)	114-517 A.5(d)	7		0
No strangulation, choking or suffocation hazards.	114-507 A.5(g)	114-527 A.5(g)	114-517 A.5(h)	1		0
Electrical outlets securely covered and inaccessible to children.	114-507 A.11(c)	114-527 A.11(c)	114-517 A.11(c)	6		0
Temperature in building between 68 and 80 degrees °F.	114-507 A.7(a)	114-527 A.7	114-517 A. 7(a)	Ø		
Facility has hot and cold water.	114-507 A.6(b)	114-527 A.6(b)	114-517 A.6(b)	Ø		0
Trash in restroom and classroom kept in plastic lined container.	114-507A.8(f)	114-527 A.8(f)	114-517 A.8(f)	Ø		
Facility free from pest problems (insects, rodents, etc.).	114-507 A.8(b)	114-527 A.8(b)	114-517 A.8(b)	Ø		
Furniture, toys & equipment are clean and free from hazards.	114-507 C.1	114-527 C.1	114-517 C.1	Ø		
Furniture, toys & equipment meet standards of the CPSC.	114-507 C.2	114-527 C.2	114-517 C.2	Ø		
Bathroom completely enclosed. Private toilet use by preschool & up.	114-507 A.12	114-527 A.12				Ø
Child size toilets & sinks (has seat adapter and sturdy steps).	114-507 A.12(e)	114-527 A.12(e)	114-517 A.12(e)	Ø		0
Soap and disposable towels provided at each sink.	114-507 A.12(i)	114-527 A.12(i)	114-517 A.12(g)	Z		
Cots or mats labeled with child's name for use only by that child.	114-507 D.2	114-527 D.2	114-517 D.2	Z		
Cots and mats stored so that the side child lies on does not touch floor.	114-507 D.6	114-527 D.6	114-517 D.6	Z		
Poisons/harmful agents locked, labeled and stored properly.	114-507 E.1	114-527 E.1	114-517 E.1	Ø		0
Only healthy pets/animals permitted. (Vaccination records up-to-date)	114-507 E.4	114-527 E.4	114-517 E.4	Z		
Ratio chart prominently posted in each classroom.	114-504 B.1	114-524 B.1				B
Emergency phone numbers posted (police, fire and poison control).	114-503 J.2	114-523 G.2	114-513 J.2	Z		
Internal means of communication among staff.	114-503 J.3					Z
Parents have free & full access.	114- 503 F.1		114-513 F.1	Z		
If overnight care is provided, requirements have been met.	114-509 C	114-529 C	114-519 C	0		1
Age appropriate radio, TV, VCR and DVD for children use.	114-506 A.7		114-516 A.7	Z		
Staff files are in compliance to include required training hours.	114-503 F(1-4)	114-523 H.(1-7)	114-513 H(1-7)			

C= Compliant with Regulation, N = Noncompliant with Regulation, N/A = Not Applicable No violations noted at time of visit.

Signature of Director/Operator/Designee:

Signature of Child Care Licensing Specialist: 2