South Carolina Department of Social Services
Office of Child Care Licensing

cility Name: Edge Christian Child Care Type of Inspection: Annual Complaint Follow Up (original inspection date)							
Address: 1120 Silstar Road, West Columbia, SC 29170 Reason for Follow up: pending deficiencies pself-report Hours of Operation:							
Center Director/Designee: Christa McCarty, Jackie Harrison Change in Ownership or Director? Yes No If yes, Name: Maximum number of children: 151 Building 1: Building 2: Building 3: Building 3: Yes No N/A Maximum number of infants: 12 24 months 30 months 1-4 facility Infants are in designated rooms? Yes No N/A tems posted in public view: Registration Menu Ratio Chart (All classroom) Does facility transport children?							
MANAGEMENT 114-523				APPLICATION OF STAFF: CHILD RATIOS 114-524			
Staff files are in compliance F(1-4)	С	N	N/A		C	N	N/A
Are training hours up-to-date? F(3)(a-b)	15	무		Adequate supervision throughout the facility A(1) (a-b)	ď	10	
At least 1 person with CPR & 1 St Aid on the premises H(5)(f)		 	0	Facility following tracking of children procedures A(2)		D	
				Ratios adequate in all classrooms and on playground B & C	6		
HEALTH, SANITATION & SAFETY 114-525 C N N/A							
Children's faces/hands are clean B(1)	3	<u>''</u>		Proper diager diagoning practices were about at Est 4.0	С	N	N/A
Medicine & harmful items labeled and stored properly D(2)			<u> </u>	Proper diaper diapering practices were observed F(1-16)	7	<u> </u>	
First Aid kit in facility and in vehicle if transport E(1), I(1)(g)		-		Proper handwashing practices were observed G(4)	10	2	
				Smoking permitted only in designated area A(3)	6		0
PHYSICAL SITE 114-527							
BUILDING	С	N _e	N/A		С	N	N/A
Ventilation and lighting sufficient A(2)(a-d),(4)(a-c)				PLAYGROUND	₽/		0
Ceiling, floors, windows, doors free from hazards A(5)(d)	4	<u> </u>	<u> </u>	Outdoor space free of glass, paper & other litter B(2)		0	
No strangulation/choking/suffocation hazards A(5)(g)(i-iii)		<u>-</u>	누무	Fencing/safety barriers 4ft in height, in good repair B(4)	B	0	
Building(s) temp between 68-80 °F A(7)	1 2	_	 -	Playground equipment safe & firmly anchored C (6)	Ø		
Facility free from pest problems (Insects, rodents)A(8)(b-c)	9			Adequate cushioning material; at least 6ft. fall zone C(8)			
Garbage kept properly in plastic lined receptacles A(8)(d-i)	10		-	Cribe most foderal steedards (see a second s	C	N	N/A
Electrical outlets are securely covered A(11)(c)		+-		Cribs meet federal standards (reviewed certificate) D(1) Cots, beds, mats, & cribs labeled for each child D(2)	.2	_0_	
Sink area has hot & cold water A(12)(d)	19	1 -		Pack & plays not used for sleeping D(1-2)	P		
Soap and towels in restrooms A(12)(i)	ਹਿ		 	TRANSPORTATION 114-525 I	18		
Furniture, toys & equipment are clean and in good repair C(1)				Vehicle has proper safety restraints and in good repair I(1)	Ø	. 🗆	
Furniture, toys & equipment meets CPSC standards C(2)	D'	-	-	Checklist for loading/unloading children reviewed. I(2)(d)			
MEAL F	REOI	JIREI		3 114-528	_0		
	С	N	N/A		C	A1	NIZA
Meals and snacks in compliance with USDA A(1)(b)	© /			Round, firm foods are not given to children under 4y/o,	С	N	N/A
Clean, wholesome, unspoiled properly labeled food A(4)	16		o	unless properly cut to prevent choking risk. A(3)			_
Food preparers have proper hair restraints B(5)	<u>Lø</u>			Food labeled, stored and handled properly D(1)	<u>-</u>	<u> </u>	- -
Refrigerators have thermometers(Temp under 45°F)D(2-3)	10	10		Cleaning & poisonous items stored away from food D(8)	0	7	
INF	ANT (CARE	E 114-				
Cure and hallon labeled with 1 4 4 4					С	N	N/A
Cups and bottles labeled with child's name & used only by that child A(1)(a)						0	
No bottles propped or given in cribs or on mats A(1)(c)						0	
Breast milk is not heated in the microwave. If microwave is used to heat formula/beverages, parents are notified in writing A(1)(d)							
rood for toddiers cut in pieces ½ inch or less. A(1)(k)							
Food for infants cut in pieces ¼ inch or less. A(1)(j)						, 🗖	
Infants are placed on their backs to sleep, unless Doctor's note is provided. A(3)(a)							
C = Compliant with Regulation - N = Noncompliant with Regulation No violations noted at the time of visit □							
Signature of Director/Operator/Designee: Date: 10/27/21 Refused to sign							