South Carolina Department of Social Services Office of Child Care Licensing

INSPECTION VISIT FORM FOR LICENSED CENTERS

Sink area has running water A(12)(d) Soap and disposable towels available at sink A(12)(i) Furniture, toys & equipment are clean and in good repair C(1) Cots, mats, cribs labeled or charted for each child D(2) PROGRAM 114-506 C Written, planned, daily program of activities that is	N N/A
### Proper diaper changing practices were observed \$\fo(1)\$ in the facility and in vehicle if transport \$\fo(1)\$ in the strangulation/choking/sufficient \$\fo(2)\$ (a-d), (4)(a-c) ### PLAYGROUND ### PLAYGROUND ### Ceiling, floors, windows, doors free from hazards \$\fo(5)\$ (d-1) ### Play Pens observed \$\fo(1)\$ in the post of the strangulation/choking/suffocation hazards \$\fo(5)\$ (d-1) ### Play Pens observed \$\fo(1)\$ in the peter is a haz of the property \$\fo(1)\$ (d-1) ### Play Pens observed \$\fo(1)\$ (e-1) ### PROGRAM 114-506 \$\fo(1)\$ (d-1) ### PROGRAM 114-506 \$\fo(1)\$ (a-1) PROGRAM 114-506 \$\fo(1)\$ (b-1) PROGRAM 114-506 \$\fo(1)\$ (c) PROGRAM 114-506 \$\fo(1)\$ (d) PROGRAM 114-506	N N//
SUPERVISION 114-504 C N N/A Staff files are in compliance H(1-7) Training hours up-to-date K(5)(b-c) At least 1 person with CPR & 1st Aid on the premises K(5)(h) HEALTH SANITATION & SAFETY 114-505 C N N/A Children's faces/hands are clean B(1) Medicine and harmful items labeled and stored properly D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) PHYSIGAL SITE 114-507 Punysigan equate in all classrooms and on playground B, C Physical site 114-507 Physical site 114-507 Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Adequate cushoning material; at least 6ft fall zone B(9) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (insects, rodents) A(8)(b-c) Garbage kept properly in plastic lined receptacles A(8) (d-i) Finst Aid signal are an as running water A(12)(d) Play Pens observed C(4) Ciribs meet federal standards (reviewed certificate) D(1) Soap and disposable towels available at sink A(12)(i) Written, planned, daily program of activities that is	N N/A
Staff files are in compliance H(1-7)	N N/A
Staff files are in compliance H(1-7) Training hours up-to-date K(5)(b-c) At least 1 person with CPR & 1st Aid on the premises K(5)(h) HEALTH, SANITATION & SAFETY 114-505 C N N/A Children's faces/hands are clean B(1) Medicine and harmful items labeled and stored property D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) PHYSIGAL SITE 114-507 BUILDING C N N/A PLAYGROUND C D Ceiling, floors, windows, doors free from hazards A(5)(g)(i-iti) C D Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. C D C D C D C D C D C D C D C	N N/A
Training hours up-to-date K(5)(b-c) At least 1 person with CPR & 1st Aid on the premises K(5)(h) At least 1 person with CPR & 1st Aid on the premises K(5)(h) BEALTH, SANITATION & SAFETY 114-505 C N N/A Children's faces/hands are clean B(1) Medicine and harmful items labeled and stored properly D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) PHYSIGAL SITE 114-507 FUND THAN THE PLAYGROUND Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Celling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c) Garbage kept properly in plastic lined receptacles A(8) (d-i) Sink area has running water A(12)(d) Soap and disposable towels available at sink A(12)(i) First Aid in person with CPR & 1st Aid on the premises K(5)(h) Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C Proper diaper changing practices were observed F(1-16) Physical Streety 114-505 C N N/A Proper diaper changing practices were observed F(1-16) Physical Streety 114-505 C N N/A PlayGROUND C No smoking/consumption of alcoholic beverage A(3) PlayGROUND C No smoking/consumption of alcoholic beverage A(3) PlayGROUND C No smoking/consumption of alcoholic beverage A(3) Physical Streety 114-505 C N N/A PlayGROUND C N N/A PlayGROUND C No smoking/consumption of alcoholic beverage A(5) PlayGround equip. safe & firmly anchored B(7) Adequate cushioning material; at least 6ft fall zone B(9) A dequate cushioning material; at least 6ft fall zone B(9) PlayGround equip. safe & firmly anchored B(7) A dequate cushioning material; at leas	N N/A
At least 1 person with CPR & 1st Aid on the premises K(5)(h) Ratios adequate in all classrooms and on playground B, C	N N//
HEALTH, SANITATION & SAFETY 114-505 C N N/A Children's faces/hands are clean B(1) Medicine and harmful items labeled and stored properly D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) PHYSICAL SITE 114-507 BUILDING C N N/A PHYSICAL SITE 114-507 C N N/A PHAYGROUND C N N/A PLAYGROUND C N N/A Playground equip. safe & firmly anchored B(7) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Adequate cushioning material; at least 6ft fall zone B(9) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. C Garbage kept properly in plastic lined receptacles A(8) (d-i) Electrical outlets are securely covered A(11)(c) Cots, mats, cribs labeled or charted for each child D(2) C Written, planned, daily program of activities that is	N N/A
C N N/A Children's faces/hands are clean B(1) Medicine and harmful items labeled and stored properly D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) PHYSICAL SITE 114-507 BUILDING C N N/A PHAYGROUND C N N/A PLAYGROUND C N N/A PLAYGROUND C Playground equip. safe & firmly anchored B(7) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(g)(i-iii) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Ceiling, floors between 68-80°F A(7) If no, close in 4 hrs. Carbage kept properly in plastic lined receptacles A(8) (d-i) Electrical outlets are securely covered A(11)(c) Cots, mats, cribs labeled or charted for each child D(2) Cots, mats, cribs labeled or charted for each child D(2) Cotymitation and lighting practices were observed F(1-16) Proper handwashing practices were observed F(1-16) Proper handwashing practices were observed F(1-16) Proper handwashing practices were observed F(1-16) Physical Site 114-507 C N N/A PLAYGROUND C N N/A PLAYGROUND C N N/A PLAYGROUND C Diaground equip. safe & firmly anchored B(7) Adequate cushioning material; at least 6ff fall zone B(9) Fencing/safety barriers 4ft. in height, in good repair B(4) Colling, floors, windows, doors free from hazards A(5)(g) Fencing/safety barriers 4ft. in height, in good repair B(4) Play Pens observed C(4) Cribs meet federal standards (reviewed certificate) D(1) Play Pens observed C(4) Cots, mats, cribs labeled or charted for each child D(2) Cots, mats, cribs labeled or charted for each child D(2) Cots, mats, cribs labeled or charted for each child D(2) Cots, mats, cribs labeled or charted for each child D(2) PROGRAM 114-506 C Written, planned, daily program of activities that is	N N//
Children's faces/hands are clean B(1) Medicine and harmful items labeled and stored properly D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) Proper handwashing practices were observed G(4) No smoking/consumption of alcoholic beverage A(3) PHYSICAL SITE 114-507 BUILDING C N N/A PLAYGROUND C Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. C Garbage kept properly in plastic lined receptacles A(8) (d-i) Electrical outlets are securely covered A(11)(c) Cots, mats, cribs labeled or charted for each child D(2) Soap and disposable towels available at sink A(12)(i) Proper diaper changing practices were observed F(1-16) Proper diaper changing practices were observed G(4) Proper diaper changing practices were observed G(4) Proper handwashing practices were observed G(4) PlayGround equip. safe & firmly anchored B(7) Adequate cushioning material; at least 6ft fall zone B(9) Adequate cushioning material; at least 6ft fall zone B(9) Colling, floors, windows, doors free from hazards A(5)(d) Pencing/safety barriers 4ft. in height, in good repair B(4) Proper handwashing practices were observed B(7) Adequate cushioning material; at least 6ft fall zone B(9) Proper handwashing practices were observed B(7) Adequate cushioning material; at least 6ft fall zone B(9) Proper handwashing practices were observed B(7) Adequate cushioning material; at least 6ft fall zone B(9) PlayGround equip. safe & firmly anchored B(7) Adequate cushioning material; at least 6ft fall zone B(9) Proper handwashing practices were observed B(7) Adequate cushioning material; at least 6ft fall zone B(9) PlayGround equip. safe & firmly anchored B(7) Adequate cushioning material; at least 6ft fall zone B(9) PlayGround equip. safe & firmly anchored B(7) Ade	N N//
Medicine and harmful items labeled and stored properly D(2)	N N/A
First Aid kit in facility and in vehicle if transport E(1), I(1)(g) PHYSICAL SITE 114-507 BUILDING C N N/A PLAYGROUND C Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Garbage kept properly in plastic lined receptacles A(8) (d-i) Electrical outlets are securely covered A(11)(c) Cots, mats, cribs labeled or charted for each child D(2) Soap and disposable towels available at sink A(12)(i) PROGRAM 114-506 C Written, planned, daily program of activities that is	N N/A
PHYSICAL SITE 114-507 BUILDING C N N/A PLAYGROUND C Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Garbage kept properly in plastic lined receptacles A(8) (d-i) Electrical outlets are securely covered A(11)(c) Sink area has running water A(12)(d) Soap and disposable towels available at sink A(12)(i) Fundamental Title 114-507 C N N/A Playground equip. safe & firmly anchored B(7) Adequate cushioning material; at least 6ft fall zone B(9) Fencing/safety barriers 4ft. in height, in good repair B(4) C Outdoor space free from hazards and litter B(2) Fencing/safety barriers 4ft. in height, in good repair B(4) C Outdoor space free from hazards and litter B(2) Fencing/safety barriers 4ft. in height, in good repair B(4) Fencing/safety barriers 4ft. in height, in good repair B(4) Fencing/safety barriers 4ft. in height, in good repair B(4) Fencing/safety barriers 4ft. in height, in good repair B(4) Fencing/safety barriers 4ft. in height, in good repair B(4) Fencing/safety barriers 4ft. in height, in good repair B(4) Fencing/safety barriers 4ft. in height, in good repair B(4) Fencing/safety barriers 4ft. in height, in good repair B(4) Fencing/safety barriers 4ft. in height, in good repair B(4) Fencing/safety barriers 4ft. in height, in good repair B(9) Fencing/safety barriers 4ft. in height, in good repair B(9) Fencing/safety barriers 4ft. in height, in good repair B(9) Fencing/safety barriers 4ft. in height, in good repair B(9) Fencing/safety barriers 4ft. in height, in good repair B(9) Fencing/safety barriers 4ft. in height, in good repair B(9) Fencing/safety barriers 4ft. in height, in good repair B(9) Fencing/safety barriers 4ft. in height, in good repair B(9) Fencing/safety barriers 4ft. in height, in good repair B(9) Fencing/safety ba	N N/A
BUILDING Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c) Garbage kept properly in plastic lined receptacles A(8) (d-i) Electrical outlets are securely covered A(11)(c) Sink area has running water A(12)(d) Soap and disposable towels available at sink A(12)(i) Fully Pens observed C(4) Cots, mats, cribs labeled or charted for each child D(2) Written, planned, daily program of activities that is	
Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c) Garbage kept properly in plastic lined receptacles A(8) (d-i) Electrical outlets are securely covered A(11)(c) Sink area has running water A(12)(d) Soap and disposable towels available at sink A(12)(i) Fundamental in a playground equip. safe & firmly anchored B(7) Adequate cushioning material; at least 6ft fall zone B(9) Fencing/safety barriers 4ft. in height, in good repair B(4) Fencing/safety barriers 4ft. in height, in good repair B(4) Fencing/safety barriers 4ft. in height, in good repair B(4) Fencing/safety barriers 4ft. in height, in good repair B(4) Fencing/safety barriers 4ft. in height, in good repair B(4) Fencing/safety barriers 4ft. in height, in good repair B(4) Fencing/safety barriers 4ft. in height, in good repair B(4) Fencing/safety barriers 4ft. in height, in good repair B(4) Fencing/safety barriers 4ft. in height, in good repair B(4) Fencing/safety barriers 4ft. in height, in good repair B(4) Fencing/safety barriers 4ft. in height, in good repair B(4) Fencing/safety barriers 4ft. in height, in good repair B(4) Fencing/safety barriers 4ft. in height, in good repair B(4) Fencing/safety barriers 4ft. Fencing/safety barri	
No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c) Garbage kept properly in plastic lined receptacles A(8) (d-i) Electrical outlets are securely covered A(11)(c) Sink area has running water A(12)(d) Soap and disposable towels available at sink A(12)(i) Fundamental in Adequate cushioning material; at least 6ft fall zone B(9) Fencing/safety barriers 4ft. in height, in good repair B(4) Coutdoor space free from hazards and litter B(2) Fencing/safety barriers 4ft. in height, in good repair B(4) Fencing/safety barriers 4ft. in height, in good repair B(4) Coutdoor space free from hazards and litter B(2) Coutdoor space free from hazards and litter B(2) Fencing/safety barriers 4ft. in height, in good repair B(4) Coutdoor space free from hazards and litter B(2) Coutdoor space free from ha	
Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c) Garbage kept properly in plastic lined receptacles A(8) (d-i) Electrical outlets are securely covered A(11)(c) Sink area has running water A(12)(d) Soap and disposable towels available at sink A(12)(i) Fencing/safety barriers 4ft. in height, in good repair B(4) Outdoor space free from hazards and litter B(2) RESTING C Play Pens observed C(4) Cribs meet federal standards (reviewed certificate) D(1) Sink area has running water A(12)(d) Cots, mats, cribs labeled or charted for each child D(2) Furniture, toys & equipment are clean and in good repair C(1) Written, planned, daily program of activities that is	N N/A
Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c) Garbage kept properly in plastic lined receptacles A(8) (d-i) Electrical outlets are securely covered A(11)(c) Sink area has running water A(12)(d) Cots, mats, cribs labeled or charted for each child D(2) Soap and disposable towels available at sink A(12)(i) Furniture, toys & equipment are clean and in good repair C(1) Cutdoor space free from hazards and litter B(2) Cots meet federal standards (reviewed certificate) D(1) Cots, mats, cribs labeled or charted for each child D(2) Cots, mats, cribs labeled or charted for each child D(2) Cots mats, cribs labeled or charted for each child D(2) Cots mats, cribs labeled or charted for each child D(2) Cots mats, cribs labeled or charted for each child D(2) Cots mats, cribs labeled or charted for each child D(2)	N N/A
Facility free from pest problems (Insects, rodents) A(8)(b-c) Garbage kept properly in plastic lined receptacles A(8) (d-i) Electrical outlets are securely covered A(11)(c) Sink area has running water A(12)(d) Soap and disposable towels available at sink A(12)(i) Furniture, toys & equipment are clean and in good repair C(1) C RESTING C Play Pens observed C(4) Cribs meet federal standards (reviewed certificate) D(1) Cots, mats, cribs labeled or charted for each child D(2) PROGRAM 114-506 C Written, planned, daily program of activities that is	N N/A
Garbage kept properly in plastic lined receptacles A(8) (d-i) Electrical outlets are securely covered A(11)(c) Sink area has running water A(12)(d) Cots, mats, cribs labeled or charted for each child D(2) Soap and disposable towels available at sink A(12)(i) Furniture, toys & equipment are clean and in good repair C(1) Play Pens observed C(4) Cribs meet federal standards (reviewed certificate) D(1) Cots, mats, cribs labeled or charted for each child D(2) PROGRAM 114-506 C Written, planned, daily program of activities that is	
Electrical outlets are securely covered A(11)(c) Sink area has running water A(12)(d) Soap and disposable towels available at sink A(12)(i) Furniture, toys & equipment are clean and in good repair C(1) Cribs meet federal standards (reviewed certificate) D(1) Cots, mats, cribs labeled or charted for each child D(2) PROGRAM 114-506 C Written, planned, daily program of activities that is	, 0 0
Sink area has running water A(12)(d) Soap and disposable towels available at sink A(12)(i) Furniture, toys & equipment are clean and in good repair C(1) Cots, mats, cribs labeled or charted for each child D(2) PROGRAM 114-506 C Written, planned, daily program of activities that is	
Soap and disposable towels available at sink A(12)(i) Furniture, toys & equipment are clean and in good repair C(1) Written, planned, daily program of activities that is	
Furniture, toys & equipment are clean and in good repair C(1)	N N/A
	1417
Furniture, toys & equipment meets the CPSC standards C(2) developmentally & age appropriate observed A(1-3)	
Healthy note/onimals (Vaccination record up to data) E(4)	0 0
MEAL REQUIREMENTS 114-508	
	N N/A
Meals & snacks in compliance with USDA A(1)(b) Round, firm foods are not offered to children under 4	0 0
Clean, wholesome, unspoiled, properly labeled food A(4) yrs. Old, unless properly cut to prevent choking risk A(3) Food property have properly about 10 properly labeled food A(4)	0 0
Food preparers have proper hair restraints B(5) Refrigerators have thermometers, temp under 45°F D(2-3) Gamma Ga	0 0
Refrigerators have thermometers, temp under 45°F D(2-3)	Ø 0
	NI NI/
Infanta are placed on their back to along A/EV/a)	N N/A
No hadden resourced on given in critica on an early A/2Vol.	1 000
Food for taddless out in pieces 1/ inch or loss A/2VIII	
Food for infants cut in pieces ¼ inch or less A(3)(j)	
Crock pots, bottle warmers, are inaccessible to children, No microwaving of beverages observed A(3)(d) C-Compliant with Regulation N-Noncompliant with Regulation	
Cups and bottles labeled with child's name & used only by that child A(3)(a) No violations noted at the time of visit	72 - 70

ignature of Child Care Licensing Specialist: