South Carolina Department of Social Services Office of Child Care Licensing

INSPECTION VISIT FORM FOR LICENSED CENTERS

Thange in Ownership or Director?	NO N	N/A N/A O O O O
Any changes in contact info (Phone/Email/Fax)? Yes No Overnight Care? Yes Care? Yes Ye	NO N	N/A N/A V/A
Building 1: Building 2: Building 3: CDEF	N I	N/A
Aximum number of infants: 5	N I	N/A V/A
MANAGEMENT, ADMINISTRATION & STAFFING 114-503 SUPERVISION 114-50-4 C N N/A Staff files are in compliance H(1-7) Training hours up-to-date K(5)(b-c) At least 1 person with CPR & 1 St Aid on the premises K(5)(h) HEALTH, SANITATION & SAFETY 114-505 C N N/A Children's faces/hands are clean B(1) Medicine and harmful items labeled and stored properly D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) PHYSICAL SITE 114-507 Wentilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Poster from heazerds A(5)(d-i) Playground equip. safe & firmly anchored B(7) Adequate cushioning material; at least 6ft fall zone B(9) Facility free from pest problems (insects, rodents) A(8)(b-c) Garibage kept properly in plastic lined receptacles A(8) (d-i) Play Pens observed C(4) SUPERVISION 114-50 4 C N N/A Adequate supervision throughout facility A(1-2) Facility free from pest problems (insects, rodents) A(8)(b-c) Facility free from pest problems (insects, rodents) A(8)(b-c) Flay Pens observed C(4)	N I	N/A V/A
MANAGEMENT, ADMINISTRATION & STAFFING 114-503 C N N/A Staff files are in compliance H(1-7) Training hours up-to-date K(5)(b-c) At least 1 person with CPR & 1st Aid on the premises K(5)(h) HEALTH, SANITATION & SAFETY 114-505 C N N/A Children's faces/hands are clean B(1) Medicine and harmful items labeled and stored properly D(2) Medicine and harmful items labeled and stored properly D(2) Proper diaper changing practices were observed G(4) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) PHYSICAL SITE 114-507 Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Publication and harmful items (a sufficient A(7) in height, in pood repair B(4)) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Garbage kept properly in plastic lined receptacles A(8) (d-i) Play Pens observed C(4) Play Pens observed C(4) Play Pens observed C(4)	N N	N/A V/A
Staff files are in compliance H(1-7) Training hours up-to-date K(5)(b-c) At least 1 person with CPR & 1st Aid on the premises K(5)(h) HEALTH. SANITATION & SAFETY 114-505 C N N/A Children's faces/hands are clean B(1) Medicine and harmful items labeled and stored properly D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) PHYSICAL SITE 114-507 BUILDING C N N/A Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(I-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. G N N/A C N N/A PLAYGROUND C N Adequate cushioning material; at least 6ft fall zone B(9) Fencing/safety barriers 4ft. in height, in good repair B(4) RESTING C RESTING C Play Pens observed C(4)	N N	N/A
Staff files are in compliance H(1-7) Training hours up-to-date K(5)(b-c) At least 1 person with CPR & 1 ^{SI} Aid on the premises K(5)(h) HEALTH. SANITATION & SAFETY 114-505 C N N/A Children's faces/hands are clean B(1) Medicine and harmful items labeled and stored properly D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) Physical Site 114-507 Building & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Periodic in and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Garbage kept properly in plastic lined receptacles A(8) (d-i) Play Pens observed C(4) Adequate supervision throughout facility A(1-2) Facility following tracking of children procedures A(3) Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classroom	N N	N/A
Training hours up-to-date K(5)(b-c) At least 1 person with CPR & 1 ^{SI} Aid on the premises K(5)(h) C N N/A Children's faces/hands are clean B(1) Medicine and harmful items labeled and stored properly D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) PHYSICAL SITE 114-507 Wentilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(I-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Garbage kept properly in plastic lined receptates and stored properly in plastic lined receptates and safe and nation gractice of children procedures A(3) Facility following tracking dichildren gracing find procedures A(3) Facility following tracking of children procedures A(3) Facility following tracking children and lachasards A(3) Facility following tracking deviation all classrooms and on playground B, C N N/A Proper diaper vanding tracking facility following tracking all classrooms and on playground B, C N N/A Proper diaper vanding tracking facility following tracking all classrooms and on playground B, C N N/A Proper diaper vanding practices were observed F(1-16) Proper handwashing practices were observed F(1-16) Proper handwashing pr	N N	N/A N/A
At least 1 person with CPR & 1st Aid on the premises K(5)(h) C Ratios adequate in all classrooms and on playground B, C	N N	N/A
HEALTH. SANITATION & SAFETY 114:505 C N N/A Children's faces/hands are clean B(1) Medicine and harmful items labeled and stored properly D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) PHYSICAL SITE 114-507 BUILDING C N N/A PLAYGROUND Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c) Garbage kept properly in plastic lined receptacles A(8) (d-i) C N N/A Proper diaper changing practices were observed F(1-16) Proper handwashing practices were observed G(4) Proper diaper changing practices were observed G(4) Proper handwashing practices were observed G(4) Proper handwashing practices were observed G(4) Proper handwashing practices were observed G(4) Proper diaper changing practices were observed G(4)	N N	N/A
C N N/A Children's faces/hands are clean B(1) Medicine and harmful items labeled and stored properly D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) Physical SITE 114-507 BUILDING C N N/A PHYSICAL SITE 114-507 BUILDING C N N/A PLAYGROUND C N N/A Playground equip. safe & firmly anchored B(7) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(g) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c) Garbage kept properly in plastic lined receptacles A(8) (d-i) C N N/A Proper diaper changing practices were observed F(1-16) Proper handwashing practices were observed F(1-16) Proper diaper changing practices were observed F(1-16) Pro	O O	V/A
Children's faces/hands are clean B(1) Medicine and harmful items labeled and stored properly D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) PHYSICAL SITE 114-507 BUILDING C N N/A PLAYGROUND C N N/A Playground equip. safe & firmly anchored B(7) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c) Garbage kept properly in plastic lined receptacles A(8) (d-i) Proper diaper changing practices were observed F(1-16) Proper handwashing practices were observed G(4) Proper diaper changing practices were observed F(1-16) Proper handwashing practices were observed G(4) Poper handwashing practices were observed G(4) Proper handwashing practices were observed G(4) Proper diaper changing practices were observed F(1-16) Proper diaper changing practices were observed F(1-16) Proper diaper changing practices were observed G(4) Proper diaper changing practices were observed G(4)	O O	V/A
Medicine and harmful items labeled and stored properly D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) PHYSICAL SITE 114-507 BUILDING C N N/A PLAYGROUND C Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c) Garbage kept properly in plastic lined receptacles A(8) (d-i) Proper handwashing practices were observed G(4) No smoking/consumption of alcoholic beverage A(3) Playground equip. safe & firmly anchored B(7) Adequate cushioning material; at least 6ft fall zone B(9) Fencing/safety barriers 4ft. in height, in good repair B(4) Garbage kept properly in plastic lined receptacles A(8) (d-i) Play Pens observed C(4)	N N	V/A
First Aid kit in facility and in vehicle if transport E(1), I(1)(g) PHYSICAL SITE 114-507 BUILDING C N N/A PLAYGROUND C N N/A Playground equip. safe & firmly anchored B(7) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c) Garbage kept properly in plastic lined receptacles A(8) (d-i) PHYSICAL SITE 114-507 C N N/A Playground equip. safe & firmly anchored B(7) Adequate cushioning material; at least 6ft fall zone B(9) Fencing/safety barriers 4ft. in height, in good repair B(4) C Outdoor space free from hazards and litter B(2) Garbage kept properly in plastic lined receptacles A(8) (d-i) Play Pens observed C(4)	N N	V/A
PHYSICAL SITE 114-507 BUILDING C N N/A PLAYGROUND C Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c) Garbage kept properly in plastic lined receptacles A(8) (d-i) PHYSICAL SITE 114-507 C N N/A Playground equip. safe & firmly anchored B(7) Adequate cushioning material; at least 6ft fall zone B(9) Fencing/safety barriers 4ft. in height, in good repair B(4) Outdoor space free from hazards and litter B(2) RESTING C Play Pens observed C(4)	N N	V/A
Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c) Garbage kept properly in plastic lined receptacles A(8) (d-i) C N N/A PLAYGROUND C Playground equip. safe & firmly anchored B(7) Adequate cushioning material; at least 6ft fall zone B(9) Fencing/safety barriers 4ft. in height, in good repair B(4) Outdoor space free from hazards and litter B(2) Garbage kept properly in plastic lined receptacles A(8) (d-i) Play Pens observed C(4)		
Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c) Garbage kept properly in plastic lined receptacles A(8) (d-i) Playground equip. safe & firmly anchored B(7) Adequate cushioning material; at least 6ft fall zone B(9) Fencing/safety barriers 4ft. in height, in good repair B(4) Outdoor space free from hazards and litter B(2) RESTING C Play Pens observed C(4)		
No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c) Garbage kept properly in plastic lined receptacles A(8) (d-i) Adequate cushioning material; at least 6ft fall zone B(9) Fencing/safety barriers 4ft. in height, in good repair B(4) Outdoor space free from hazards and litter B(2) C C Garbage kept properly in plastic lined receptacles A(8) (d-i) Play Pens observed C(4)		0
Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c) Garbage kept properly in plastic lined receptacles A(8) (d-i) Play Pens observed C(4)	7	0
Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c) Garbage kept properly in plastic lined receptacles A(8) (d-i) Play Pens observed C(4)	\sim	0
Facility free from pest problems (Insects, rodents) A(8)(b-c) Garbage kept properly in plastic lined receptacles A(8) (d-i) Play Pens observed C(4)	\sim	0
Garbage kept properly in plastic lined receptacles A(8) (d-i)	- 1 '	
	N N	W/A
Cibcultal vullets are securely covered All 1 (C)	D= 1	0
Olide mode rederal standards (reviewed certificate) D(1)		
	7	
Soap and disposable towels available at sink A(12)(i) PROGRAM 114-506 C	N N	√A/N
Furniture, toys & equipment are clean and in good repair C(1) Written, planned, daily program of activities that is	100	
11. Blue - 1 (1) 1 de de depropriate observeu A (1-3)	⊒ c	
	0	0
MEAL REQUIREMENTS 114-508 C N N/A		
Meals & snacks in compliance with LISDA A(11/h)	N N	I/A
At the state of th) [
Food preparers have proper hair restraints B(5)	2 4	
Refrigerators have thermometers, temp under 45°F D(2-3)		
INFANT CARE 114-509 INFANT CARE 114-505] [
C N N/A		
Infants are placed on their back to sleep A(5)(a)		VA,
No bottles propped or given in cribs or on mats A/3Vc)		<u></u>
Food for toddlers cut in pieces 1/2 inch or less A(3)(k)	_	¥-
Food for infants cut in pieces ¼ inch or less A(3)(i)] [
Crock pots, bottle warmers, are inaccessible to children, No microwaving of beverages observed A(3)(d) C-Compliant with Regulation N-Noncompliant with Regulation		
Cups and bottles labeled with child's name & used only by that child A(3)(a) No violations noted at the time of visit	PRO SAR	902

Signature of Director/Operator/Designed

Signature of Child Care Licensing Specialist: