South Carolina Department of Social Services Office of Child Care Licensing INSPECTION VISIT FORM FOR LICENSED CENT

Children's faces/hands are clean B(1) Medicine and harmful items labeled and stored properly D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) Proper handwashing practices were observed F(1-16) Proper handwashing practices were observed G(4) No smoking/consumption of alcoholic beverage A(3) PHYSICAL SITE 114-507 Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) Playground equip. safe & firmly anchored B(7) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Adequate cushioning material; at least 6ft fall zone B(9) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Ceiling free from pest problems (Insects, rodents) A(8)(b-c) Play Pens observed C(4) Play Pens observed C(4)	N/A
Staff files are in compliance H(1-7) Training hours up-to-date K(5)(b-c) At least 1 person with CPR & 1st Aid on the premises K(5)(h) HEALTH, SANITATION & SAFETY 114-505 C N N/A Children's faces/hands are clean B(1) Medicine and harmful items labeled and stored properly D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) PHYSICAL SITE 114-507 BUILDING C N N/A SUPERVISION 114-504 C N Adequate supervision throughout facility A(1-2) Ratios adequate in all classrooms and on playground B, C Proper diaper changing practices were observed F(1-16) Proper diaper changing practices were observed G(4) Proper handwashing practices were observed G(4) PHYSICAL SITE 114-507 BUILDING C N N/A PHAYGROUND C N Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(g) Garbage kept properly in plastic lined receptacles A(8) (d-i) Play Pens cheaved G(4) Resting C N Play Pens cheaved G(4)	O O O
Staff files are in compliance H(1-7) Training hours up-to-date K(5)(b-c) At least 1 person with CPR & 1 St Aid on the premises K(5)(h) HEALTH, SANITATION & SAFETY 114-505 C N N/A Children's faces/hands are clean B(1) Medicine and harmful items labeled and stored properly D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) PHYSICAL SITE 114-507 BUILDING C N N/A Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Building(s) temp between 68-80°F A(7) if no, close in 4 hrs. Facility following tracking of children procedures A(3) Ratios adequate in all classrooms and on playground B, C N N/A Proper diaper changing practices were observed F(1-16) Proper handwashing practices were observed G(4) No smoking/consumption of alcoholic beverage A(3) PHYSICAL SITE 114-507 BUILDING C N N/A PLAYGROUND C N Playground equip. safe & firmly anchored B(7) Adequate cushioning material; at least 6ft fall zone B(9) Adequate cushioning material; at least 6ft fall zone B(9) Garbage kept properly in plastic lined receptacles A(8) (d-i) Play Pens observed C(4)	O O O
Training hours up-to-date K(5)(b-c) At least 1 person with CPR & 1st Aid on the premises K(5)(h) HEALTH, SANITATION & SAFETY 114-505 C N N/A Children's faces/hands are clean B(1) Medicine and harmful items labeled and stored properly D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) PHYSICAL SITE 114-507 BUILDING C N N/A PLAYGROUND Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(d) Building(s) temp between 68-80°F A(7) if no, close in 4 hrs. Garbage kept properly in plastic lined receptacles A(8) (d-i) Adequate supervision throughout facility A(1-2) Facility following tracking of children procedures A(3) Facility following tracking of children procedures A(3) Facility following tracking of children procedures A(3) Ratios adequate in all classrooms and on playground B, C N N/A Proper diaper changing practices were observed F(1-16) Proper handwashing practices were observed G(4) Proper diaper changing practices were observed G(4) Proper diaper changing processes were observed G(4) Proper handwashing practices were observed G(4) Proper handwashing practices were observed G(4) Proper handwa	O O O
At least 1 person with CPR & 1st Aid on the premises K(5)(h) Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C N N/A Proper diaper changing practices were observed F(1-16) Rediction and harmful items labeled and stored properly D(2) Proper handwashing practices were observed G(4) Rediction and harmful items labeled and stored properly D(2) No smoking/consumption of alcoholic beverage A(3) Physical Site 114-507 No smoking/consumption of alcoholic beverage A(3) Physical Site 114-507 Playground equip. safe & firmly anchored B(7) Rediction and lighting & sufficient A(2)(a-d), (4)(a-c) Playground equip. safe & firmly anchored B(7) Adequate cushioning material; at least 6ft fall zone B(9) Rediction and lighting (s) temp between 68-80°F A(7) if no, close in 4 hrs. Rediction and lighting Play Pens observed C(4)	N/A
Ratios adequate in all classrooms and on playground B, C HEALTH, SANITATION & SAFETY 114-505 C N N/A Children's faces/hands are clean B(1) Medicine and harmful items labeled and stored properly D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) Proper handwashing practices were observed F(1-16) Proper handwashing practices were observed G(4) Physical site 114-507 BUILDING C N N/A PLAYGROUND C N Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Garbage kept properly in plastic lined receptacles A(8) (d-i) Play Pens observed C(4)	N/A
Children's faces/hands are clean B(1) Medicine and harmful items labeled and stored properly D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) Proper handwashing practices were observed F(1-16) Proper handwashing practices were observed G(4) No smoking/consumption of alcoholic beverage A(3) PHYSICAL SITE 114-507 Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) Playground equip. safe & firmly anchored B(7) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Adequate cushioning material; at least 6ft fall zone B(9) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Ceiling free from pest problems (Insects, rodents) A(8)(b-c) Play Pens observed C(4) Play Pens observed C(4)	0
Children's faces/hands are clean B(1) Medicine and harmful items labeled and stored properly D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) Proper handwashing practices were observed G(4) Proper handwashing practices were observed G(4) Proper handwashing practices were observed G(4) No smoking/consumption of alcoholic beverage A(3) PHYSICAL SITE 114-507 BUILDING C N N/A PLAYGROUND C N Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Garbage kept properly in plastic lined receptacles A(8) (d-i) Play Pens observed C(4) Play Pens observed C(4) Play Pens observed C(4)	0
Medicine and harmful items labeled and stored properly D(2) Proper handwashing practices were observed G(4) Proper handwashing practi	0
First Aid kit in facility and in vehicle if transport E(1), I(1)(g) PHYSICAL SITE 114-507 BUILDING C N N/A PLAYGROUND C N Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c) Garbage kept properly in plastic lined receptacles A(8) (d-i) Proper handwashing practices were observed G(4) No smoking/consumption of alcoholic beverage A(3) PHYSICAL SITE 114-507 C N No smoking/consumption of alcoholic beverage A(3) PHAYGROUND C N Playground equip. safe & firmly anchored B(7) Adequate cushioning material; at least 6ft fall zone B(9) Fencing/safety barriers 4ft. in height, in good repair B(4) C N Play Pens observed C(4) Play Pens observed C(4)	0
PHYSICAL SITE 114-507 BUILDING C N N/A PLAYGROUND C N Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c) Garbage kept properly in plastic lined receptacles A(8) (d-i) PHYSICAL SITE 114-507 C N No smoking/consumption of alcoholic beverage A(3) Playground equip. safe & firmly anchored B(7) Playground equip. safe & firmly anchored B(7) Adequate cushioning material; at least 6ft fall zone B(9) Fencing/safety barriers 4ft. in height, in good repair B(4) C N RESTING C N Play Pens observed C(4)	
PHYSICAL SITE 114-507 BUILDING C N N/A PLAYGROUND C N Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Garbage kept properly in plastic lined receptacles A(8) (d-i) BUILDING C N Playground equip. safe & firmly anchored B(7) Adequate cushioning material; at least 6ft fall zone B(9) Fencing/safety barriers 4ft. in height, in good repair B(4) C N Playground equip. safe & firmly anchored B(7) C N Playground equip. safe & firmly anchored B(7) C N Playground equip. safe & firmly anchored B(7) C N Playground equip. safe & firmly anchored B(7) C N Playground equip. safe & firmly anchored B(7) C N Playground equip. safe & firmly anchored B(7) C N Playground equip. safe & firmly anchored B(7) C N Playground equip. safe & firmly anchored B(7) C N Playground equip. safe & firmly anchored B(7) C N Playground equip. safe & firmly anchored B(7) C N Playground equip. safe & firmly anchored B(7) Playground equip. safe & firmly ancho	
Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c) Garbage kept properly in plastic lined receptacles A(8) (d-i) Playground equip. safe & firmly anchored B(7) Adequate cushioning material; at least 6ft fall zone B(9) Fencing/safety barriers 4ft. in height, in good repair B(4) C N Playground equip. safe & firmly anchored B(7) C N Playground equip. safe & firmly anchored B(7) C N Playground equip. safe & firmly anchored B(7) C N Playground equip. safe & firmly anchored B(7) C N Playground equip. safe & firmly anchored B(7) C N Playground equip. safe & firmly anchored B(7) C N Playground equip. safe & firmly anchored B(7) C N Playground equip. safe & firmly anchored B(7) C N Playground equip. safe & firmly anchored B(7) C N Playground equip. safe & firmly anchored B(7) C N Playground equip. safe & firmly anchored B(7)	
Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c) Garbage kept properly in plastic lined receptacles A(8) (d-i) Playground equip. safe & firmly anchored B(7) Adequate cushioning material; at least 6ft fall zone B(9) Fencing/safety barriers 4ft. in height, in good repair B(4) Outdoor space free from hazards and litter B(2) RESTING C N	N/A
Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c) Garbage kept properly in plastic lined receptacles A(8) (d-i) Adequate cushioning material; at least 6ft fall zone B(9) Fencing/safety barriers 4ft. in height, in good repair B(4) Outdoor space free from hazards and litter B(2) RESTING C N	
Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c) Garbage kept properly in plastic lined receptacles A(8) (d-i) Play Pens observed C(4)	
Facility free from pest problems (Insects, rodents) A(8)(b-c) Garbage kept properly in plastic lined receptacles A(8) (d-i) Play Pens observed C(4)	
Garbage kept properly in plastic lined receptacles A(8) (d-i) RESTING C N Play Pers observed C(4)	
Garbage kept properly in plastic lined receptacles A(8) (d-i)	AI/A
	N/A
Electrical outlets are securely covered A(111/c)	0
Sink area has running water A(12)(d)	
Soan and disposable towals qualible at sink \$440.00	
Franciscos Asia Cara in the Control of the Control	N/A_
E '' I de la constitución de la	
the literature of the second o	
Healthy pets/animals (Vaccination record up-to-date) E(4) MEAL REQUIREMENTS 114-508	
C N N/A	
Meals & snacks in compliance with USDA A(1)(b)	N/A
Clean, wholesome, unspoiled, properly labeled food A(4)	
roou preparers have proper hair restraints B(5)	
Refrigerators have thermometers, temp under 45°F D(2-3)	
INFANT CARE 114-509 TRANSPORTATION 114-505 I	
C N N/A	NI/A
Infants are placed on their back to sleep A(5)(a)	N/A
No bottles propped or given in cribs or on mats A(3)(c)	
Food for toddlers cut in pieces ½ inch or less A(3)(k)	
Food for infants cut in pieces ¼ inch or less A(3)(j)	
Crock pots, bottle warmers, are inaccessible to children, No microwaving of beverages observed A(3)(d) C-Compliant with Regulation N-Noncompliant with Regulation	
Cups and bottles labeled with child's name & used only by that child A(3)(a) No violations noted at the time of visit	50%

Signature of Child Care Licensing Specialist

Signature of Director/Operator/Designee:

Date: 12/20/22 Refused to sign