South Carolina Department of Social Services Office of Child Care Licensing

INSPECTION VISIT FORM FOR LICENSED CENTERS

Facility Name: Wedgefield University for Kids Date of Inspection: 10-17-22 Time of Inspection: 23 Permit #: 23044 Type of Inspection: Annual

Complaint □ Follow Up (original inspection date_ Reason for Follow up:

clear up pending deficiency

Self-Report Address: 6220 Wedgefield Road, Wedgefield, SC 29168 Hours of Operation: Single Shift Telephone #: 803-494-3887 Any changes in contact info (Phone/Email/Fax)? □ Yes -□ No Overnight Care?

Yes No Center Director/Designee: Joy Truesdale Change in Ownership or Director? ☐ Yes ☑ Yo If yes, Name: _ Maximum number of children: 126 Building 1: _ Building 2: Building 3: □ CDEP Maximum number of infants: 28 □ 24 months □ 30 months □ I-4 facility Infants are in designated rooms? ☐ Yes ☐ No ☐ N/A Items posted in public view: Dicense Denu Ratio Chart (All classrooms) Does facility transport children? Des Does facility transport children? No Des facility transport children? MANAGEMENT, ADMINISTRATION & STAFFING 114-503 SUPERVISION 114-504 CN N/A CLN N/A Staff files are in compliance H(1-7) Adequate supervision throughout facility A(1-2) 0 Training hours up-to-date K(5)(b-c) Facility following tracking of children procedures A(3) At least 1 person with CPR & 1st Aid on the premises K(5)(h) **b**/ _ Ratios adequate in all classrooms and on playground B, C **HEALTH, SANITATION & SAFETY 114-505** c N N/A С Ν N/A Children's faces/hands are clean B(1) Proper diaper changing practices were observed F(1-16) Medicine and harmful items labeled and stored properly D(2) <u>-</u> Proper handwashing practices were observed G(4) Ö First Aid kit in facility and in vehicle if transport E(1), I(1)(g) 010 No smoking/consumption of alcoholic beverage A(3) 0 PHYSICAL SITE 114-507 BUILDING CN N/A PLAYGROUND C N N/A Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) Playground equip. safe & firmly anchored B(7) **D**' 0 □ No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Adequate cushioning material; at least 6ft fall zone B(9) ø/ Ceiling, floors, windows, doors free from hazards A(5)(d) Fencing/safety barriers 4ft. in height, in good repair B(4) D Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Outdoor space free from hazards and litter B(2) ď Facility free from pest problems (Insects, rodents) A(8)(b-c) 01 Ф RESTING C N N/A Garbage kept properly in plastic lined receptacles A(8) (d-i) Play Pens observed C(4) Electrical outlets are securely covered A(11)(c) Cribs meet federal standards (reviewed certificate) D(1) e/ Sink area has running water A(12)(d) Cots, mats, cribs labeled or charted for each child D(2) **1** Soap and disposable towels available at sink A(12)(i) PROGRAM 114-506 N C N/A Furniture, toys & equipment are clean and in good repair C(1) 4 Written, planned, daily program of activities that is 0 Furniture, toys & equipment meets the CPSC standards C(2) developmentally & age appropriate observed A(1-3) œ. Healthy pets/animals (Vaccination record up-to-date) E(4) Positive, non-abusive discipline practice B(1) **-**MEAL REQUIREMENTS 114-508 CN N/A С Ν N/A Meals & snacks in compliance with USDA A(1)(b) Round, firm foods are not offered to children under 4 Ф Clean, wholesome, unspoiled, properly labeled food A(4) yrs. Old, unless properly cut to prevent choking risk A(3) 1 v Food preparers have proper hair restraints B(5) Food stored & handled properly D(1) ď Refrigerators have thermometers, temp under 45°F D(2-3) All cleaning & poisonous items stored away from food D 194 INFANT CARE 114-509 TRANSPORTATION 114-505 I C N N/A C N/A N Infants are placed on their back to sleep A(5)(a) d Vehicle has proper safety restraints & in good repair I(1) 6 No bottles propped or given in cribs or on mats A(3)(c) 6 Checklist for loading/unloading children reviewed (2)(d) Food for toddlers cut in pieces 1/2 inch or less A(3)(k) ď Driver's (valid) driver's license reviewed (1)(f) Food for infants cut in pieces 1/4 inch or less A(3)(i) **C-Compliant with Regulation** Crock pots, bottle warmers, are inaccessible to children, No microwaving of beverages observed A(3)(d) N-Noncompliant with Regulation Cups and bottles labeled with child's name & used only by that child A(3)(a) No violations noted at the time of visit □

Signature of Director/Operator/Designee: Date: 10 17 | 22 | Refused to sign Signature of Child Care Licensing Specialist: Date: 10 17 | 22 | Date: