South Carolina Department of Social Services Office of Child Care Licensing

INSPECTION VISIT FORM FOR LICENSED CENTERS

SullDING	N	N/A N/A N/A
BuilDING		N/A N/A N/A
Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) v		N/A N/A
SullDING		N/A N/A N/A
PLAYGROUND C N N/A PLAYGROUND C C N N/A PLAYGROUND C C C N N/A PLAYGROUND C C C C D Playground equip. safe & firmly anchored B(7) D D Playground equip. safe & firmly anchored B(7) D D Playground equip. safe & firmly anchored B(8) D D Playground equip. safe & firmly anchored B(8) D D Playground equip. safe & firmly anchored B(8) D D D Playground equip. safe & firmly anchored B(8) D D D Playground equip. safe & firmly anchored B(8) D D D D D D D D D		N/A N/A N/A
SullLDING C N N/A PLAYGROUND C		N/A
SulfLDING C N N/A PLAYGROUND C C N N/A PLAYGROUND C C C N N/A Playground equip. safe & firmly anchored B(7) D No strangulation/choking/suffocation hazards A(5)(g)(i-iii) D Adequate cushioning material; at least 6ft fall zone B(9) D Ceiling, floors, windows, doors free from hazards A(5)(d) D Fencing/safety barriers 4ft. in height, in good repair B(4) D Building(s) temp between 68-80°F A(7) if no, close in 4 hrs. D D D D D D D D D		C
Sullibing C N N/A PLAYGROUND C Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) Playground equip. safe & firmly anchored B(7) Deciding Adequate cushioning material; at least 6ft fall zone B(9) Deciding A(2) Deciding A(3)(a-c) Deciding A(4) Decidin		C
Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Duilding(s) temp between 68-80°F A(7) If no, close in 4 hrs. Carbage kept properly in plastic lined receptacles A(8) (d-i) Electrical outlets are securely covered A(11)(c) Coribs meet federal standards (reviewed certificate) D(1) Sink area has running water A(12)(d) Cots, mats, cribs labeled or charted for each child D(2) Furniture, toys & equipment are clean and in good repair C(1) Furniture, toys & equipment meets the CPSC standards C(2) Healthy pets/animals (Vaccination record up-to-date) E(4) MEAL REQUIREMENTS 114-508 C N N/A Recound, firm foods are not offered to children under 4 yrs. Old, unless properly D(1) Playground equip. safe & firmly anchored B(7) Adequate cushioning material; at least 6ft fall zone B(9) Playground equip. safe & firmly anchored B(7) Adequate cushioning material; at least 6ft fall zone B(9) Pencing/safety barriers 4ft. in height, in good repair B(4) Pencing/safety barriers 4ft. in height, in good repair B(4) Pencing/safety barriers 4ft. in height, in good repair B(4) Play Pens observed F(2) Play Pens observed C(4) Cribs meet federal standards (reviewed certificate) D(1) Volume of the firmly anchored for each child D(2) Volume of the firmly anchored for each child D(2) Volume of the firmly anchored for each child D(2) Volume of the firmly anchored for each child D(2) Volume of the firmly anchored for each child D(2) Volume of the firmly anchored for each child D(2) Volume of the firmly anchored for each child D(2) Volume of the firmly anchored for each child D(2) Volume of the firmly anchored for each child D(2) Volume of the firmly anchored for each child D(2) Volume of the firmly anchored for ea		
Sull_Ding C N N/A PLAYGROUND C Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) Ventilation and lighting & sufficient A(2)(a) Adequate cushioning material; at least 6ft fall zone B(9) Adequate cushioning material; at least 6ft fall zone B(9) Adequate cushioning material; at least 6ft fall zone B(9) Adequate cushioning material; at least 6ft fall zone B(9) Adequate cushioning material; at least 6ft fall zone B(9) Adequate cushioning material; at least 6ft fall zone B(9) Adequate cushioning material; at least 6ft fall zone B(9) Adequate cushioning material; at least 6ft fall zone B(9) Adequate cushioning material; at least 6ft fall zone B(9) Adequate cushioning material; at least 6ft fall zone B(9) Adequate cushioning material; at least 6ft fall zone B(9) Adequate cushioning material; at least 6ft fall zone B(9) Adequate cushioning material; at least 6ft fall zone B(9) Adequate cushioning material; at least 6ft fall zone B(9) Adequate cushioning material; at least 6ft fall zone B(9) Adequate cushioning material; at least 6ft fall zone B(9) Adequate cushioning material; at least 6ft fall zone B(9) Adequate cushioning material; at least 6ft fall zone B(9) Adequate cushioning material; at least 6ft fall zone B(9) Adequate cushioning material; at least 6ft fall zone B(9) Adequate cushioning material; at least 6ft fall zone B(9) Adequate cushioning material; at least 6ft fall zone B(9) Adequate cushioning material; at		N/A N/A N/A
BUILDING C N N/A PLAYGROUND C Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Garbage kept properly in plastic lined receptacles A(8) (d-i) Electrical outlets are securely covered A(11)(c) Sink area has running water A(12)(d) Soap and disposable towels available at sink A(12)(i) Furniture, toys & equipment are clean and in good repair C(1) Furniture, toys & equipment meets the CPSC standards C(2) MEAL REQUIREMENTS 114-508 C N N/A Meals & snacks in compliance with USDA A(1)(b) C N N/A Resund, firm foods are not offered to children under 4 Playground equip. safe & firmly anchored B(7) Playground equip. safe & firmly anchored B(7) Adequate cushioning material; at least 6ft fall zone B(9) Pencing/safety barriers 4ft. in height, in good repair B(4) Doutdoor space free from hazards and litter B(2) Fencing/safety barriers 4ft. in height, in good repair B(4) Doutdoor space free from hazards and litter B(2) Fencing/safety barriers 4ft. in height, in good repair B(4) Doutdoor space free from hazards and litter B(2) Fencing/safety barriers 4ft. in height, in good repair B(4) C resching/safety barriers 4ft. in height, in good repair B(4) C resching/safety barriers 4ft. in height, in good repair B(4) C resching/safety barriers 4ft. in height, in good repair B(4) C resching/safety barriers 4ft. in height, in good repair B(4) C resching/safety barriers 4ft. in height, in good repair B(4) C resching/safety barriers 4ft. in height, in good repair B(4) C resching/safety barriers 4ft. in height, in good repair B(4) C resching/safety barriers 4ft. in height, in good repair B(4) C resching/safety barriers 4ft. in height, in good repair B(4) C resching/safety barriers 4ft. in height, in good repair B(4) C resching/safety barriers 4ft. in height, in g		
BUILDING C N N/A PLAYGROUND C Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c)		
BUILDING C N N/A PLAYGROUND C Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c) Garbage kept properly in plastic lined receptacles A(8) (d-i) Electrical outlets are securely covered A(11)(c) Sink area has running water A(12)(d) Soap and disposable towels available at sink A(12)(i) Furniture, toys & equipment are clean and in good repair C(1) Healthy pets/animals (Vaccination record up-to-date) E(4) C N N/A PLAYGROUND C N N/A Playground equip. safe & firmly anchored B(7) Playground equip. safe & firmly anchored B(7) C Playground equip. safe & firmly anchored B(7) Playground equip. safe & firmly anchored B(7) Adequate cushioning material; at least 6ft fall zone B(9) Fencing/safety barriers 4ft. in height, in good repair B(4) C Outdoor space free from hazards and litter B(2) Fencing/safety barriers 4ft. in height, in good repair B(4) Playground equip. safe & firmly anchored B(7) Adequate cushioning material; at least 6ft fall zone B(9) Fencing/safety barriers 4ft. in height, in good repair B(4) D Outdoor space free from hazards and litter B(2) Fencing/safety barriers 4ft. in height, in good repair B(4) D Outdoor space free from hazards and litter B(2) Fencing/safety barriers 4ft. in height, in good repair B(4) Play Pens observed C(4) Cribs meet federal standards (reviewed certificate) D(1) Fencing/safety barriers 4ft. in height, in good repair B(4) C 2 Cribs meet federal standards (reviewed certificate) D(1) Fencing/safety barriers 4ft. in height, in good repair B(4) C 2 Cribs meet federal standards (reviewed certificate) D(1) Fencing/safety barriers 4ft. Fencing/safety barriers 4ft	0	
BUILDING C N N/A PLAYGROUND C Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c) Garbage kept properly in plastic lined receptacles A(8) (d-i) Electrical outlets are securely covered A(11)(c) Sink area has running water A(12)(d) Soap and disposable towels available at sink A(12)(i) Fundamental Playground equip. safe & firmly anchored B(7) Adequate cushioning material; at least 6ft fall zone B(9) Fencing/safety barriers 4ft. in height, in good repair B(4) C playground equip. safe & firmly anchored B(7) Adequate cushioning material; at least 6ft fall zone B(9) Fencing/safety barriers 4ft. in height, in good repair B(4) C playground equip. safe & firmly anchored B(7) Fencing/safety barriers 4ft. in height, in good repair B(4) C playground equip. safe & firmly anchored B(7) Fundamental C(4) C playground equip. safe & firmly anchored B(7) Fundamental C(4) C playground equip. safe & firmly anchored B(7) Fundamental C(4) C playground equip. safe & firmly anchored B(7) C playgrounder C playgrounder B(9) C playgrounder C playgroun	0	
BUILDING C N N/A PLAYGROUND C Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c) Garbage kept properly in plastic lined receptacles A(8) (d-i) Electrical outlets are securely covered A(11)(c) Sink area has running water A(12)(d) Soap and disposable towels available at sink A(12)(i) Fundamental Playground equip. safe & firmly anchored B(7) Adequate cushioning material; at least 6ft fall zone B(9) Fencing/safety barriers 4ft. in height, in good repair B(4) Green Fencing/safety barriers 4ft. in height, in good repair B(4) Fencing/safety barriers 4ft. in height, in good repair B(4) Fencing/safety barriers 4ft. in height, in good repair B(4) Fencing/safety barriers 4ft. in height, in good repair B(4) Fencing/safety barriers 4ft. in height, in good repair B(4) Fencing/safety barriers 4ft. in height, in good repair B(4) Fencing/safety barriers 4ft. in height, in good repair B(4) Fencing/safety barriers 4ft. in height, in good repair B(4) Fencing/safety barriers 4ft. in height, in good repair B(4) Fencing/safety barriers 4ft. in height, in good repair B(4) Fencing/safety barriers 4ft. in height, in good repair B(4) Fencing/safety barriers 4ft. in height, in good repair B(4) Fencing/safety barriers 4ft. in height, in good repair B(4) Fencing/safety barriers 4ft. in height, in good repair B(4) Fencing/safety barriers 4ft. in height, in good repair B(4) Fencing/safety barriers 4ft. in height, in good repair B(4) Fencing/safety barriers 4ft. in height, in good repair B(4) Fencing/safety barriers 4ft. in height, in good repair B(4) Fencing/safety barriers 4ft. in height, in good repair B(4) Fencing/safety barriers 4ft. in height, in good repair B(4) Fencing/safety barriers 4ft. in height, in good repair B(4) Fencing/safety barriers 4ft. in heigh	0	
BUILDING Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c) Garbage kept properly in plastic lined receptacles A(8) (d-i) Electrical outlets are securely covered A(11)(c) Sink area has running water A(12)(d) C N N/A PLAYGROUND C N N/A Playground equip. safe & firmly anchored B(7) Adequate cushioning material; at least 6ft fall zone B(9) Fencing/safety barriers 4ft. in height, in good repair B(4) Gutdoor space free from hazards and litter B(2) RESTING C 2 Play Pens observed C(4) Cribs meet federal standards (reviewed certificate) D(1) Sink area has running water A(12)(d) Cots, mats, cribs labeled or charted for each child D(2) PROGRAM 114-506 C	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
BUILDING C N N/A PLAYGROUND C Playground equip. safe & firmly anchored B(7) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c) Garbage kept properly in plastic lined receptacles A(8) (d-i) Electrical outlets are securely covered A(11)(c) C N N/A Playground equip. safe & firmly anchored B(7) Adequate cushioning material; at least 6ft fall zone B(9) Fencing/safety barriers 4ft. in height, in good repair B(4) C Outdoor space free from hazards and litter B(2) RESTING C Play Pens observed C(4) Cribs meet federal standards (reviewed certificate) D(1) Sink area has running water A(12)(d) Cots, mats, cribs labeled or charted for each child D(2)	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
BUILDING C N N/A PLAYGROUND C Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c) Garbage kept properly in plastic lined receptacles A(8) (d-i) Electrical outlets are securely covered A(11)(c) C N N/A PLAYGROUND C N N/A Playground equip. safe & firmly anchored B(7) Adequate cushioning material; at least 6ft fall zone B(9) Fencing/safety barriers 4ft. in height, in good repair B(4) C Outdoor space free from hazards and litter B(2) RESTING C Play Pens observed C(4) C Cribs meet federal standards (reviewed certificate) D(1)	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
BUILDING C N N/A PLAYGROUND C Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c) Garbage kept properly in plastic lined receptacles A(8) (d-i) C N N/A PLAYGROUND C Playground equip. safe & firmly anchored B(7) Adequate cushioning material; at least 6ft fall zone B(9) Fencing/safety barriers 4ft. in height, in good repair B(4) Outdoor space free from hazards and litter B(2) RESTING C Play Pens observed C(4)	0	
BUILDING C N N/A PLAYGROUND C Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c) C N N/A PLAYGROUND C Playground equip. safe & firmly anchored B(7) Adequate cushioning material; at least 6ft fall zone B(9) Fencing/safety barriers 4ft. in height, in good repair B(4) C Outdoor space free from hazards and litter B(2) RESTING C 2		
BUILDING C N N/A PLAYGROUND C Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. C N N/A PLAYGROUND Adequate cushioning material; at least 6ft fall zone B(9) Fencing/safety barriers 4ft. in height, in good repair B(4) Outdoor space free from hazards and litter B(2)	0	0 0 0
BUILDING C N N/A PLAYGROUND C Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) C N N/A PLAYGROUND C Playground equip. safe & firmly anchored B(7) Adequate cushioning material; at least 6ft fall zone B(9) Fencing/safety barriers 4ft. in height, in good repair B(4)	0	0
BUILDING C N N/A PLAYGROUND C Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) D Adequate cushioning material; at least 6ft fall zone B(9)	0	0
BUILDING C N N/A PLAYGROUND C Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) Description: C N N/A PLAYGROUND C Playground equip. safe & firmly anchored B(7)	0	
BUILDING C N N/A PLAYGROUND C	_	IWA
	4	N/A
PHYSICAL SITE 114-507		-
First Aid kit in facility and in vehicle if transport E(1), I(1)(g)		
Medicine and harmful items labeled and stored properly D(2)		0
Children's faces/hands are clean B(1) Proper diaper changing practices were observed F(1-16)		
C N N/A	N_	N/A
HEALTH, SANITATION & SAFETY 114-505		
At least 1 person with CPR & 1 St Aid on the premises K(5)(h)		D
Training hours up-to-date K(5)(b-c)	<u> </u>	
Staff files are in compliance H(1-7) Adequate supervision throughout facility A(1-2) Adequate supervision throughout facility A(1-2)		
C N N/A	N	N/A
MANAGEMENT, ADMINISTRATION & STAFFING 114-503 SUPERVISION 114-504		
aximum number of infants: 50	N/A	
aximum number of children: 67 Building 1: Building 2: Building 3: □ CDE		
nange in Ownership or Director? Yes ANo If yes, Name:		
enter Director/Designee: Kristen Kimbley	A INO	,
dress: 521 Orangeburg Rd, SUMMERVILLE, SC 29483 Hours of Operation: Single Shift lephone #: 843-906-0260 Any changes in contact info (Phone/Email/Fax)? Yes No Overnight Care? Yes	-/No	
		ро
ermit #: 25245 Type of Inspection: Annual Complaint Follow Up (original inspection date Pollow Up (ori	lf-Re	port
acility Name: Country Day Academy Date of Inspection: 91.622 Time of Inspection: 11:30		

☐ Refused to sign

Signature of Director/Operator/Designee:

Signature of Child Care Licensing Specialist: