

Office of Child Care Licensing

VIRTUAL INSPECTION VISIT FORM FOR LICENSED GROUP CHILD CARE HOMES DUE TO COVID19 EMERGENCY Operator Name: Annie Bush Date of Inspection: 01/26/21 Time of Inspection: 3:30 Permit #: 17363 Type of inspection: Renewal Complaint Follow Up (original inspection clate_

Address: 518 Airport Road TRENTON, SC 29847 Reason for Follow up: opending deficiencies osalf-report Hours of Operation: M-F6:00a-5:3 Op Telephone #: 803-275-5221 Any changes in contact info (Phone/Email/Fax)? ☐ Yes ☐ No Change in location? ☐ Yes @ No Overnight Care? - Yes or No If yes, Address:

Maximum number of children: 12 Number of infants: 3 is the GCCH over - capacity?

Yes No If yes, Number of children over

O Additional staff is required when attendance reaches 9 children or when 4 or more children are younger than 2 yrs. old

Items posted in public view: License Menu

Does facility transport children? 114-515. ☐ Yes or No ☐ N/A MANAGEMENT, ADMINISTRATION & STAFFING 114-513 SUPERVISION 114-514 C N N/A Staff files are in compliance H(1-7) Adequate supervision throughout facility A(1) e' N/A Training hours up-to-date K(5) Adequate number staff in home or outside during play A(2) At least 1 person with CPR & 1st Aid on the premises K(5)(g) 0 Q 0 87 D 0 HEALTH, SANITATION & SAFETY 114-515 C N · N/A Children's faces/hands are clean B(1) CIN NA 08 0 Proper diaper changing practices were observed F(1-7) Medicine & harmful items are labeled and stored properly D(2) Proper handwashing practices were observed G(4) 0 0 P Q. First Aid kit in facility and in vehicle if transport E(1) a Smoking permitted only in designated area A(2) ٥ 0 PHYSICAL SITE 114-517 -BUILDING С N N/A OUTDOOR PLAY AREA Ventilation and lighting sufficient A(2), A(4) Ç N Fencing/safety barriers 4ft. in height, in good repair B(3) NA 0 0 Ceiling, floors, windows, doors free from hazards A(5)(d) 8 Outdoor space free from hazards and litter B(2) No strangulation/choking/suffocation hazards A(5)(h)(i-ili) 0 Ø 8 Stationary equipment safe & firmly anchored C(7) Ω Building(s) temp between 68-80°F A(7) Adequate cushioning material; at least 6ft fall zone C(9) B. œ Facility free from pest problems (insects, rodents) A(8)(b-c) 0 a a 8 -0 Trash kept properly in plastic lined receptacles A(8) (d-i) RESTING O C N 2 Cribs meet federal standards (reviewed certificate) D(1) N/A 0 Electrical outlets are securely covered A(11)(c) @ Cots, mats, cribs labeled or charted for each child D(2) Sink area has hot & cold water A(12)(d) 8 Pack & plays not used for sleeping D(1-2) Q 0 Soap and disposable towers available at sink A(12)(g) U TD Ď 0 PROGRAM 114-516 Furniture, toys & equipment are clean and in good repair C(1) C N-5 N/A Furniture, toys & equipment meets the CPSC standards C(2) Written, planned, daily program of activities that is developmentally & age appropriate observed A(1-3) Healthy pets/animals (Vaccination record up-to-date) E(4) OP! O Ď Ø O 0 Positive, non-abusive discipline practice B(1) D 0 MEAL REQUIREMENTS 114-518 0 a CN N/A Meals & snacks in compliance with USDA A(1)(b) C N Round, firm foods are not offered to children under 4 0 N/A Clean, wholesome, unspoiled, properly labeled food A(4) yrs. Old, unless properly cut to prevent choking risk A(3) 4 2 0 Food preparers & staff outer clothing must be clean B(5) 0 a Refrigerators have thermometers, temp under 45°F D(3) 0 Food stored & handled properly D(1) 0 All cleaning & polsonous items stored away from food E 0 INFANT CARE 114-519 ਦ Breast milk is not heated in the microwave. If microwave is used to heat formula/beverages, parents are notified in writing A(3)(d) C N. N/A Cups and bottles labeled with child's name & used only by that child A(3)(a) 0 t No bottles propped or given in cribs or on mats A(3)(c) a Food for infants cut in pieces 1/2 inch or less A(3)(i) 0 0 Food for toddlers cut in pieces 1/2 inch or less A(3)(k) Q 12 Infants are placed on their backs to sleep, unless Doctor's note is provided. A(5)(a) o l a C = Compliant with Regulation - N = Noncompliant with Regulation | No violations noted at the time of visit | -

Rebecca Woodward Specialist - 07/26/22 Signature of Director/Operator/Designee: (no signature required due to virtual inspection completed)