## SOUTH CAROLINA DEPARTMENT OF SOCIAL SERVICES CHILD CARE LICENSING ORIGINAL & RENEWAL INSPECTION CHECKLIST

Type of Inspection: □ Provisional Evaluation □ Full Evaluation □ Renewal

Center Name: Mommy's Time Out, LLC Date	of Inspection:	23 Time of	Inspection :\ა.c	Mac	<u>m</u>	
	enter 🗆 Faith Based		)			
ddress: 1151 Henley Street, ORANGEBURG, SC 29115		of Operation:				_
elephone #: 803-878-3191 Any changes in contact info (Phecenter Director/Designee: Gale Lucille Antley	one/Email/Fax)? 🗆 Y	es sz/No C	vernight Care?	Yes	<b>⊠</b> √[	No
Change in Ownership or Director?   Yes Sono If yes, Name:						
otal Capacity: 40 Building 1: Bu	ildina 2:	Building 3:				
otal Capacity: 40  Building 1: Bu  Maximum number of infants: 40 □ 24 months □ 30 months □ I-4 fa	cility Clear Fire Re	port & Yes - No c	NA Date deared	111	5].	22
	•	•		7	7-	
Physical Site	CENTER	FAITH BASED	GCCH	С	N	N/A
The Approval/ License/ Registration is displayed in public view.	114-503 A.1	114-523 A.1	114-513 A.1			
Daily menu dated and posted in conspicuous location in public view.	114-508 A.1	114-528 A.1	114-513 A.1	<del>                                     </del>		
Building has proper ventilation to include kitchen and bathrooms.	114-507 A.2	114-527 A.2			1	
Tobacco free facility	114-505 A.3	114-527 A.2	114-517 A.2 114-517 A.2	<b>a</b>		
Decals on all glass doors, placed at eye level of children.	114-507 A.3	114-527 A.3	114-517 A.2			
Adequate lighting for rooms, hallway, bathrooms and fire escapes.	114-507 A.4	114-527 A.4	114-517 A.4(a)	<b>▽</b>		
Ceiling, floors, windows, doors and rugs properly secured.	114-507 A.5(d)	114-527 A.5(d)	114-517 A.4(a)		. 0	0
No strangulation, choking or suffocation hazards.	114-507 A.5(g)	114-527 A.5(g)	114-517 A.5(b)			0
Electrical outlets securely covered and inaccessible to children.	114-507 A.11(c)	114-527 A.11(c)	114-517 A.11(c)			Ò
Temperature in building between 68 and 80 degrees °F.	114-507 A.7(a)	114-527 A.7	114-517 A. 7(a)	ď		<u> </u>
Facility has hot and cold water.	114-507 A.6(b)	114-527 A.6(b)	114-517 A.6(b)			0
Trash in restroom and classroom kept in plastic lined container.	114-507A.8(f)	114-527 A.8(f)	114-517 A.8(f)			<u> </u>
Facility free from pest problems (insects, rodents, etc.).	114-507 A.8(b)	114-527 A.8(b)	114-517 A.8(b)			
Furniture, toys & equipment are clean and free from hazards.	114-507 C.1	114-527 C.1	114-517 C.1			
Furniture, toys & equipment meet standards of the CPSC.	114-507 C.2	114-527 C.2	114-517 C.2			
Bathroom completely enclosed. Private toilet use by preschool & up.	114-507 A.12	114-527 A.12	111011012	3		
Child size toilets & sinks (has seat adapter and sturdy steps).	114-507 A.12(e)	114-527 A.12(e)	114-517 A.12(e)			
Soap and disposable towels provided at each sink.	114-507 A.12(i)	114-527 A.12(i)	114-517 A.12(g)			
Cots or mats labeled with child's name for use only by that child.	114-507 D.2	114-527 D.2	114-517 D.2			
'Cots and mats stored so that the side child lies on does not touch floor.	114-507 D.6	114-527 D.6	114-517 D.6			
Poisons/harmful agents locked, labeled and stored properly.	114-507 E.1	114-527 E.1	114-517 E.1	•		
Only healthy pets/animals permitted. (Vaccination records up-to-date)	114-507 E.4	114-527 E.4	114-517 E.4			
Ratio chart prominently posted in each classroom.	114-504 B.1	114-524 B.1		7		
Emergency phone numbers posted (police, fire and poison control).	114-503 J.2	114-523 G.2	114-513 J.2	<b>1</b>		
Internal means of communication among staff.	114-503 J.3		EDW STARK			
Parents have free & full access.	114- 503 F.1		114-513 F.1			0
If overnight care is provided, requirements have been met.	114-509 C	114-529 C	114-519 C			6.
Age appropriate radio, TV, VCR and DVD for children use.	114-506 A.7		114-516 A.7			
Staff files are in compliance to include required training hours.	114-503 F(1-4)	114-523 H.(1-7)	114-513 H(1-7)		Ф	

C= Compliant with Regulation, N = Noncompliant with Regulation, N/A = Not Applicable

No violations noted at time of visit.

Signature of Director/Operator/Designee:

Date 1.9.2023 Refused to Sign

Date 1/9/23