## SOUTH CAROLINA DEPARTMENT OF SOCIAL SERVICES CHILD CARE LICENSING ORIGINAL & RENEWAL INSPECTION CHECKLIST

## Type of Inspection: □ Provisional Evaluation □ Full Evaluation ☑ Renewal

Center Name: Miss Aimee's, Inc. dba Sulfivans Island Child Care  ARL/APP ID #: CC003814						
Total Capacity: 59 Building 1: Building 1:	lding 2:	Building 3:				
Maximum number of infants: 41	cility Clear Fire Re	eport - Yes - No	MA Date cleared	l		
	,	port E 100 E 110 i	3 11/1 Date dealed		-	
DI 1.10%						
Physical Site	CENTER	FAITH BASED	GCCH	C	N	N/A
The Approval/ License/ Registration is displayed in public view.	114-503 A.1	114-523 A.1	114-513 A.1			
Daily menu dated and posted in conspicuous location in public view.	114-508 A.1	114-528 A.1	11 <b>4</b> -518 A.1			
Building has proper ventilation to include kitchen and bathrooms.	114-507 A.2	114-527 A.2	114-517 A.2			
Tobacco free facility	114-505 A.3	114-525 A.2	11 <b>4</b> -517 A.2	Ø		
Decals on all glass doors, placed at eye level of children.	114-507 A.3	114-527 A.3	114-517 A.3	ď		
Adequate lighting for rooms, hallway, bathrooms and fire escapes.	114-507 A.4	114-527 A.4	114-517 A.4(a)			
Ceiling, floors, windows, doors and rugs properly secured.	114-507 A.5(d)	114-527 A.5(d)	114-517 A.5(d)			
No strangulation, choking or suffocation hazards.	114-507 A.5(g)	114-527 A.5(g)	114-517 A.5(h)	ď		
Electrical outlets securely covered and inaccessible to children.	114-507 A.11(c)	114-527 A.11(c)	114-517 A.11(c)	4		
Temperature in building between 68 and 80 degrees ∘F.	114-507 A.7(a)	114-527 A.7	114-517 A. 7(a)	3		
Facility has hot and cold water.	114-507 A.6(b)	114-527 A.6(b)	114-51 7 A.6(b)	<b>d</b>		
Trash in restroom and classroom kept in plastic lined container.	114-507A.8(f)	114-527 A.8(f)	114-517 A.8(f)	12		
Facility free from pest problems (insects, rodents, etc.).	114-507 A.8(b)	114-527 A.8(b)	114-517 A.8(b)			
Furniture, toys & equipment are clean and free from hazards.	114-507 C.1	114-527 C.1	114-517 C.1	2	1	
Furniture, toys & equipment meet standards of the CPSC.	114-507 C.2	114-527 C.2	114-517 C.2	7		<u> </u>
Bathroom completely enclosed. Private toilet use by preschool & up.	114-507 A.12	114-527 A.12	114-517 0.2			
Child size toilets & sinks (has seat adapter and sturdy steps).	114-507 A.12(e)	114-527 A.12(e)	114-517 A.12(e)		_	
Soap and disposable towels provided at each sink.	114-507 A.12(i)	114-527 A.12(i)	114-517 A.12(g)	- 1		0
Cots or mats labeled with child's name for use only by that child.	114-507 D.2	114-527 D.2	114-517 D.2	-	믜	
Cots and mats stored so that the side child lies on does not touch floor.	114-507 D.6	114-527 D.2	114-517 D.6	<del>- +</del>		0
Poisons/harmful agents locked, labeled and stored properly.	114-507 E.1	114-527 E.1				
Only healthy pets/animals permitted. (Vaccination records up-to-date)	114-507 E.4	114-527 E.1	114-517 E.1			
Ratio chart prominently posted in each classroom.	114-504 B.1		114-517 E.4			8
Emergency phone numbers posted (police, fire and poison control).		114-524 B.1	444 040 40		믜	
Internal means of communication among staff.	114-503 J.2	114-523 G.2	114-513 J.2		-	
Parents have free & full access.	114-503 J.3		444 540 5 4		믜	
If overnight care is provided, requirements have been met.	114- 503 F.1	444.500.0	114-513 F.1		믜	
Age appropriate radio, TV, VCR and DVD for children use.	114-509 C	114-529 C	114-519 C	_	믜	
Staff files are in compliance to include required training hours.	114-506 A.7		114-516 A.7		믜	
Otan mes are in compliance to include required training nours.	114-503 F(1-4)	114-523 H.(1-7)	114-513 H(1-7)			
Co Compliant with Doculation M. November 11 5 11 7 and the sure						=
C= Compliant with Regulation, N = Noncompliant with Regulation, N/A = Not Applicable  No violations noted at time of visit.						
NO VIOLATIONS NOTED AT TIME OF VISIT.					5	023
Signature of Director/Operator/Designee:  Date 12423 Refused to Sign  Signature of Child Care Licensing Specialist: 5.Book  Date 1-24-23						
Signature of Child Care Licensing Specialist: S. Brolek Date 1 - 24 - 23						