SOUTH CAROLINA DEPARTMENT OF SOCIAL SERVICES CHILD CARE LICENSING ORIGINAL & RENEWAL INSPECTION CHECKLIST

Type of Inspection: ☐ Provisional Evaluation ☐ Full Evaluation ☑ Renewal

Inge in Ownership or Director? □ Yes 🏚 No If yes, Name: al Capacity: 115 Building 1: Bu	ilding 2: V	Building 3:				
kimum number of infants: 90			NA Date cleared	3	u	123
Dhysical Cita	CENTER	FAITH BASED	GCCH	С	N	N/A
Physical Site The Approval/ License/ Registration is displayed in public view.	114-503 A.1	114-523 A.1	114-513 A.1	مجد	-	
The Approval/ License/ Registration is displayed in public view. Daily menu dated and posted in conspicuous location in public view.	114-508 A.1	114-528 A.1		-		
Building has proper ventilation to include kitchen and bathrooms.	114-507 A.2	114-527 A.2	114-517 A.2	4		
Tobacco free facility	114-505 A.3	114-525 A.2	114-517 A.2	-		
Decals on all glass doors, placed at eye level of children.	114-507 A.3	114-527 A.3			\rightarrow	
Adequate lighting for rooms, hallway, bathrooms and fire escapes.	114-507 A.4	114-527 A.4	114-517 A.4(a)			
Ceiling, floors, windows, doors and rugs properly secured.	114-507 A.5(d)	114-527 A.5(d)	114-517 A.5(d)			
No strangulation, choking or suffocation hazards.	114-507 A.5(g)	114-527 A.5(g)	114-5 1 7 A.5(h)	ملا		
Electrical outlets securely covered and inaccessible to children.	114-507 A.11(c)	114-527 A.11(c)	114-517 A.11(c)	1		
Temperature in building between 68 and 80 degrees °F.	114-507 A.7(a)	114-527 A.7	114-517 A. 7(a)			
Facility has hot and cold water.	114-507 A.6(b)	114-527 A.6(b)				
Trash in restroom and classroom kept in plastic lined container.	114-507A.8(f)	114-527 A.8(f)	114-517 A.8(f)	◢		
Facility free from pest problems (insects, rodents, etc.).	114-507 A.8(b)	114-527 A.8(b)	114-517 A.8(b)	7		
Furniture, toys & equipment are clean and free from hazards.	114-507 C.1	114-527 C.1	114-517 C.1	1		
Furniture, toys & equipment meet standards of the CPSC.	114-507 C.2	114-527 C.2	114-517 C.2	Ø		
Bathroom completely enclosed. Private toilet use by preschool & up.	114-507 A.12	114-527 A.12	(2015) [F-85]			
Child size toilets & sinks (has seat adapter and sturdy steps).	114-507 A.12(e)	114-527 A.12(e)	114-517 A.12(e)	Ø		
Soap and disposable towels provided at each sink.	114-507 A.12(i)	114-527 A.12(i)	114-517 A.12(g)	b		
Cots or mats labeled with child's name for use only by that child.	114-507 D.2	114-527 D.2	114-517 D.2	ø		
Cots and mats stored so that the side child lies on does not touch floor.	114-507 D.6	114-527 D.6	114-517 D.6	Z	0	
Poisons/harmful agents locked, labeled and stored properly.	114-507 E.1	114-527 E.1	114-517 E.1	2		
Only healthy pets/animals permitted. (Vaccination records up-to-date)	114-507 E.4	114-527 E.4	114-517 E.4			ø
Ratio chart prominently posted in each classroom.	114-504 B.1	114-524 B.1		7		
Emergency phone numbers posted (police, fire and poison control).	114-503 J.2	114-523 G.2	114-513 J.2	7		
Internal means of communication among staff.	114-503 J.3	SOLED BOTH		4		
Parents have free & full access.	114- 503 F.1		114-513 F.1	Ø		
If overnight care is provided, requirements have been met.	114-509 C	114-529 C	114-519 C			9
Age appropriate radio, TV, VCR and DVD for children use.	114-506 A.7		114-516 A.7	1		
Staff files are in compliance to include required training hours.	114-503 F(1-4)	114-523 H.(1-7)	114-513 H(1-7)	P	0	

Signature of Director/Operator/Designee: Carry Carry Carry Date 3 16/23 Refused to Sign Signature of Child Care Licensing Specialist: Charles Carry Date 3/4/23 Date 3/4/23

	1		1	
Page	1	_ of _	ı	

Division of Early Care and Education Deficiency Correction

NAME OF PROVIDER/OPERATOR	Pinopolis Child Care and Day Care Center
PERMIT #22838	

Deficiency Cited	Corrective Action Needed	Expected Date of Correction	
Not enough cushioning on the playground	The order for mulch was placed	as soon as the order comes in.	

Providers/Operators are required by regulations and statutes to be in compliance at all time.

Licensing Specialist Charle Um	Date 3	117/23