South Carolina Department of Social Services

Office of Child Care Licensing

VIRTUAL INSPECTION FOR REGISTERED FAITH BASED CENTERS

DUE TO COVID19 EMERGENCY Date of Inspection: 435 35 Time of Inspection: 13:05 Facility Name: Bethesda Presbyterian Church Type of Inspection: ☑ Renewal □ Follow Up (original inspection date_ Permit #: 573 Address: 4858 McConnells Highway York, SC 29745 Hours of Operation: M-F6:30a-6:00p Telephone #: 803-328-0149 Any changes in contact info (Phone/Email/Fax)? ☐ Yes ☑ No Overnight Care?

Yes Vo Center Director/Designee: Cynthia T Jackson, Cynthia Dawn Westmoreland Change in Ownership or Director? □ Yes > No If yes. Name: Maximum number of children: 140 Building 1: Building 2: Buildina 3: Maximum number of infants: 34 □ 24 months □ 30 months □ 1-4 facility Infants are in designated rooms? □ Yes □ No № N/A Items posted in public view: Registration & Menu Ratio Chart (All classroom) Does facility transport children? Yes - No MANAGEMENT 114-523 APPLICATION OF STAFF: CHILD RATIOS 114-524 CN N/A N N/A Staff files are in compliance F(1-4) Y Adequate supervision throughout the facility A(1) (a-b) 0 Are training hours up-to-date? F(3)(a-b) 12 Facility following tracking of children procedures A(2) At least 1 person with CPR & 1St Aid on the premises H(5)(f) Ratios adequate in all classrooms and on playground B & C **S**/ HEALTH, SANITATION & SAFETY 114-525 N C N/A C N/A N Children's faces/hands are clean B(1) Proper diaper diapering practices were observed F(1-16) Ħ 0 \Box 6 Medicine & harmful items labeled and stored properly D(2) ਲ q Proper handwashing practices were observed G(4) o W First Aid kit in facility and in vehicle if transport E(1), I(1)(g) Smoking permitted only in designated area A(3) **S** PHYSICAL SITE 114-527 C N N/A С N N/A BUILDING PLAYGROUND b Ventilation and lighting sufficient A(2)(a-d),(4)(a-c) Outdoor space free of glass, paper & other litter B(2) Y О Ceiling, floors, windows, doors free from hazards A(5)(d) **S** Fencing/safety barriers 4ft in height, in good repair B(4) B No strangulation/choking/suffocation hazards A(5)(g)(i-iii) V Playground equipment safe & firmly anchored C (6) M Building(s) temp between 68-80 °F A(7) VZ/ Adequate cushioning material; at least 6ft. fall zone C(8) 0 ď 0 \Box Facility free from pest problems (Insects, rodents)A(8)(b-c) 3 RESTING C N N/A Garbage kept properly in plastic lined receptacles A(8)(d-i) Cribs meet federal standards (reviewed certificate) D(1) VZ/ V Electrical outlets are securely covered A(11)(c) দ্র Cots, beds, mats, & cribs labeled for each child D(2) V/ Sink area has hot & cold water A(12)(d) ਖ Pack & plays not used for sleeping D(1-2) M Soap and towels in restrooms A(12)(i) Ø **TRANSPORTATION 114-525 I** Q' Furniture, toys & equipment are clean and in good repair C(1) B Vehicle has proper safety restraints and in good repair I(1) Furniture, toys & equipment meets CPSC standards C(2) Checklist for loading/unloading children reviewed. I(2)(d) Þ M MEAL REQUIREMENTS 114-528 С N N/A C N N/A Meals and snacks in compliance with USDA A(1)(b) 7 Round, firm foods are not given to children under 4y/o. Clean, wholesome, unspoiled properly labeled food A(4) unless properly cut to prevent choking risk. A(3) Food preparers have proper hair restraints B(5) Food labeled, stored and handled properly D(1) 0 র্ Refrigerators have thermometers(Temp under 45°F)D(2-3) Cleaning & poisonous items stored away from food D(8) va | 0 W l INFANT CARE 114-529 С N/A Ν Cups and bottles labeled with child's name & used only by that child A(1)(a) ህ No bottles propped or given in cribs or on mats A(1)(c) Breast milk is not heated in the microwave. If microwave is used to heat formula/beverages, parents are notified in writing A(1)(d) 14 Food for toddlers cut in pieces ½ inch or less. A(1)(k) Food for infants cut in pieces 1/4 inch or less. A(1)(i) **D**/ Infants are placed on their backs to sleep, unless Doctor's note is provided. A(3)(a) va C = Compliant with Regulation - N = Noncompliant with Regulation No violations noted at the time of visit

Signature of Director/Operator/Designee: (no signature required due to virtual inspection completed)

Signature of Child Care Licensing Specialist:

Date: 4.25.23

	1		1
Page	<u> </u>	of	<u> </u>

<u>Division of Early Care and Education</u> <u>Deficiency Correction</u>

NAME OF PROVIDER/OPERATOR Bethesda Presbyterian Church PERMIT # 573

Deficiency Cited	Corrective Action Needed	Expected Date of Correction With-in 30 days of the deficiency	
Elizabeth Martin needs 5hrs of training for 2022 for the renewal process	Elizabeth will need to take 5hrs on endeavors		
W G			
		Ø	

Providers/Operators are required by regulations and statutes to be in compliance at all time.

Licensing Specialist Jessica	Avant Digitally signed by Jessica Avant Date: 2023.04.25 15:50:41 -04'00'	Date 4/25/23