## South Carolina Department of Social Services Office of Child Care Licensing

## INSPECTION VISIT FORM FOR LICENSED CENTERS

acility Name: La Petite Academy ermit #: 13948 Type of Inspection:   Annu	ıal 🗷	Co	Date of <b>nplaint</b>	f Inspection: 417723 Time of Inspection: 2:55 t □ Follow Up (original inspection date	)	JE D	anart
ddress: 2523 Ashley River Road, CHARLESTON, SC 29414				Hours of Operation: Single Shift	/ □ 3€	er-re	∌poπ
	onta	ct inf	o (Pho	ne/Email/Fax)? • Yes No Overnight Care? •	V00	Lin	
enter Director/Designee: Amanda Jane Jenkins	JUINA	CC II II	0 (1 110	ner Emailir axy: 11 163 And Overhight Care: 1	162	TIVE	J
nange in Ownership or Director?   Yes No If yes, Name:						1	
aximum number of children: 85 Building 1:			Build	ding 2: Building 3: □	CDE	D	
aximum number of infants: 72 / □ 24 months of	30	mont					
ems posted in public view: License Menu Ratio Ch						ראויו	1
The period in parties than a second a mond a practice of					^		
MANAGEMENT, ADMINISTRATION & STAFFING 114-503				SUPERVISION 114-50-4	100		
	С	N	N/A		С	N	N/A
Staff files are in compliance H(1-7)		ď		Adequate supervision throughout facility A(1-2)			
Training hours up-to-date K(5)(b-c)	0	0		1 2	K		
At least 1 person with CPR & 1 <sup>St</sup> Aid on the premises K(5)(h)	1	_		Ratios adequate in all classrooms and on playground B, C	M		
HEALTI		1		& SAFETY 114-505			
	С	N	N/A		С	N	N/A
Children's faces/hands are clean B(1)				Proper diaper changing practices were observed F(1-16)			
Medicine and harmful items labeled and stored properly D(2)	•			Proper handwashing practices were observed G(4)	10/		_
First Aid kit in facility and in vehicle if transport E(1), I(1)(g)				No smoking/consumption of alcoholic beverage A(3)	ita/		0
	SICA	L SI	E 114-				
BUILDING	С	N	N/A	PLAYGROUND	С	N	N/A
Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c)	ď	o.		Playground equip. safe & firmly anchored B(7)			0
No strangulation/choking/suffocation hazards A(5)(g)(i-iii)	<b>u</b>			Adequate cushioning material; at least 6ft fall zone B(9)	18	0	
Ceiling, floors, windows, doors free from hazards A(5)(d)	7		0	Fencing/safety barriers 4ft. in height, in good repair B(4)	<u>-</u>		
Building(s) temp between 68-80°F A(7) If no, close in 4 hrs.	7			Outdoor space free from hazards and litter B(2)		H	0
Facility free from pest problems (Insects, rodents) A(8)(b-c)	2	_		RESTING	C	$\bar{N}$	N/A
Garbage kept properly in plastic lined receptacles A(8) (d-i)		0	0	Play Pens observed C(4)	V		
Electrical outlets are securely covered A(11)(c)	4	0		Cribs meet federal standards (reviewed certificate) D(1)		$\Box$	
Sink area has running water A(12)(d)	1			Cots, mats, cribs labeled or charted for each child D(2)			_
Soap and disposable towels available at sink A(12)(i)	4			PROGRAM 114-506	$\rightarrow$	N	N/A
Furniture, toys & equipment are clean and in good repair C(1)	7	0		Written, planned, daily program of activities that is			147
Furniture, toys & equipment meets the CPSC standards C(2)	1	_		developmentally & age appropriate observed A(1-3)			0
Healthy pets/animals (Vaccination record up-to-date) E(4)	1			Positive, non-abusive discipline practice B(1)			-
The state of the s	REQ		_	S 114-508			
	C,	N	N/A		С	N	N/A
Meals & snacks in compliance with USDA A(1)(b)				Round, firm foods are not offered to children under 4	18	0	
Clean, wholesome, unspoiled, properly labeled food A(4)	R			yrs. Old, unless properly cut to prevent choking risk A(3)			
Food preparers have proper hair restraints B(5)	1			Food stored & handled properly D(1)			
Refrigerators have thermometers, temp under 45°F D(2-3)	M			All cleaning & poisonous items stored away from food D	Ø		
INFANT CARE 114-509				TRANSPORTATION 114-505 I			
	C	N	N/A		C	N	N/A
nfants are placed on their back to sleep A(5)(a)	M				_		M
No bottles propped or given in cribs or on mats A(3)(c)				Checklist for loading/unloading children reviewed (2)(d)			4
Food for toddlers cut in pieces ½ inch or less A(3)(k)	ď			Driver's (valid) driver's license reviewed (1)(f)			12
ood for infants cut in pieces 1/4 inch or less A(3)(j)	<b>■</b>						
Crock pots, bottle warmers, are inaccessible to children, No				C-Compliant with Regulation			
nicrowaving of beverages observed A(3)(d)	œ.			N-Noncompliant with Regulation			
Cups and bottles labeled with child's name & used only by that	4			F			

 $\hfill\square$  Refused to sign

Signature of Director/Operator/Designee:

Signature of Child Care Licensing Specialist:

	1	1	
Page	1	of	
i agc		· _	

## <u>Division of Early Care and Education</u> <u>Deficiency Correction</u>

## NAME OF PROVIDER/OPERATOR La Petite Academy - Ash River PERMIT # 13948

Deficiency Cited	Corrective Action Needed	Expected Date of Correction		
Discipline	N/A - Caregiver terminated	4/14/23		
Caregiver missing TB	TB test results in SC	4/21/23		
8				
A				
- ,				

Providers/Operators are required by regulations at all time.	and statutes to be in	compliance
Licensing Specialist	Date	9/23