South Carolina Department of Social Services Office of Child Care Licensing INSPECTION VISIT FORM FOR LICENSED CENTERS

acility Name: Westview Primary Head Start ermit #: 23389 Type of Inspection: Annu	ual c	Co	Date of mplaint)	L
				Reason for Follow up: a clear up pending deficienc	y 🗆 S	elf-R	eport
ddress: 98 Westview Blvd., GOOSE CREEK, SC 29445 elephone #: 843-820-4082 Any changes in center Director/Designee: Kali Ayana Coaxum	conta	ct inf	o (Pho	Hours of Operation: Single Shift ne/Email/Fax)? □ Yes □ No Overnight Care? □	Yes	⊠N	ĺ0
nange in Ownership or Director? Yes No If yes, Name:							
aximum number of children: 200 Building 1:			Buil		CDE		_
aximum number of infants: 0 24 months of specific properties 24 mo	⊐ 30 ı	mont	hs 📈	4 facility Infants are in designated rooms? Yes	Nov	- N/	4
ams posted in public view: License Menu Ratio Cl	nart (/	Alf Cla	assroor	ns) Does facility transport children? Yes N	/A		
MANAGEMENT, ADMINISTRATION & STAFFING 114-503				SUPERVISION 114-50 4	1928	2000	
	С	N	N/A		C	N	N/
Staff files are in compliance H(1-7)		1	0	Adequate supervision throughout facility A(1-2)	D		
Training hours up-to-date K(5)(b-c)	1	0	0	Facility following tracking of children procedures A(3)	JUE 1		
At least 1 person with CPR & 1st Aid on the premises K(5)(h)	V			Ratios adequate in all classrooms and on playground B, C	· P	0	
HEALT				3 SAFETY 114-505	-		
Annual Control of the	С	N	N/A	The state of the s	С	N	N/A
Children's faces/hands are clean B(1)	0			Proper diaper changing practices were observed F(1-16)	1	10	
Medicine and harmful items labeled and stored properly D(2)	4		0	Proper handwashing practices were observed G(4)	0	1 9	0
First Aid kit in facility and in vehicle if transport E(1), I(1)(g)	1			No smoking/consumption of alcoholic beverage A(3)	2	0	0
	SICA	L SI	ΓΕ 114-				
BUILDING	C	N	N/A	PLAYGROUND	С	N	N/A
Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c)	0	0	0	Playground equip. safe & firmly anchored B(7)	4	0	
No strangulation/choking/suffocation hazards A(5)(g)(i-iii)	4			Adequate cushioning material; at least 6ft fall zone B(9)	0		0
Ceiling, floors, windows, doors free from hazards A(5)(d)	B		0	Fencing/safety barriers 4ft. in height, in good repair B(4)	0	/0	
Building(s) temp between 68-80°F A(7) If no, close in 4 hrs.	0			Outdoor space free from hazards and litter B(2)	0	0	0
Facility free from pest problems (Insects, rodents) A(8)(b-c)	8		0	RESTING	С	N	N/A
Garbage kept properly in plastic lined receptacles A(8) (d-i)	0		0	Play Pens observed C(4)	5		
Electrical outlets are securely covered A(11)(c)	0			Cribs meet federal standards (reviewed certificate) D(1)	4	Z	
Sink area has running water A(12)(d)	1	.0	0	Cots, mats, cribs labeled or charted for each child D(2)	-5		0
Soap and disposable towels available at sink A(12)(i)	0	0		PROGRAM 114-506	С	N	N/A
Furniture, toys & equipment are clean and in good repair C(1)	0			Written, planned, daily program of activities that is			
Furniture, toys & equipment meets the CPSC standards C(2)	0	0	0	developmentally & age appropriate observed A(1-3)	19/	P	
Healthy pets/animals (Vaccination record up-to-date) E(4)	8	0	0	Positive, non-abusive discipline practice B(1)			0
	REQ	UIRE	MENT:	S 114-508		YS.	
	С	N	N/A		С	N	N/A
Meals & snacks in compliance with USDA A(1)(b)	0			Round, firm foods are not offered to children under 4	4		
Clean, wholesome, unspoiled, properly labeled food A(4)	8		0	yrs. Old, unless properly cut to prevent choking risk A(3)	4		
Food preparers have proper hair restraints B(5)	4	0	0	Food stored & handled properly D(1)	0/	<u> </u>	
Refrigerators have thermometers, temp under 45°F D(2-3)	8	0		All cleaning & poisonous items stored away from food D	0	□	
INFANT CARE 114-509				TRANSPORTATION 114-505 I			and the same of
The second secon	С	N	N/A		С	N	N/A
Infants are placed on their back to sleep A(5)(a)	ㅁ	0	Y	Vehicle has proper safety restraints & in good repair I(1)			40
No bottles propped or given in cribs or on mats A(3)(c)			4	Checklist for loading/unloading children reviewed (2)(d)			8
Food for toddlers cut in pieces ½ inch or less A(3)(k)			8	Driver's (valid) driver's license reviewed (1)(f)		. 🗆	U
Food for infants cut in pieces 1/4 inch or less A(3)(j)	0		ď				11 11
Crock pots, bottle warmers, are inaccessible to children, No		D	~	C-Compliant with Regulation			
microwaving of beverages observed A(3)(d)				N-Noncompliant with Regulation			MP S
Cups and bottles labeled with child's name & used only by that			0	N 110 4 140 6 4 140			
child A(3)(a)				No violations noted at the time of visit \square			
Kah-	4	0		3-3-23			
Signature of Director/Operator/Designee:	X	C	M	Date: □ Refused to	sign		
Signature of Child Care Licensing Specialist	_			nate: 3 Har 23			

	1	1	
Page		of _	

<u>Division of Early Care and Education</u> <u>Deficiency Correction</u>

NAME OF PROVIDER/OPERATOR Westview Primary Headstart PERMIT #23389

Deficiency Cited	Corrective Action Needed	Expected Date of Correction	
114-505 G1A Staff medical statment	Caregiver will fill out the DSS 2901	03/04/2023	
114-505 G1b Staff Health Assessments missing	Providers will go to physical for health assessment before returning.	3/4/2023	
114505 G1 c-d evidence free from tubercuulosis	Providers will get TB verification from medical provider prior to returning	3/4/2023	
DSS 63-13-40 D1 NSOR and Central Registry	Staff will not return until they have clear central registry and fingerprints	3/4/2023	
DSS 114-509 Ka and 114-503 KB Education Verification	Staff will not return until providing education verification	3/4/2023	

Providers/Operators are required by regulations and statutes to be in compliance at all time.

Licensing Specialist	Me	Date 3/9123