Facility Name: La Petite Academy Permit #: 14563 Type of Inspection: XAnn	ual	<b>□ C</b> ¢	Date o	of Inspection: 5 23 23 Time of Inspection: 10 :4  Time of Inspection: 10 :4  Follow Up (original inspection date  Reason for Follow up: clear up pending deficience		1	 Danes
center birectonbesignee;		act ir	nfo (Pho	Hours of Operation: Single Shift one/Email/Fax)?  Yes Yo No Overnig ht Care?			
Change in Ownership or Director?   Yes No If yes, Name:							
Maximum number of children: 7 Building 1:		_	_ Bui	ilding 2: Building 3:	ı ÇD	EΡ	
Maximum number of infants: 99	<b>≥</b> 30	mor	iths 🗆 l	-4 facility Infants are in designated rooms? To Yes	No	□ N/	/A
tems posted in public view: License Menu Ratio Ci	hart	(All c	lassroc	oms) Does facility transport children? ZYes I No I N	I/A		
MANAGEMENT, ADMINISTRATION & STAFFING 114-503	V36	SI W	E 1000	SUPERVISION 114-504	-	-	
	C	N	N/A	901 ERVIOLON 114-304		CN	N/
Staff files are in compliance H(1-7)	₽	$\overline{}$		Adequate supervision throughout facility A(1-2)			_
Training hours up-to-date K(5)(b-c)	Ø		0	Facility following tracking of children procedures A(3)	+		_
At least 1 person with CPR & 1st Aid on the premises K(5)(h)				Ratios adequate in all classrooms and on playground B. C			_
HEALTI			ATION	& SAFETY 114-505		THE L	Ĉ.
	C	N	N/A		С	N	N/
Children's faces/hands are clean B(1)				Proper diaper changing practices were observed F(1-16)	Ø		
Medicine and harmful items labeled and stored properly D(2)	œ	10	0	Proper handwashing practices were observed G(4)	ď	1 -	-
First Aid kit in facility and in vehicle if transport E(1), I(1)(g)	œ′			No smoking/consumption of alcoholic beverage A(3)	e	1 -	
PHY	SIC	AL SI	TE 114	-507			.8
BUILDING	C	N	N/A	PLAYGROUND	С	N	N/A
Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c)	126	0		Playground equip. safe & firmly anchored B(7)	Ø		0
No strangulation/choking/suffocation hazards A(5)(g)(i-iii)	10/			Adequate cushioning material; at least 6ft fall zone B(9)			Ŀ
Ceiling, floors, windows, doors free from hazards A(5)(d)	<b>P</b>	0		Fencing/safety barriers 4ft. in height, in good repair B(4)			
Building(s) temp between 68-80°F A(7) If no, close in 4 hrs.	E/			Outdoor space free from hazards and litter B(2)			0
acility free from pest problems (Insects, rodents) A(8)(b-c)	<b>Z</b>	0		RESTING	C.	N	N/A
Garbage kept properly in plastic lined receptacles A(8) (d-i)			<u> </u>	Play Pens observed C(4)		- 🗆	0
Electrical outlets are securely covered A(11)(c)	4			Cribs meet federal standards (reviewed certificate) D(1)			
Sink area has running water A(12)(d)	₩.			Cots, mats, cribs labeled or charted for each child D(2)			0
Soap and disposable towels available at sink A(12)(i)	ď	0	<u> </u>	PROGRAM 114-506	С	N	N/A
Furniture, toys & equipment are clean and in good repair C(1)	B			Written, planned, daily program of activities that is	ار		
Furniture, toys & equipment meets the CPSC standards C(2)	12/	0		developmentally & age appropriate observed A(1-3)			
Healthy pets/animals (Vaccination record up-to-date) E(4)		_	122	Positive, non-abusive discipline practice B(1)			
MEAL				S 114-508			
Meals & snacks in compliance with USDA A(1)(b)	<u></u>	N -	N/A	David Confederation 1 55 and 1 11	C	N	N/A
Clean, wholesome, unspoiled, properly labeled food A(4)		<u>-</u>		Round, firm foods are not offered to children under 4	Ø		
Food preparers have proper hair restraints B(5)					P		0
Refrigerators have thermometers, temp under 45°F D(2-3)				Food stored & handled properly D(1)  All cleaning & poisonous items stored away from food D			
INFANT CARE 114-509				TRANSPORTATION 114-505 I	8	0	
	С	N	N/A		C	N. I	NI/A
nfants are placed on their back to sleep A(5)(a)	18				2	N	N/A
lo bottles propped or given in cribs or on mats A(3)(c)	E.			01 18 15 13 18 18 18 18 18 18 18 18 18 18 18 18 18		$\rightarrow$	
ood for toddlers cut in pieces ½ inch or less A(3)(k)	ø		_	- · · · · · · · · · · · · · · · · · · ·	<del>/</del>	-	
ood for infants cut in pieces ¼ inch or less A(3)(j)	1	_		Entroi e (talia) ditter e license reviewed (T/(I)	2		
Crock pots, bottle warmers, are inaccessible to children, No		_		C-Compliant with Regulation		公百800	
nicrowaving of beverages observed A(3)(d)	R		_	N-Noncompliant with Regulation			
cups and bottles labeled with child's name & used only by that	<u>~</u>	一					
hild A(3)(a)	uy'			No violations noted at the time of visit			
					-		

Signature of Director/Operator/Designee: Date: 5/23/23 □ Refused to sign Date: 5/23/23 □ Refused to sign