South Carolina Department of Social Services Office of Child Care Licensing INSPECTION VISIT FORM FOR LICENSED CENTERS

C N N Children's faces/hands are clean B(1) Medicine and harmful items labeled and stored properly D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) Building 8: Building 1: 24 months 30 months 25 months 30 months 26 N N 27 N N 28 months 30 months 28 months 30 months 29 months 30 months 20 months 30 months 2	□ -4 facility Infants are in designated rooms? Voc. = No. = N/A
Aaximum number of children: 144 Aaximum number of infants: 70	□ -4 facility Infants are in designated rooms? Voc. = No. = N/A
MANAGEMENT, ADMINISTRATION & STAFFING 114-503 MANAGEMENT, ADMINISTRATION & STAFFING 114-503 C N N Staff files are in compliance H(1-7) Training hours up-to-date K(5)(b-c) At least 1 person with CPR & 1 St Aid on the premises K(5)(h) C N N Children's faces/hands are clean B(1) Medicine and harmful items labeled and stored properly D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) PHYSICAL SITE 1 BUILDING Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs.	□ -4 facility Infants are in designated rooms? Voc. = No. = N/A
MANAGEMENT, ADMINISTRATION & STAFFING 114-503 Staff files are in comptiance H(1-7) Training hours up-to-date K(5)(b-c) At least 1 person with CPR & 1 St Aid on the premises K(5)(h) C N N Children's faces/hands are clean B(1) Medicine and harmful items labeled and stored properly D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) PHYSICAL SITE 1 BUILDING Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs.	rooms) Does facility transport children? 2 Yes No N/A
MANAGEMENT, ADMINISTRATION & STAFFING 114-503 C N N Staff files are in compliance H(1-7) Training hours up-to-date K(5)(b-c) At least 1 person with CPR & 1 St Aid on the premises K(5)(h) C N N Children's faces/hands are clean B(1) Medicine and harmful items labeled and stored properly D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) PHYSICAL SITE 1 BUILDING Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs.	"sourch many requirement cumpletting 162 P MO P MA
Staff files are in compliance H(1-7) Training hours up-to-date K(5)(b-c) At least 1 person with CPR & 1 St Aid on the premises K(5)(h) C N N Children's faces/hands are clean B(1) Medicine and harmful items labeled and stored properly D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) PHYSICAL SITE 1 BUILDING Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs.	
Staff files are in compliance H(1-7) Training hours up-to-date K(5)(b-c) At least 1 person with CPR & 1 ^{SI} Aid on the premises K(5)(h) HEALTH. SANITATION Children's faces/hands are clean B(1) Medicine and harmful items labeled and stored property D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) PHYSICAL SITE 1 BUILDING C N N Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. C C Colored in 4 hrs. C Colored in 4 hrs. C Colored in 4 hrs. C C C Colored in 4 hrs. C C Colored in 4 hrs. C C C C C C C C C	SUPERVISION 114-504
Training hours up-to-date K(5)(b-c) At least 1 person with CPR & 1 ^{SI} Aid on the premises K(5)(h) HEALTH. SANITATION Children's faces/hands are clean B(1) Medicine and harmful items labeled and stored property D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) PHYSICAL SITE 1 BUILDING C N N Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Description of the strangulation of the sufficient A(2) (a-d) If no, close in 4 hrs. Description of the sufficient A(3) (a-d) If no, close in 4 hrs. Description of the sufficient A(3) (a-d) If no, close in 4 hrs. Description of the sufficient A(3) (a-d) If no, close in 4 hrs. Description of the sufficient A(3) (a-d) If no, close in 4 hrs. Description of the sufficient A(3) (a-d) If no, close in 4 hrs. Description of the sufficient A(3) (a-d) If no, close in 4 hrs. Description of the sufficient A(3) (a-d) If no, close in 4 hrs. Description of the sufficient A(3) (a-d) If no, close in 4 hrs. Description of the sufficient A(3) (a-d) If no, close in 4 hrs. Description of the sufficient A(3) (a-d) If no, close in 4 hrs. Description of the sufficient A(3) (a-d) If no addition of the sufficient A(3) (a-d) If no additi	N/A C N N/A
At least 1 person with CPR & 1st Aid on the premises K(5)(h) HEALTH. SANITATION C N N.	□ Adequate supervision throughout facility A(1-2)
HEALTH. SANITATION C N N Children's faces/hands are clean B(1) Medicine and harmful items labeled and stored properly D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) PHYSICAL SITE 1 BUILDING Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs.	□ Facility following tracking of children procedures A(3) □ □
C N N Children's faces/hands are clean B(1) Medicine and harmful items labeled and stored properly D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) PHYSICAL SITE 1 BUILDING Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs.	Ratios adequate in all classrooms and on playground B. C.
Children's faces/hands are clean B(1) Medicine and harmful items labeled and stored property D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) PHYSICAL SITE 1 BUILDING Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs.	ON & SAFETY 114-505
Medicine and harmful items labeled and stored properly D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) PHYSICAL SITE 1 BUILDING C N N Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs.	I/A C N N/A
Medicine and harmful items labeled and stored properly D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) PHYSICAL SITE 1 BUILDING C N N Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs.	Draman diamon share since 11
First Aid kit in facility and in vehicle if transport E(1), I(1)(g) PHYSICAL SITE 1 BUILDING Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs.	Proper handwashing practices were showed Q/A
BUILDING C N N Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs.	
BUILDING C N N Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	1 1 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs.	I/A
No strangulation/choking/suffocation hazards A(5)(g)(i-iii) \square \square \square Ceiling, floors, windows, doors free from hazards A(5)(d) \square \square \square Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. \square \square \square	U 14 1 1/1/2
Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs.	□ Playground equip. safe & firmly anchored B(7) □ □
Building(s) temp between 68-80°F A(7) If no, close in 4 hrs.	□ Adequate cushioning material; at least 6ft fall zone B(9) □
Foolity from from and and bound it.	Fencing/safety barriers 4ft. in height, in good repair B(4)
T GUILLY ITEE ITOTH DESI DIODIETTS TINSECTS, TONERTS LAXVID-C1	Outdoor space free from hazards and litter B(2)
Carbana kont proporty in plantic lineal records -1 4 (0) (4 1)	RESTING C N N/A
	□ Play Pens observed C(4) □ □ □
	□ Cribs meet federal standards (reviewed certificate) D(1) □ □
	Cots, mats, cribs labeled or charted for each child D(2)
	PRÖGRAM 114-506 C N N/A
Furniture, toys & equipment are clean and in good repair C(1)	□ Written, planned, daily program of activities that is
Furniture, toys & equipment meets the CPSC standards C(2)	developmentally & age appropriate observed A(1-3)
Healthy pets/animals (Vaccination record up-to-date) E(4)	Positive, non-abusive discipline practice B(1)
MEAL REQUIREME	
	C N N/A
Meals & snacks in compliance with USDA A(1)(b)	Round, firm foods are not offered to children under 4
Clean, wholesome, unspoiled, property labeled food A(4)	yrs. Old, unless properly cut to prevent choking risk A(3)
Food preparers have proper hair restraints B(5)	Food stored & handled properly D(1)
Refrigerators have thermometers, temp under 45°F D(2-3)	All cleaning & poisonous items stored away from food D
INFANT CARE 114-509	TRANSPORTATION 114-505 I
C N N	/A C N N/A
	□ Vehicle has proper safety restraints & in good repair I(1) □ □ □ <
No bottles propped or given in cribs or on mats A(3)(c)	□ Checklist for loading/unloading children reviewed (2)(d) □ □ □
Food for toddlers cut in pieces ½ inch or less A(3)(k)	
	Driver's (valid) driver's license reviewed (1)(f)
Crock pots, bottle warmers, are inaccessible to children, No	Driver's (valid) driver's license reviewed (1)(f)
microwaving or beverages observed A(3)(d)	C-Compilant with Regulation
Cups and bottles labeled with child's name & used only by that child A(3)(a)	WARRING THE TRANSPORT OF THE PROPERTY OF THE P

Signature of Director/Operator/Designee Signature of Child Care Licensing Specialist:

	1	1	
Page	ı	of ^I	

<u>Division of Early Care and Education</u> <u>Deficiency Correction</u>

NAME OF PROVIDER/OPERATOR	Pelham Road CDC	
PERMIT #23353	20	

Deficiency Cited	Corrective Action Needed	Expected Date of Correction	
Inappropriate behavior management by staff member.	Director said they will put a corrective action plan in place.	7/26/2023	

Providers/Operators are required by regulations and statutes to be in compliance at all time.

Licensing Specialist	onicoury	Date_(e)	26/23
.	•		