## South Carolina Department of Social Services

acility Name: St. Paul the Apostle Catholic School	FOR	REG	ISTER	Care Licensing  ED FAITH BASED CHILD CARE CENTERS  Date of Inspection: 9-12-23 Time of Inspection: 8.  □ Complaint □ Follow Up (original inspection date	45	ar	1
ddress: 152 Alabama Street, SPARTANBURG, SC 29302  Hours of Operation: Single Shift  Any changes in contact info (Phone/Email/Fax)?  Yes Yo Overnight Care?  Yes Yo							
enter Director/Designee: Lauri Mitro hange in Ownership or Director? □ Yes > No							
MANACEMENT 114-323	С	N	N/A	APPLICATION OF STAFF: CHILD RATIOS 114-524		41	
Staff files are in compliance F(1-4)	N/			Adequate supervision throughout the facility A(1) (a-b)	C	<u>  N</u>	N/A
Are training hours up-to-date? F(3)(a-b)	X	0	0	Facility following tracking of children procedures A(2)	)X.		
At least 1 person with CPR & 1 <sup>St</sup> Aid on the premises H(5)(f)	7gL		0	Ratios adequate in all classrooms and on playground B & C	K.	_	
	TH, S	SANIT N	ATIO N/A	N & SAFETY 114-525	C	N	N/A
Children's faces/hands are clean B(1)	X			Proper diaper diapering practices were observed F(1-16)			_
Medicine & harmful items labeled and stored properly D(2)	X	ㅁ		Proper handwashing practices were observed G(4)	† <del>-</del>	<del> </del>	×
irst Aid kit in facility and in vehicle if transport E(1), I(1)(g)	×		0	Smoking permitted only in designated area A(3)	'yd	-	
PHY	SICA	L SIT	E 114				
	С	N	N/A	Maria	С	N	N/A
BUILDING		123		PLAYGROUND			IV/A
entilation and lighting sufficient A(2)(a-d),(4)(a-c)	)ci	0		Outdoor space free of glass, paper & other litter B(2)	X		-
eiling, floors, windows, doors free from hazards A(5)(d)	Ŋ.		-	Fencing/safety barriers 4ft in height, in good repair B(4)	X		
o strangulation/choking/suffocation hazards A(5)(g)(i-iii) uilding(s) temp between 68-80 °F A(7)	X		-	Playground equipment safe & firmly anchored C (6)	×	0	
acility free from pest problems (Insects, rodents)A(8)(b-c)	X			Adequate cushioning material; at least 6ft. fall zone C(8)	M		0
arbage kept properly in plastic lined receptacles A(8)(d-i)	X	-	0	Cribs most federal standard (reviewed a 455 to 244)	C	N	N/A
lectrical outlets are securely covered A(11)(c)	点	-	-	Cribs meet federal standards (reviewed certificate) D(1) Cots, beds, mats, & cribs labeled for each child D(2)			<u> </u>
ink area has hot & cold water A(12)(d)	X			Pack & plays not used for sleeping D(1-2)	M	-	
oap and towels in restrooms A(12)(i)	×		0	TRANSPORTATION 114-525 I			<u>)X</u>
urniture, toys & equipment are clean and in good repair C(1)	Z/A-			Vehicle has proper safety restraints and in good repair I(1)	0		<u> </u>
urniture, toys & equipment meets CPSC standards C(2)	A			Checklist for loading/unloading children reviewed. I(2)(d)		0	X
MEAL F		IREN	/ENTS	S 114-528			
oolo and anadia in compliance with LICEA AMAIL	С	N	N/A	Waster Commission of the Commi	C	N	N/A
eals and snacks in compliance with USDA A(1)(b) lean, wholesome, unspoiled properly labeled food A(4)	12			Round, firm foods are not given to children under 4y/o,			- d=-
ood preparers have proper hair restraints B(5)	队			unless properly cut to prevent choking risk. A(3)	780		0
efrigerators have thermometers(Temp under 45°F)D(2-3)	No.			Food labeled, stored and handled properly D(1)  Cleaning & poisonous items stored away from food D(8)	<b>X2</b>	-	0
			114-5		00	0	
MARKET A CANADA TANKS IN A PART OF THE PAR	915				C	N	N/A
ups and bottles labeled with child's name & used only by that	child /	4(1)(	a)			0	<b>X</b>
o bottles propped or given in cribs or on mats A(1)(c)							M
reast milk is not heated in the microwave. If microwave is used to heat formula/beverages, parents are notified in writing A(1)(d)							Xď.
ood for toddlers cut in pieces ½ inch or less. A(1)(k)						0	70
ood for infants cut in pieces ¼ inch or less. A(1)(j) fants are placed on their backs to sleep, unless Doctor's note is provided. A(3)(a)						0	<b>' D</b> Q'
nams are placed on their backs to sleep, unless Doctor's note	is pro	vided	. A(3)(	a)			M
C = Compliant with Regulation - N = Noncompliant with	Regui	lation	SALDE I	No violations noted at the time of violate			
C = Compliant with Regulation - N = Noncompliant with Regulation   No violations noted at the time of visit							
Signature of Director/Operator/Designee: Hall Date: 9-12-23 Refused to sign							
Signature of Child Care Licensing Specialist: Date: 9/12/23							