South Carolina Department of Social Services Office of Child Care Licensing INSPECTION VISIT FORM FOR LICENSED CENTERS

Facility Name: Agape United Day Care Permit #: 16949 Type of Inspection: Annu-	al 🗆	Con	Date of I	nspection: 9.7.28 Time of Inspection: 10:4 □ Follow Up (original inspection date	_ }		
Address: 5 South Pacific Avenue, York, SC 29745 Felephone #: 803-684-6211 Any changes in content Director/Designee: Darricka Sanders Change in Ownership or Director? Yes No If yes, Name: Maximum number of children: 105 Building 1: Amonths Aximum number of infants: 24 Amonths terms posted in public view: Yes License Menu Ratio Ch	30 r	montl	Build	facility Infants are in designated rooms? The res	CDEI	P	
MANAGEMENT, ADMINISTRATION & STAFFING 114-503				SUPERVISION 114-504			_
Staff files are in compliance H/4 7)	C	N	N/A	Adams Adams Adams Adams Adams	С	N	N/A
Staff files are in compliance H(1-7) Training hours up-to-date K(5)(b-c)		<u>a</u>		Adequate supervision throughout facility A(1-2)	M	<u> </u>	<u> </u>
At least 1 person with CPR & 1 st Aid on the premises K(5)(h)	A A	0	0	Facility following tracking of children procedures A(3) Ratios adequate in all classrooms and on playground B, C	VZ	-	-
				SAFETY 114-505	V	1 🗆	0
110/10/1	С	Ŋ	N/A	- OAI 211 114 300	Ç	N	N/A
Children's faces/hands are clean B(1)	F.	0		Proper digner changing practices were cheeped E/4 46)	0	-	INIA
Medicine and harmful items labeled and stored properly D(2)	<u></u>	0		Proper diaper changing practices were observed F(1-16) Proper handwashing practices were observed G(4)	10/	$\overline{}$	
First Aid kit in facility and in vehicle if transport E(1), I(1)(g)	\$ √	-		No smoking/consumption of alcoholic beverage A(3)	₩/		-
			E 114-				
BUILDING	С	N	N/A	PLAYGROUND	С	N	N/A
Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c)	¥			Playground equip. safe & firmly anchored B(7)	0		
No strangulation/choking/suffocation hazards A(5)(g)(i-iii)	¥			Adequate cushioning material; at least 6ft fall zone B(9)			
Ceiling, floors, windows, doors free from hazards A(5)(d)	¥	p		Fencing/safety barriers 4ft. in height, in good repair B(4)	8		0
Building(s) temp between 68-80°F A(7) If no, close in 4 hrs.	2	_D		Outdoor space free from hazards and litter B(2)		<u> </u>	
Facility free from pest problems (Insects, rodents) A(8)(b-c)	8			RESTING	С	N	N/A
Garbage kept properly in plastic lined receptacles A(8) (d-i)	Y			Play Pens observed C(4)			Y
Electrical outlets are securely covered A(11)(c)	10	0		Cribs meet federal standards (reviewed certificate) D(1)	V		
Sink area has running water A(12)(d)	R	0	0	Cots, mats, cribs labeled or charted for each child D(2)	V		
Soap and disposable towels available at sink A(12)(i)	Y	0	0	PROGRAM 114-506	С	N	N/A
Furniture, toys & equipment are clean and in good repair C(1)	A	0	0	Written, planned, daily program of activities that is	M		
Furniture, toys & equipment meets the CPSC standards C(2)	Y	<u> </u>		developmentally & age appropriate observed A(1-3)		u	О
Healthy pets/animals (Vaccination record up-to-date) E(4)	Y			Positive, non-abusive discipline practice B(1)	12		
WEAL				S 114-508		4	ALLA
Meals & snacks in compliance with USDA A(1)(b)	R C	N	N/A	Round, firm foods are not offered to children under 4	A C	N	N/A
Clean, wholesome, unspoiled, properly labeled food A(4)	붛			yrs. Old, unless properly cut to prevent choking risk A(3)		-	
Food preparers have proper hair restraints B(5)	Ÿ		0	Food stored & handled properly D(1)	*	<u> </u>	
Refrigerators have thermometers, temp under 45°F D(2-3)	<u>~</u>	<u>├</u>		All cleaning & poisonous items stored away from food D	<u>~</u>	<u>-</u>	0
INFANT CARE 114-509	Ţ			TRANSPORTATION 114-505 I			
	С	N	N/A		С	N	N/A
Infants are placed on their back to sleep A(5)(a)	M			Vehicle has proper safety restraints & in good repair I(1)			<u>Y</u>
No bottles propped or given in cribs or on mats A(3)(c)	₩/		0	Checklist for loading/unloading children reviewed (2)(d)			M
Food for toddlers cut in pieces ½ inch or less A(3)(k)	A	□	0	Driver's (valid) driver's license reviewed (1)(f)			Y
Food for infants cut in pieces ¼ inch or less A(3)(j)	R	0					
Crock pots, bottle warmers, are inaccessible to children, No microwaving of beverages observed A(3)(d)	M	<u> </u>		C-Compliant with Regulation N-Noncompliant with Regulation	3		
Cups and bottles labeled with child's name & used only by that child A(3)(a)	₩/			No violations noted at the time of visit □			
Signature of Director/Operator/Designee:	ቦፊ)		Date: <u>917123</u> □ Refused to	o sign		

Signature of Child Care Licensing Specialist:

_ Date: <u>9. 7. 23</u>

	1		1	
Page	<u> 1</u>	_ of	ı	

<u>Division of Early Care and Education</u> <u>Deficiency Correction</u>

NAME OF PROVIDER/OPERATOR	Agape	United	Day Care	
PERMIT # 16949				

Deficiency Cited	Corrective Action Needed	Expected Date of Correction
Bottom trim in the 4K restroom is coming off the wall.	Needs to be glued back on the wall.	with-in 30 days of the deficiency
2 staff are missing TB results in their file.	Will make an appointment to get it compleated	with-in 30 days of deficiency

Providers/Operators are required by regulations and statutes to be in compliance at all time.

Licensing Specialist Jessica Avant Date: 2023,09,08 09:45:34 -04'00' Date 9/7/23
--