South Carolina Department of Social Services Office of Child Care Licensing

enter Director/Designee: Renee Angela Mobley hange in Ownership or Director? Yes □ No If yes. Name:				e/Email/Fax)?)
aximum number of children: 264 Building 1: aximum number of infants: 94 ☐ 24 months @	30 r	nonth	Bulld 1-4 on 1-4	ling 2: Building 3: □ facility Infants are in designated rooms? ### Yes □	CDE	P	
ems posted in public view: pricense primenu de Ratio Ch	art (A	All cla	ssroon	ns) Does facility transport children? PYes No N/	Ά	111/74	
MANAGEMENT, ADMINISTRATION & STAFFING 114-503			_				
MANAGEMENT, ADMINISTRATION & STAFF ING 114-303	С	N	N/A	SUPERVISION 114-504	С	l NI	NI/A
Staff files are in compliance H(1-7)	0			Adequate supervision throughout facility A(1-2)	Q.	N Z	N/A
Training hours up-to-date K(5)(b-c)	0	0		Facility following tracking of children procedures A(3)	I		ö
At least 1 person with CPR & 1 St Aid on the premises K(5)(h)	12			Ratios adequate in all classrooms and on playground B, C	10	_	-
HEALTH	I, SA	NITA	TION 8	SAFETY 114-505			
	С	N	N/A		С	N	N/A
Children's faces/hands are clean B(1)	Ø			Proper diaper changing practices were observed F(1-16)	0	0	
Medicine and harmful items labeled and stored properly D(2)	D/			Proper handwashing practices were observed G(4)	0		0
First Aid kit in facility and in vehicle if transport E(1), I(1)(g)	12			No smoking/consumption of alcoholic beverage A(3)	0/		0
	_		E 114-				
BUILDING	С	N	N/A	PLAYGROUND	С	N	N/A
Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c)	12			Playground equip. safe & firmly anchored B(7)	₽/	0	0
No strangulation/choking/suffocation hazards A(5)(g)(i-lii)	D'			Adequate cushioning material; at least 6ft fall zone B(9)	B		0
Ceiling, floors, windows, doors free from hazards A(5)(d)		D/		Fencing/safety barriers 4ft. in height, in good repair B(4)	Ø		
Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c)	12/	0		Outdoor space free from hazards and litter B(2)	<u>D</u>		0
Garbage kept properly in plastic lined receptacles A(8) (d-i)	0	0		RESTING Play Pens observed C(4)	C	N	N/A
Electrical outlets are securely covered A(11)(c)	0			Cribs meet federal standards (reviewed certificate) D(1)			10/
Sink area has running water A(12)(d)	0			Cots, mats, cribs labeled or charted for each child D(2)	0	0	0
Soap and disposable towels available at sink A(12)(i)	6	0		PROGRAM 114-506	C	 N	N/A
Furniture, toys & equipment are clean and in good repair C(1)	0	<u> </u>		Written, planned, daily program of activities that is	0	IN	IWA
Furniture, toys & equipment meets the CPSC standards C(2)	0	0		developmentally & age appropriate observed A(1-3)	D/		
Healthy pets/animals (Vaccination record up-to-date) E(4)	0		0	Positive, non-abusive discipline practice B(1)	DZ/		
		_	MENTS	S 114-508			
	С	N	N/A		С	N	N/A
Meals & snacks in compliance with USDA A(1)(b)	0/	0		Round, firm foods are not offered to children under 4	P		
Clean, wholesome, unspoiled, properly labeled food A(4)	P/			yrs. Old, unless properly cut to prevent choking risk A(3)	D'		0
Food preparers have proper hair restraints B(5)	12			Food stored & handled properly D(1)	2		0
Refrigerators have thermometers, temp under 45°F D(2-3) INFANT CARE 114-509	O'			All cleaning & poisonous items stored away from food D	D/		0
INFANT CARE 114-309	С	N	N/A	TRANSPORTATION 114-505 I	С	NI.	NI/A
Infants are placed on their back to sleep A(5)(a)	VZ			Vehicle has proper safety restraints & in good repair I(1)	0	N	N/A
No bottles propped or given in cribs or on mats A(3)(c)	0	1		Checklist for loading/unloading children reviewed (2)(d)	D		0
Food for toddlers cut in pieces ½ inch or less A(3)(k)	8			Driver's (valid) driver's license reviewed (1)(f)	0		0
Food for infants cut in pieces 1/4 inch or less A(3)(i)	D			Sitted of Valley and to House to House a Child	4		
Crock pots, bottle warmers, are inaccessible to children, No microwaving of beverages observed A(3)(d)	W	-	0	C-Compliant with Regulation N-Noncompliant with Regulation			
Cups and bottles labeled with child's name & used only by that child A(3)(a)	8			No violations noted at the time of visit □			- 2

Signature of Child Care Licensing Specialist: _

<u>Division of Early Care and Education Deficiency</u> <u>Correction</u>

NAME OF PROVIDER/OPERATOR Oakcrest Preparatory Academy

PERMIT #24139

Deficiency Cited	Corrective Action Needed	Expected Date of Correction	
Floors are slippery from condensation in bathrooms. Mats placed on floor are not stable.	Replace mats with ones that are more stable until condensation issue is resolved.	09/02/23	
Afterschool classroom half wall has an area where the paint is chipped.	Sand and paint chipped area.	09/02/23	
Sanitizer used in the kitchen three compartment sink has not been approved by DHEC.	Use sanitizer approved in the regulations until current sanitizer is approved by DHEC.	09/02/23	

Providers/Operators are required by regulations and statutes to be in compliance at all time.

Licensing Specialist Lisa Pruette 08/02/23

DSS Form 2910 (Feb 2023)