South Carolina Department of Social Services Office of Child Care Licensing

INSPECTION VISIT FORM FOR LICENSED CENTERS

Facility Name: Blossom Academy Permit #: 24968 Type of	Inspection: Annual	b⁄	Con	ate of l	Inspection: 6-6-23 Time of Inspection: 12:46 - Follow Up (original inspection date Reason for Follow up: - clear up pending deficiency)		port
Address: 101-105 N. York Street, LANCAST Felephone #: 803-999-3798 Center Director/Designee: Ladelrie A Howze Change in Ownership or Director?	Any changes in core-Thornwell		t info		Hours of Operation: Single Shift e/Email/Fax)? □ Yes □ Mo Overnight Care? □ \	/es	ą Mó	
Maximum number of children: 65 Maximum number of infants: 24 tems posted in public view: License	Building 1: 24 months a 3 Menu Ratio Char	30 m	onth	ns 🗆 I-4	ling 2: Building 3: □ facility Infants are in designated rooms?n Yes □ ns) Does facility transport children? □ Yes ■ No □ No	CDE No □ /A	P ı N/A	
MANAGEMENT, ADMINISTRATION & STA		c	N	_N/A	SUPERVISION 114-504	С	N	N/A
Staff files are in compliance H(1-7)		<u>. </u>	•		Adequate supervision throughout facility A(1-2)		_	7.00
Training hours up-to-date K(5)(b-c)		—ь			Facility following tracking of children procedures A(3)	Ø		
At least 1 person with CPR & 1st Aid on the p		_	7		Ratios adequate in all classrooms and on playground B, C		 -	
					SAFETY 114-505		Ë	
			N	N/A	0.11 271 774 303	С	N	NI/A
Children's faces/hands are clean B(1)		$\overline{}$	\neg		Description of the second of t		>	N/A
Medicine and harmful items labeled and store					Proper diaper changing practices were observed F(1-16)	2		
			, 🗆		Proper handwashing practices were observed G(4)	P	<u>_</u>	
First Aid kit in facility and in vehicle if transpo		7			No smoking/consumption of alcoholic beverage A(3)	Ð	<u> </u>	
BUIL DING		_		E 114-				
BUILDING			N	N/A	PLAYGROUND	C	N	N/A
Ventilation and lighting & sufficient A(2)(a-d)		9 /],	Ł		Playground equip. safe & firmly anchored B(7)	D		
No strangulation/choking/suffocation hazards			0		Adequate cushioning material; at least 6ft fall zone B(9)	0		
Ceiling, floors, windows, doors free from haz		ᆝ			Fencing/safety barriers 4ft. in height, in good repair B(4)	0		Ò
Building(s) temp between 68-80°F A(7) If no		Ø,	0	0	Outdoor space free from hazards and litter B(2)	C		
Facility free from pest problems (Insects, rod					RESTING	_ Ĉ_	N	N/A
Garbage kept properly in plastic lined recept			0		Play Pens observed C(4)			0/
Electrical outlets are securely covered A(11)	(c)	1			Cribs meet federal standards (reviewed certificate) D(1)	2	<u> </u>	0
Sink area has running water A(12)(d)					Cots, mats, cribs labeled or charted for each child D(2)	4		0
Soap and disposable towels available at sink	A(12)(i)		۰		PROGRAM 114-506	С	N	N/A
Furniture, toys & equipment are clean and in			. 🗆		Written, planned, daily program of activities that is			79.7
Furniture, toys & equipment meets the CPSC		4			developmentally & age appropriate observed A(1-3)	₩	9	
Healthy pets/animals (Vaccination record up-		計		D/	Positive, non-abusive discipline practice B(1)	0		0
		EQI		MENTS	5 114-508		أخت	
		С	N	N/A		С	N	N/A
Meals & snacks in compliance with USDA A	(4) (1)				Round, firm foods are not offered to children under 4	0		
Clean, wholesome, unspoiled, properly label					yrs. Old, unless properly cut to prevent choking risk A(3)			0
Food preparers have proper hair restraints B		nd/		0	Food stored & handled properly D(1)	W		. 0
Refrigerators have thermometers, temp under	er 45°F D(2-3)	┙		0	All cleaning & poisonous items stored away from food D	12		0
INFANT CARE 114-509					TRANSPORTATION 114-505 I			
		С	N	N/A		С	N	N/A
Infants are placed on their back to sleep A(5		0			Vehicle has proper safety restraints & in good repair I(1)		_	N
No bottles propped or given in cribs or on ma					Checklist for loading/unloading children reviewed (2)(d)	0		P
Food for toddlers cut in pieces 1/2 inch or less					Driver's (valid) driver's license reviewed (1)(f)		-	-
Food for infants cut in pieces 1/4 inch or less			_	0			الت	
Crock pots, bottle warmers, are inaccessible					C-Compliant with Regulation	-		
microwaving of beverages observed A(3)(d)		u∕	0		N-Noncompliant with Regulation			
Cups and bottles labeled with child's name 8	used only by that	10 /	0	0				
child A(3)(a) \$\text{Signature of Director/Operator/Designee:}}\$	Jente	V			No violations noted at the time of visit \square Date: $2 4 2^3 \square$ Refused to Date: $6 - 6 - 23$	o sigr	1	
Signature of Child Care Licensing Specialis	st: NUMBER	≤ 4	1	ノ	Date: <u>0 0 0 2 3</u>			

Signature of Child Care Licensing Specialist:

	1		1
Page	<u> </u>	of	_!

<u>Division of Early Care and Education</u> <u>Deficiency Correction</u>

NAME OF PROVIDER/OPERATOR_	Blossom Academy
PERMIT # 24968	

Deficiency Cited	Corrective Action Needed	Expected Date of Correction
Infant room safety border is peeling off and has chipping paint .	Wall safety border needs repaired and chipping paint needs repainted.	30 days.
2-3's wooden gate has broken middle slats.	Gate must be properly repaired.	30 days.
New staff missing TB results in file.	Staff must have TB results upon hire.	30 days.

Providers/Operators are required by regulations and statutes to be in compliance at all time.