## South Carolina Department of Social Services

Office of Child Care Licensing INSPECTION VISIT FORM FOR REGISTERED FAITH BASED CHILD CARE CENTERS Date of Inspection: 8/21/23 Time of Inspection: 12:32pm Facility Name: Grace Baptist Christian School Permit #: 584 Type of Inspection: Annual Complaint Follow Up (original inspection date\_\_\_\_ Reason for Follow up: pending deficiencies pself-report Address: 219 W Calhoun Street, SUMTER, SC 29150 Hours of Operation: M-F 7:00a - 6:00p Telephone #: 803-773-1686 Overnight Care? 

Yes 

No Any changes in contact info (Phone/Email/Fax)? 

Yes Any changes in Contact info (Phone/Email/Fax)? Center Director/Designee: Mary Susan Lloyd Change in Ownership or Director? ☐ Yes ☑ No If yes, Name: \_ Maximum number of children: 287 Building 2: Building 3: Building 1: Maximum number of infants: 55 24 months □ 30 months □ I-4 facility Infants are in designated rooms? 

√ es □ No □ N/A Items posted in public view: Registration Registration Ratio Chart (All classroom) Does facility transport children? Ves No MANAGEMENT 114-523 APPLICATION OF STAFF: CHILD RATIOS 114-524 C N N/A N N/A С Staff files are in compliance F(1-4) Adequate supervision throughout the facility A(1) (a-b) Z а Are training hours up-to-date? F(3)(a-b) Facility following tracking of children procedures A(2) At least 1 person with CPR & 1st Aid on the premises H(5)(f) Ratios adequate in all classrooms and on playground B & C  $\Box$ Ø HEALTH, SANITATION & SAFETY 114-525 C N N/A C Ν N/A Children's faces/hands are clean B(1) Proper diaper diapering practices were observed F(1-16) Medicine & harmful items labeled and stored properly D(2) Proper handwashing practices were observed G(4) d First Aid kit in facility and in vehicle if transport E(1), I(1)(g) Smoking permitted only in designated area A(3) О PHYSICAL SITE 114-527 C N N/A С N N/A BUILDING PLAYGROUND Ø Ventilation and lighting sufficient A(2)(a-d),(4)(a-c) Outdoor space free of glass, paper & other litter B(2) ď W О Ceiling, floors, windows, doors free from hazards A(5)(d) Ø О Fencing/safety barriers 4ft in height, in good repair B(4) Ä Ф No strangulation/choking/suffocation hazards A(5)(g)(i-iii) z Playground equipment safe & firmly anchored C (6) X Building(s) temp between 68-80 °F A(7) Ø Adequate cushioning material; at least 6ft. fall zone C(8) Ø Facility free from pest problems (Insects, rodents)A(8)(b-c) Z RESTING C N N/A Garbage kept properly in plastic lined receptacles A(8)(d-i) ø Cribs meet federal standards (reviewed certificate) D(1) V Electrical outlets are securely covered A(11)(c) d Cots, beds, mats, & cribs labeled for each child D(2) Ø Sink area has hot & cold water A(12)(d) 刁 Pack & plays not used for sleeping D(1-2) Z Soap and towels in restrooms A(12)(i) ď TRANSPORTATION 114-525 I ø Furniture, toys & equipment are clean and in good repair C(1) Ø Vehicle has proper safety restraints and in good repair I(1) Furniture, toys & equipment meets CPSC standards C(2) Checklist for loading/unloading children reviewed. I(2)(d) MEAL REQUIREMENTS 114-528 С N N/A N N/A Meals and snacks in compliance with USDA A(1)(b) ø Round, firm foods are not given to children under 4y/o, Clean, wholesome, unspoiled properly labeled food A(4) Z unless properly cut to prevent choking risk. A(3) ood preparers have proper hair restraints B(5) Food labeled, stored and handled properly D(1) ø O O Refrigerators have thermometers(Temp under 45°F)D(2-3) Ø Cleaning & poisonous items stored away from food D(8) الينز п **INFANT CARE 114-529** C Ν NΑ Cups and bottles labeled with child's name & used only by that child A(1)(a) Ø D No bottles propped or given in cribs or on mats A(1)(c) O Q Breast milk is not heated in the microwave. If microwave is used to heat formula/beverages, parents are notified in writing A(1)(d) كالد Œ Food for toddlers cut in pieces ½ inch or less. A(1)(k) E2 مبمل O Food for infants cut in pieces 1/2 inch or less. A(1)(j) آيتر **(1)** Q infants are placed on their backs to sleep, unless Doctor's note is provided. A(3)(a) а C = Compliant with Regulation - N = Noncompliant with Regulation No violations noted at the time of visit □ Signature of Director/Operator/Designee: ∠ Refused to sign

Signature of Child Care Licensing Specialist:

	1 2
Page	I of Z
'age_	

## <u>Division of Early Care and Education</u> <u>Deficiency Correction</u>

NAME OF PROVIDER/OPERATOR Grace Baptist Christian School PERMIT # 584

Deficiency Cited	Corrective Action Needed	Expected Date of Correction
Staff has expired CPR & 1st Aid	At least 1 person on the premises needs CPR & 1st Aid	September 2023
Education verification needed on file for caregiver	Education verification will be placed in the file of caregiver	September 2023
Infant was observed with a bottle in the crib	Botttles will not be propped or given in cribs or mats	8/21/2023
Infant room was out of ratio at nap time. Two qualified caregivers needed to meet ratio	Adequate qualified caregivers in the infant room at all times.	8/21/2023
One year old classroom out of ratio at nap time. Two qualifed caregivers needed to meet ratio	Adequate qualified caregivers in the ones room at all times.	8/21/2023
Improper supervision in the infant and one year old classrooms	The classrooms will have proper supervison with adequate caregivers in the classroom	8/21/2023

Providers/Operators are required by regulations and statutes to be in compliance at all time.

Licensing Specialist

Date

DSS Form 2910 (Feb 2023)

	2	2
Page	_	of 🗲

## <u>Division of Early Care and Education</u> <u>Deficiency Correction</u>

NAME OF PROVIDER/OPERATOR	Grace Baptist Christian School
PERMIT #_ <sup>584</sup>	1//

Deficiency Cited	Corrective Action Needed	Expected Date of Correction
Staff health assessment and TB test results needed on file for caregiver	Caregiver needs a TB test and health assessment	September 2023
		500

Providers/Operators are required by regulation	າຣ and statutes to be in compliance
at all time.	.1
	daha