South Carolina Department of Social Services Office of Child Care Licensing INSPECTION VISIT FORM FOR LICENSED CENTERS

Date of Inspection: 1/2 / 23 Time of Inspection: 1/2 / 24 Neason for Follow up: or Jear up pending deficiency Self-First Aid kit in facility and in vehicle if transport E(1), I(1)(g) Proper diagner and lighting 3 Proper diagner and lighting 4 Proper diagner and lighting 4 Proper diagner and lighting 3 Proper diagner and lighting 4 Proper diagner and lighting 4 Proper diagner depends and lighting 5 Proper diagner depends and lighting 5 Proper diagner depends and lighting 6 Proper di	Report No
ddress: 410 Vanderbilt Road, Spartanburg, SC 29306 lelephone #: 864-921-1406 Any changes in contact info (Phone/Email/Fax)? Yes ZNO Overnight Care?	N/A N/A N/A N/A
Hours of Operation: Single Shift	N/A N/A N/A N/A
Any Clarings in Contact mile (Phone/Email/Fax)? Yes No Overnight Care? Yes No No No No No No No N	N/A N/A N/A
Thange in Ownership or Director?	N/A N/A N/A N/A
Building 1: Building 2: Building 3: CDEP	N/A N/A N/A N/A N/A
Aximum number of infants: 42	N/A N/A N/A N/A N/A
ems posted in public view: License	N/A N/A N/A N/A N/A
MANAGEMENT, ADMINISTRATION & STAFFING 114-503 SUPERVISION 114-504 Staff files are in compliance H(1-7) Training hours up-to-date K(5)(b-c) At least 1 person with CPR & 1st Aid on the premises K(5)(h) HEALTH, SANITATION & SAFETY 114-505 C N N/A CC N N/A Ratios adequate in all classrooms and on playground B, C Restriction of the property D(2) C N N/A CC N N/A CC N N/A Ratios adequate in all classrooms and on playground B, C Restriction of the property D(2) CN N/A CO N N/A Physical site 114-505 BUILDING CO N N/A PHYSICAL SITE 114-505 CO N N/A PHYSICAL SITE 11	N/A N/A N/A N/A N/A
MANAGEMENT, ADMINISTRATION & STAFFING 114-503 Staff files are in compliance H(1-7) Training hours up-to-date K(5)(b-c) At least 1 person with CPR & 1st Aid on the premises K(5)(h) HEALTH, SANITATION & SAFETY 114-505 C N N/A Children's faces/hands are clean B(1) Medicine and harmful items labeled and stored property D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) PHYSICAL SITE 114-507 BUILDING PHYSICAL SITE 114-507 BUILDING C N N/A PLAYGROUND C N No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(g)(i-iiii) Ceiling, floors, windows, doors free from	N/A N/A N/A N/A N/A
Staff files are in compliance H(1-7) Training hours up-to-date K(5)(b-c) At least 1 person with CPR & 1st Aid on the premises K(5)(h) HEALTH, SANITATION & SAFETY 114-505 C N N/A Children's faces/hands are clean B(1) Medicine and harmful items labeled and stored properly D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) PHYSICAL SITE 114-507 Sull DING PHYSICAL SITE 114-507 BUILDING PHYSICAL SITE 114-507 Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. G N N/A Playground equip. safe & firmly anchored B(7) Adequate cushioning material; at least 6ft fall zone B(9) Fencing/safety barriers 4ft. in height, in good repair B(4) Garbage kept properly in plastic lined receptacles A(8) (d-i) Ceilcal customer of the premises K(5)(h) Play Pens observed C(4) Cribs meet federal standards (reviewed certificate) D(1) PROGRAM 114-506 C N Written plasted for each child D(2) PROGRAM 114-506 C N Written plasted first standards (reviewed certificate) D(1) PROGRAM 114-506 C N Written plasted first standards first standards (reviewed certificate) D(1) PROGRAM 114-506	N/A N/A N/A N/A
Training hours up-to-date K(5)(b-c) At least 1 person with CPR & 1st Aid on the premises K(5)(h) At least 1 person with CPR & 1st Aid on the premises K(5)(h) BEALTH, SANITATION & SAFETY 114-505 C N N/A First Aid kit in facility and in vehicle if transport E(1), I(1)(g) PHYSICAL SITE 114-507 Wentilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(g) (i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Carbage kept properly in plastic lined receptacles A(8) (d-i) Sink area has running water A(12)(d) Soap and disposable towels available at sink A(12)(i) C N Written elevated the first lined receptacles A(1) (a) (a) (a) (a) (a) (a) (a) (a) (a) (a	N/A N/A N/A N/A N/A
At least 1 person with CPR & 1st Aid on the premises K(5)(h) At least 1 person with CPR & 1st Aid on the premises K(5)(h) At least 1 person with CPR & 1st Aid on the premises K(5)(h) At least 1 person with CPR & 1st Aid on the premises K(5)(h) At least 1 person with CPR & 1st Aid on the premises K(5)(h) At least 1 person with CPR & 1st Aid on the premises K(5)(h) At least 1 person with CPR & 1st Aid on the premises K(5)(h) At least 1 person with CPR & 1st Aid on the premises K(5)(h) At least 1 person with CPR & 1st Aid on the premises K(5)(h) At least 1 person with CPR & 1st Aid on the premises K(5)(h) At least 1 person with CPR & 1st Aid on the premises K(5)(h) At least 1 person with CPR & 1st Aid on the premises K(5)(h) At least 1 person with CPR & 1st Aid on the premises K(5)(h) At least 1 person with CPR & 1st Aid on the premises K(5)(h) At least 1 person with CPR & 1st Aid on the premises K(5)(h) At least 1 person with CPR & 1st Aid on the premises K(5)(h) At least 1 person with CPR & 1st Aid on the premises K(5)(h) At least 1 person with CPR & 1st Aid on the premises K(5)(h) At least 2 person with CPR & 1st Aid on the premises K(5)(h) At least 3 person with CPR & 1st Aid on the premises K(5)(h) At least 4 person with CPR & 1st Aid on the premises K(5)(h) At least 4 person with CPR & 1st Aid on player on pl	N/A N/A N/A N/A N/A N/A
HEALTH, SANITATION & SAFETY 114-505 C N N/A Children's faces/hands are clean B(1) Medicine and harmful items labeled and stored properly D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) Proper handwashing practices were observed G(4) No smoking/consumption of alcoholic beverage A(3) PHYSICAL SITE 114-507 BUILDING Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Playground equip. safe & firmly anchored B(7) Adequate cushioning material; at least 6ft fall zone B(9) Pencing/safety barriers 4ft. in height, in good repair B(4) Building(s) temp between 68-80°F A(7) if no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c) Garbage kept properly in plastic lined receptacles A(8) (d-i) Electrical outlets are securely covered A(11)(c) Sink area has running water A(12)(d) PROGRAM 114-506 C N Written planet Hills Action PROGRAM 114-506 C N Written planet Hills Wri	N/A N/A N/A N/A N/A N/A
C N N/A Children's faces/hands are clean B(1) Medicine and harmful items labeled and stored properly D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) PHYSICAL SITE 114-507 BUILDING Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c) Garbage kept properly in plastic lined receptacles A(8) (d-i) Electrical outlets are securely covered A(11)(c) Soap and disposable towels available at sink A(12)(i) PROGRAM 114-506 C N N/A PLAYGROUND C N Playground equip. safe & firmly anchored B(7) Adequate cushioning material; at least 6ft fall zone B(9) Fencing/safety barriers 4ft. in height, in good repair B(4) C N RESTING C N Cots, mats, cribs labeled or charted for each child D(2) PROGRAM 114-506 C N	N/A N/A N/A N/A N/A N/A
Children's faces/hands are clean B(1) Medicine and harmful items labeled and stored properly D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) Physical site 114-507 BUILDING PHYSICAL SITE 114-507 BUILDING C N N/A PLAYGROUND C N N/A PLAYGROUND C N N/A Playground equip. safe & firmly anchored B(7) Ceiling, floors, windows, doors free from hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Ceiling, floors, windows, doors free from hazards A(5)	N/A N/A N/A N/A
Medicine and harmful items labeled and stored properly D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) PHYSICAL SITE 114-507 BUILDING C N N/A PLAYGROUND Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c) Garbage kept properly in plastic lined receptacles A(8) (d-i) Electrical outlets are securely covered A(11)(c) Soap and disposable towels available at sink A(12)(i) Proper diaper changing practices were observed F(1-16) Proper handwashing practices were observed G(4) No smoking/consumption of alcoholic beverage A(3) PlayGround PlayGround PlayGround PlayGround Adequate cushioning material; at least 6ft fall zone B(9) Fencing/safety barriers 4ft. in height, in good repair B(4) C N RESTING C N PlayGround C N PlayGround C N C N C N C N C N C N C N C	N/A N/A N/A
First Aid kit in facility and in vehicle if transport E(1), I(1)(g) PHYSICAL SITE 114-507 BUILDING C N N/A PLAYGROUND C N No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c) Garbage kept properly in plastic lined receptacles A(8) (d-i) Electrical outlets are securely covered A(11)(c) Soap and disposable towels available at sink A(12)(i) Proper nandwasning practices were observed G(4) No smoking/consumption of alcoholic beverage A(3) No smoking/consumption of alcoholic beverage A(3) No smoking/consumption of alcoholic beverage A(3) Playground equip. safe & firmly anchored B(7) Adequate cushioning material; at least 6ft fall zone B(9) Fencing/safety barriers 4ft. in height, in good repair B(4) C N RESTING C N Play Pens observed C(4) Play Pens observed C(4) Cribs meet federal standards (reviewed certificate) D(1) Sink area has running water A(12)(d) Cots, mats, cribs labeled or charted for each child D(2) PROGRAM 114-506 C N	N/A
PHYSICAL SITE 114-507 BUILDING C N N/A PLAYGROUND C N No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(g) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c) Garbage kept properly in plastic lined receptacles A(8) (d-i) Electrical outlets are securely covered A(11)(c) Sink area has running water A(12)(d) PROGRAM 114-506 No smoking/consumption of alcoholic beverage A(3) No smoking/consumption of alcoholic beverage A(1) No smoking/consumption of alcoholic beverage A(3) No smoking/consumption of alcoholic beverage A(1) No smoking/consumption of alcoholic beverage A(1) No smoking/consumption of alcoholic beverage A(1) No smoking/consumption of alcoholic beverage A(2) No smoking/consumption of alcoholic beverage A(2) No Adequate cushioning material; at least 6ft fall zone B(9) Pencing/safety barriers 4ft. in height, in good repair B(4) Outdoor space free from hazards and litter B(2) Pencing/safety barriers 4ft. in height, in good repair B(4) Pencing/safety barriers 4ft. in height, in good repair B(4) Pencing/safety barriers 4ft. in height, in good repair B(4) Pencing/safety barriers 4ft. in height, in good repair B(4) Pencing/safety barriers 4ft. in height, in good repair B(4) Pencing/safety barriers 4f	N/A D N/A N/A
BUILDING Color No N/A Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c) Garbage kept properly in plastic lined receptacles A(8) (d-i) Electrical outlets are securely covered A(11)(c) Sink area has running water A(12)(d) Soap and disposable towels available at sink A(12)(i) PROGRAM 114-506 C N N/A PLAYGROUND C N Playground equip. safe & firmly anchored B(7) Adequate cushioning material; at least 6ft fail zone B(9) Fencing/safety barriers 4ft. in height, in good repair B(4) C Outdoor space free from hazards and litter B(2) RESTING C N Play Pens observed C(4) Cribs meet federal standards (reviewed certificate) D(1) Cots, mats, cribs labeled or charted for each child D(2) Furniture, toys & equipment are clean and in good repair C(1) Written elevents 4ft. PROGRAM 114-506 C N	N/A
Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c) Garbage kept properly in plastic lined receptacles A(8) (d-i) Electrical outlets are securely covered A(11)(c) Sink area has running water A(12)(d) Soap and disposable towels available at sink A(12)(i) Facility free from pest problems (Insects, rodents) A(8)(b-c) Cribs meet federal standards (reviewed certificate) D(1) PROGRAM 114-506 C N Written planted this property in plastic for each child D(2) PROGRAM 114-506 C N	
No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c) Garbage kept properly in plastic lined receptacles A(8) (d-i) Electrical outlets are securely covered A(11)(c) Sink area has running water A(12)(d) Flayground equip. safe & firmly anchored B(7) Adequate cushioning material; at least 6ft fall zone B(9) Fencing/safety barriers 4ft. in height, in good repair B(4) Cultdoor space free from hazards and litter B(2) RESTING C N Play Pens observed C(4) Cribs meet federal standards (reviewed certificate) D(1) Cots, mats, cribs labeled or charted for each child D(2) Furniture, toys & equipment are clean and in good repair C(1) Written planed Hall standards (Reviewed Library Country	
Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c) Garbage kept properly in plastic lined receptacles A(8) (d-i) Electrical outlets are securely covered A(11)(c) Sink area has running water A(12)(d) Soap and disposable towels available at sink A(12)(i) Fencing/safety barriers 4ft. in height, in good repair B(4) Cutdoor space free from hazards and litter B(2) RESTING C N Play Pens observed C(4) Cribs meet federal standards (reviewed certificate) D(1) Cots, mats, cribs labeled or charted for each child D(2) Fencing/safety barriers 4ft. in height, in good repair B(4) C N Play Pens observed C(4) Cribs meet federal standards (reviewed certificate) D(1) PROGRAM 114-506 C N Written planted this	O O O O O O O O O O O O O O O O O O O
Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c) Garbage kept properly in plastic lined receptacles A(8) (d-i) Electrical outlets are securely covered A(11)(c) Sink area has running water A(12)(d) Soap and disposable towels available at sink A(12)(i) Fencing/safety barriers 4ft. in height, in good repair B(4) Play Pens observed C(2) Cribs meet federal standards (reviewed certificate) D(1) Cots, mats, cribs labeled or charted for each child D(2) Funriture, toys & equipment are clean and in good repair C(1) Written planed to the first in height, in good repair B(4) Cots pace free from hazards and litter B(2) Play Pens observed C(4) Cribs meet federal standards (reviewed certificate) D(1) PROGRAM 114-506 C N	N/A
Facility free from pest problems (Insects, rodents) A(8)(b-c) Garbage kept properly in plastic lined receptacles A(8) (d-i) Electrical outlets are securely covered A(11)(c) Sink area has running water A(12)(d) Soap and disposable towels available at sink A(12)(i) Fundamental and in good repair C(1) Written planet from pest problems (Insects, rodents) A(8)(b-c) RESTING C N Play Pens observed C(4) Cribs meet federal standards (reviewed certificate) D(1) Cots, mats, cribs labeled or charted for each child D(2) Fundamental and in good repair C(1) Written planet deliver a legal and in good repair C(1)	□ N/A
Garbage kept properly in plastic lined receptacles A(8) (d-i) Electrical outlets are securely covered A(11)(c) Sink area has running water A(12)(d) Soap and disposable towels available at sink A(12)(i) Furniture, toys & equipment are clean and in good repair C(1) Garbage kept properly in plastic lined receptacles A(8) (d-i) Play Pens observed C(4) Cribs meet federal standards (reviewed certificate) D(1) Cots, mats, cribs labeled or charted for each child D(2) PROGRAM 114-506 C N	N/A
Electrical outlets are securely covered A(11)(c) Sink area has running water A(12)(d) Soap and disposable towels available at sink A(12)(i) Furniture, toys & equipment are clean and in good repair C(1) Cribs meet federal standards (reviewed certificate) D(1) Cots, mats, cribs labeled or charted for each child D(2) PROGRAM 114-506 C N	
Sink area has running water A(12)(d) Soap and disposable towels available at sink A(12)(i) Furniture, toys & equipment are clean and in good repair C(1) Sink area has running water A(12)(d) Cots, mats, cribs labeled or charted for each child D(2) PROGRAM 114-506 C N	
Soap and disposable towels available at sink A(12)(i) PROGRAM 114-506 C N Written placed de disposable towels available at sink A(12)(i)	
-urniture, toys & equipment are clean and in good repair C(1)	
Surpiture take 8 - size of a clivities that is	N/A
and the state of t	
dealthy pets/animals (Vaccination record up-to-date) E(4)	
MEAL REQUIREMENTS 114-508	
C N N/A	
Veals & snacks in compliance with USDA A(1)(b) Clean wholesome unspecified properly labeled food A(4) Round, firm foods are not offered to children under 4	N/A
wre Old unless properly out to properly labeled 1000 A(4)	<u> 2</u>
Refringerators have the manufacture and the state of the	Or Or
INFANT CARE 114 FOO	
TRANSPORTATION 114-505 I	
nfants are placed on their back to sleep A(5)(a) C N N/A C N Vehicle has proper safety restraints & in good ranging (4)	N/A
lo bottles proposed or given in seite and the seite and th	6
ood for toddlers cut in pieces ½ inch or less A(3)/k)	3
ood for infants cut in pieces ½ inch or less A(3)(k) Driver's (valid) driver's license reviewed (1)(f)	9/
cock pots, bottle warmers, are inaccessible to children No.	
ncrowaving of beverages observed A(3)(d)	+
iups and bottles labeled with child's name & used only by that	
No violations noted at the time of visit □	
$\mathcal{A}_{1} \cap \Omega_{1}$	
Signature of Director/Operator/Designee: Date: 9-28-83 Refused to sign	
Signature of Director/Operator/Designee: Date: D	

Page 1	of	1	
--------	----	---	--

<u>Division of Early Care and Education Deficiency</u> <u>Correction</u>

Deficiency Cited	Corrective Action Needed	Expected Date of Correction
Staff missing paperwork.	Staff must have all required paperwork before starting.	10/16/23
iders/Operators are requ time.	uired by regulations and stat	utes to be in compli
nsing Specialist	0 _ /	Date 9/28/23