South Carolina Department of Social Services
Office of Child Care Licensing INSPECTION VISIT FOR

acility Name: St Paul's School	Date of Inspection: Date o							
ddress: 304 E. Camperdown Way, GREENVILLE, SC 2960 elephone #: 864-232-0994 Any changes in		ect inf	fo (Pho	Reason for Follow up: □pending deficient Hours of Operation: M-F 7:30am-5:30pm one/Email/Fax)? □ Yes ☑ No Overnight Care			•	
center Director/Designee: Marian Grace Trail Change in Ownership or Director?								
MANAGEMENT 114-523	С	N	N/A	APPLICATION OF STAFF: CHILD RATIOS 114-524		L	AVA	
Staff files are in compliance F(1-4)	12		-	Adequate supervision throughout the facility A(1) (a-b)	C	N	N/A	
Are training hours up-to-date? F(3)(a-b)	V			Facility following tracking of children procedures A(2)	V V	믜	<u> </u>	
At least 1 person with CPR & 1st Aid on the premises H(5)(f)	VES	0	0	Ratios adequate in all classrooms and on playground B & C	12			
		_		N & SAFETY 114-525	W			
HEAL	C	N	N/A	V & SAFETT 114-525				
Children's faces/hands are clean B(1)	W			Proper diapar diaparing practices were above at E44.403	C	N	N/A	
Medicine & harmful items labeled and stored properly D(2)	4	$\rightarrow$		Proper diaper diapering practices were observed F(1-16)	<u> </u>			
	1			Proper handwashing practices were observed G(4)	V		0	
First Aid kit in facility and in vehicle if transport E(1), I(1)(g)	6			Smoking permitted only in designated area A(3)			4	
PHY	SICA	L SIT	E 114-	527	2002	Alter	SERVICE STREET	
	С	N	N/A	The state of the s	С	N	N/A	
BUILDING	233	1	THE REAL PROPERTY.	PLAYGROUND				
/entilation and lighting sufficient A(2)(a-d),(4)(a-c)	0	-		Outdoor space free of glass, paper & other litter B(2)	13		0	
Ceiling, floors, windows, doors free from hazards A(5)(d)	10	10		Fencing/safety barriers 4ft in height, in good repair B(4)	+	0	0	
No strangulation/choking/suffocation hazards A(5)(g)(i-iii)	1		o	Playground equipment safe & firmly anchored C (6)	12			
Building(s) temp between 68-80 °F A(7)	W	-	-		VE			
acility free from pest problems (Insects, rodents)A(8)(b-c)	V	-	-	Adequate cushioning material; at least 6ft. fall zone C(8)	M			
Sarbage kept properly in plastic lined receptacles A(8)(d-i)	1		0	Cribs most fodoral standards (assigned as 15 - 1 ) 2/4	C	N	N/A	
electrical outlets are securely covered A(11)(c)	1			Cribs meet federal standards (reviewed certificate) D(1)	8	0		
Sink area has hot & cold water A(12)(d)	VE	<u> </u>	<u> </u>	Cots, beds, mats, & cribs labeled for each child D(2)	图			
Soap and towels in restrooms A(12)(i)	র		0	Pack & plays not used for sleeping D(1-2)  TRANSPORTATION 114-525			4	
urniture, toys & equipment are clean and in good repair C(1)	3	<u> </u>						
urniture, toys & equipment meets CPSC standards C(2)	1	<u> </u>		Vehicle has proper safety restraints and in good repair !(1)			E .	
	_		_	Checklist for loading/unloading children reviewed. I(2)(d)			<b>E</b>	
IVIEAL F				114-528				
leals and snacks in compliance with USDA A(1)(b)	C	N	N/A		С	N	N/A	
Clean, wholesome, unspoiled properly labeled food A(4)	10	. 🗆		Round, firm foods are not given to children under 4y/o,				
ood preparers have proper hair restraints B(5)	K			unless properly cut to prevent choking risk. A(3)	4			
Refrigerators have thermometers(Temp under 45°F)D(2-3)			8	Food labeled, stored and handled properly D(1)	7			
	<b>2</b>		D	Cleaning & poisonous items stored away from food D(8)	1			
INF#	ANT C	CARE	114-5	<u>29</u>				
Supposed by Marchall L. D. M. 1944					C	N	N/A	
Cups and bottles labeled with child's name & used only by that	child /	A(1)(a	<u>a)</u>		10		0	
No bottles propped or given in cribs or on mats A(1)(c)					न्द			
Breast milk is not heated in the microwave. If microwave is used to heat formula/beverages, parents are notified in writing A(1)(d)								
ood for toddlers cut in pieces ½ inch or less. A(1)(k)								
ood for infants cut in pieces ¼ inch or less. A(1)(j)								
nfants are placed on their backs to sleep, unless Doctor's note	is pro	vided	l. A(3)(	a)	0			
			-,-/(		, <u>u</u>			
C = Compliant with Regulation - N = Noncompliant with	Regu	latior		No violations noted at the time of visit	San Albert		reme, Co	
Signature of Director/Operator/Designee:  Signature of Child Care Licensing Specialist:	$\overline{}$		A-	1 Date: 9 28 23 Refus	ed to:	sign	M. S.	
The state of the controlling opening.	<u>, v</u>	_		Date:				