South Carolina Department of Social Services Office of Child Care Licensing

INSPECTION VISIT FORM FOR LICENSED CENTERS

ddress: 168 Prep Street, ORANGEBURG, SC 29118 elephone #: 803-536-0490 Any changes in enter Director/Designee: June Darnell Kemp nange in Ownership or Director? Yes aximum number of children: 204 Building 1:aximum number of infants: 51 24 months ems posted in public view: License Menu Ratio 0): 	mon	Bu	-4 facility Infants are in designated rooms 2-Nos -	Yes CD	. ₽ 1\	lo
MANAGEMENT, ADMINISTRATION & STAFFING 114-503		N	I NUA	SUPERVISION 114-504			
Staff files are in compliance H(1-7)	7		N/A	Adequate supervision throughout facility A(1-2)	0	1.	N/A
Training hours up-to-date K(5)(b-c)	1	7-		Facility following tracking of children procedures A(3)	V	/-	
At least 1 person with CPR & 1St Aid on the premises K(5)(h)				Ratios adequate in all classrooms and on playground B, C			-
	TH, SA	NIT.		& SAFETY 114-505	a		
	C	N	N/A		С	N	N/A
Children's faces/hands are clean B(1)		, .		Proper diaper changing practices were observed F(1-16)		 	
Medicine and harmful items labeled and stored properly D(2)				Proper handwashing practices were observed G(4)	7	<u> </u>	
First Aid kit in facility and in vehicle if transport E(1), I(1)(g)	0	0	0	No smoking/consumption of alcoholic beverage A(3)	1	1 -	
	YSICA	L SI	TE 114	-507	- 423	_	
BUILDING		N	N/A	PLAYGROUND	С	N	N/A
Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c)	1			Playground equip. safe & firmly anchored B(7)			
No strangulation/choking/suffocation hazards A(5)(g)(i-iii)	R		, 0	Adequate cushioning material; at least 6ft fall zone B(9)			-
Ceiling, floors, windows, doors free from hazards A(5)(d)		4		Fencing/safety barriers 4ft. in height, in good repair B(4)			0
Building(s) temp between 68-80°F A(7) If no, close in 4 hrs.		. 🗆		Outdoor space free from hazards and litter B(2)			-
Facility free from pest problems (Insects, rodents) A(8)(b-c)	9			RESTING	Ĉ	N	N/A
Garbage kept properly in plastic lined receptacles A(8) (d-i)	1			Play Pens observed C(4)			/
Electrical outlets are securely covered A(11)(c)		. 🗆		Cribs meet federal standards (reviewed certificate) D(1)	1	<i>-</i>	0
Sink area has running water A(12)(d)	■ ♥			Cots, mats, cribs labeled or charted for each child D(2)			
Soap and disposable towels available at sink A(12)(i)				PROGRAM 114-506	c	. N	N/A
Furniture, toys & equipment are clean and in good repair C(1)	V			Written, planned, daily program of activities that is		,	
Furniture, toys & equipment meets the CPSC standards C(2)				developmentally & age appropriate observed A(1-3)			
Healthy pets/animals (Vaccination record up-to-date) E(4)			6/	Positive, non-abusive discipline practice B(1)			
MEAL		_		S 114-508			
Andre 9 annulu in an all and a second	C	. N	N/A		C	,N	N/A
Meals & snacks in compliance with USDA A(1)(b)	P			Round, firm foods are not offered to children under 4			
Clean, wholesome, unspoiled, properly labeled food A(4)	V)	, 🗆	0	yrs. Old, unless properly cut to prevent choking risk A(3)			
Food preparers have proper hair restraints B(5) Refrigerators have thermometers, temp under 45°F D(2-3)				Food stored & handled properly D(1)	7/		
INFANT CARE 114-509	d ⁄			All cleaning & poisonous items stored away from food D	10		
114 ANT CAILE 114-303	С	a NI	N/A	TRANSPORTATION 114-505 I			
nfants are placed on their back to sleep A(5)(a)		. 🗆		Vahicle has proper cofety restraints 2 in good repoints	_	N	N/A
No bottles propped or given in cribs or on mats A(3)(c)			. 0	Vehicle has proper safety restraints & in good repair I(1)	믜		4
Food for toddlers cut in pieces ½ inch or less A(3)(k)				Checklist for loading/unloading children reviewed (2)(d) Driver's (valid) driver's license reviewed (1)(f)			1
Food for infants cut in pieces ¼ inch or less A(3)(j)	+			Driver's (valid) driver's license reviewed (1)(f)			4
Crock pots, bottle warmers, are inaccessible to children, No	╅╩╏		*	C-Compliant with Regulation			
				N-Noncompliant with Regulation			
nicrowaving of beverages observed A(3)(d)				n-noncompliant with regulation			

Date: _

Signature of Child Care Licensing Specialist:

	1		1	
Page		_ of		

<u>Division of Early Care and Education</u> <u>Deficiency Correction</u>

NAME OF PROVIDER/OPERATOR	Orangeburg Prep Child Development Center
PERMIT #15680	

Deficiency Cited	Corrective Action Needed	Expected Date of Correction		
Stained ceiling tiles and loose floor base board observed coming from wall.	Ensuring that the physical site is free of any hazards.	30 days from day of visit - 10/13/2023		

Providers/Operators are required by regulations and statutes to be in compliance at all time.

Licensing Specialist

Date 9/14/2023