## South Carolina Department of Social Services Office of Child Care Licensing INSPECTION VISIT FORM FOR LICENSED CENTERS Start Date of Inspection: 9-13-35 Time of Inspection:

THIS POSTER IN PRINTE ALEM. TI DESILES CHARGO CAUSEO C	o-20 Chart (	mon	lhs 🗆 l·	iding 2: Building 3: c -4 facility Infants are in designated rooms ?c Yes c ms) Does facility transport children? □ Yes ☑ 140 □ 1	CDI No ( I/A	EP 3 N/A	
MANAGEMENT, ADMINISTRATION & STAFFING 114-503		LAI	LAUA	SUPERVISION 114-504		1	,
Staff files are in compliance H(1-7)	C	8	N/A	Adequate supervision throughout facility A(1-2)			N/A
Training hours up-to-date K(5)(b-c)	8	_	+	Facility following tracking of children procedures A(3)	15	-	
At least 1 person with CPR & 1st Ald on the premises K(5)(h)	a/	10	Ω	Ratios adequate in all classrooms and on playground 8.			<u> </u>
HEAL		_	MOITA	8 SAFETY 114-505			
	С	N	N/A		C	N	N/A
Children's faces/hands are clean B(1)	10	-	0	Proper diaper changing practices were observed F(1-16)	P	10	0
Medicine and harmful items labeled and stored properly D(2)	9	_	Ω	Proper handwashing practices were observed G(4)	12	0	0
First Aid kit in facility and in vehicle if transport E(1), i(1)(g)	18		п	No smoking/consumption of alcoholic beverage A(3)	1	0	0
			TE 114				
151411(61)(6)	С		,	(20A/GRO)010	C		N/A
Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c)	P		0	Playground equip. safe & firmly anchored B(7)	8	0	
No strangulation/choking/suffocation hazards A(5)(g)(i-iii)	19	_	-	Adequate cushioning material; at least 6ft fall zone (S(9)	0	_	0
Celling, floors, windows, doors free from hazards A(5)(d)	8	0	0	Fencing/safety barriers 4ft. in height, in good repair B(4)	0	0	0.
Building(s) temp between 68-80°F A(7) if no, close in 4 hrs. Facility free from pest problems (insects, rodents) A(8)(b-c)	3	0	0	Outdoor space free from hezards and litter B(2)	6	0	Alla
Garbage kept properly in plastic lined receptacles A(8) (d-i)	12		0	Play Pens observed C(4)	a o	N	N/A
Electrical outlets are securely covered A(11)(c)	1	0	0	Cribs meet federal standards (reviewed certificate) D(1)	ठ		
Sink area has running water A(12)(d)	3		0	Cots, mats, cribs labeled or charted for each child D(2)	ठ		-
Soap and disposable towers available at sink A(12)(i)	18	0	0	(FRGE) (AMG) 1900	C	N	N/A
Furniture, toys & equipment are clean and in good repair C(1)	18		-	Written, planned, daily program of activities that is		18	IVA
Furniture, toys & equipment meets the CPSC standards C(2)	1	_	0	developmentally & age appropriate observed A(1-3)	0	0	ם
lealthy peta/animals (Vaccination record up-to-date) E(4)	17	-	-	Positive, non-abusive discipline practice B(1)	8		0
				\$ 114-508			
		N	N/A	Proc. 1	C	N	N/A
Meals & snacks in compliance with USDA A(1)(b)	6	п		Round, firm foods are not offered to children under 4	8		0
Clean, wholesome, unspolled, properly labeled food A(4)	16	Ω	О	yrs. Old, unless properly cut to prevent choking risk A(3)	6	0	0
ood preparers have proper hair restraints B(5)	ď		п	Food stored & handled properly D(1)	6		0
Refrigerators have thermometers, temp under 45°F D(2-3)	ď	0	g	All cleaning & poisonous items stored away from food D	6	0	
INFANT CARE 114-509			2124	TRANSPORTATION 114-505 I			
stanta are placed on the laborate to stone ACRNA	С	N	N/A		_	N	N/A
nfants are placed on their back to sleep A(5)(a)	10		0	Vehicle has proper safety restraints & in good repair ((1)	믜	0	6
to bottles propped or given in cribs or on mats A(3)(c)	10	0	0	Checklist for loading/unloading children reviewed (2)(d)	믜	凸┃	8
food for toddlers cut in pleces ½ inch or less A(3)(k)  food for infants cut in pleces ½ inch or less A(3)(i)	10	0	0	Oriver's (valid) driver's license reviewed (1)(f)		D	ø
	18	0	0	IOO STATE CHIUSI STATUTE CONTRACTOR AND	- Table	#*******	de la c
Crock pots, bottle warmers, are inaccessible to children, No nacrowaving of beverages observed A(3)(d)	8	0	Ω	(G/Gompilanty)(h)Regulation N-Noncompilanty/(th)Regulation			
Sups and bottles labeled with child's name & used only by that hiid A(3)(a)	12	٥	o	No violations noted at the time of visit			

	1	1	
Page	<u> </u>	of	

## Division of Early Care and Education Deficiency Correction

## NAME OF PROVIDER/OPERATOR Midland Park PERMIT # 18137

Deficiency Cited	Corrective Action Needed	Expected Date of Correction
1 employee is missing TB results.	Have employee get TB results from medical provider to turn in.	9/25/23
1 employee without SLED/FBI results or Central Registry background check	Run background checks on employee before they start working.	9/25/23
11		

r roviders/Operators are required by regulations	s and statutes to be in compnance
at all time.	
(m)	00/40/0000
Licensing Specialist	<sub>Date</sub> 09/13/2023