## South Carolina Department of Social Services Office of Child Care Licensing INSPECTION VISIT FORM FOR LICENSED CENTERS

acility Name: Foundations Early Learning Center #214 ermit #: 24912		Col	Date of mplain	f Inspection: <u>9/8/23</u> Time of Inspection: <u>//):4</u> t		)	
anter Director/Designee: Lilly Marie Wagers	onta	ct inf		Hours of Operation: Single Shift ne/Email/Fax)? □ Yes ☑ No Overnight Care? □ `	Yes	<u>r</u>	_
aximum number of children: 123  Building 1: aximum number of infants: 117	<b>3</b> 0 r	 mont	Buil hs □ I-	ding 2: Building 3: □	CDE	- Ν/Δ	
aximum number of infants: 117	art (	All cl	assroo	ms) Does facility transport children? Ves ONO N	/A	J 1967	`
MANAGEMENT, ADMINISTRATION & STAFFING 114-503		- 30		SUPERVISION 114-50-4		T.	
	C,	N	N/A	Name of the last o	C	N	N/A
Staff files are in compliance H(1-7)	JZ/	_	<u></u>	Adequate supervision throughout facility A(1-2)	V		_
Training hours up-to-date K(5)(b-c)	-			Facility following tracking of children procedures A(3)	С		
At least 1 person with CPR & 1 <sup>St</sup> Aid on the premises K(5)(h)		D NIT	TION	Ratios adequate in all classrooms and on playground B, C & SAFETY 114-505	V		
TILALIT	С	N	N/A	X SAFETT 114-303		N.	11/4
Children's faces/hands are alson B(4)				Design dieses charais and dieses	С	N	N/A
Children's faces/hands are clean B(1)  Medicine and harmful items labeled and stored properly D(2)				Proper diaper changing practices were observed F(1-16)	2	+	0
				Proper handwashing practices were observed G(4)	4	-	0
First Aid kit in facility and in vehicle if transport E(1), I(1)(g)				No smoking/consumption of alcoholic beverage A(3)	40		
BUILDING	C		E 114-				
Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c)		N	N/A	PLAYGROUND	С	N	N/A
	4	_		Playground equip. safe & firmly anchored B(7)			2
No strangulation/choking/suffocation hazards A(5)(g)(i-iii)				Adequate cushioning material; at least 6ft fall zone B(9)			1
Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs.	8			Fencing/safety barriers 4ft. in height, in good repair B(4)			6
Facility free from pest problems (Insects, rodents) A(8)(b-c)				Outdoor space free from hazards and litter B(2)		<u> </u>	
Garbage kept properly in plastic lined receptacles A(8) (d-i)				RESTING Play Pens observed C(4)	С	N	N/A
	2			1,			0
Electrical outlets are securely covered A(11)(c)	Ø			Cribs meet federal standards (reviewed certificate) D(1)	E/	, 🗆	
Sink area has running water A(12)(d)				Cots, mats, cribs labeled or charted for each child D(2)	4		0
Soap and disposable towels available at sink A(12)(i)			0	PROGRAM 114-506	С	N	N/A
Furniture, toys & equipment are clean and in good repair C(1)				Written, planned, daily program of activities that is		ا ۵	
Furniture, toys & equipment meets the CPSC standards C(2)			-	developmentally & age appropriate observed A(1-3)			
Healthy pets/animals (Vaccination record up-to-date) E(4)			<b>5</b>	Positive, non-abusive discipline practice B(1)	Ø		
WEAL		-		S 114-508			
Meals & snacks in compliance with USDA A(1)(b)	<u>_</u> C	N	N/A	Round, firm foods are not offered to children under 4	С	_N	N/A
Clean, wholesome, unspoiled, properly labeled food A(4)	_					_	_
Food preparers have proper hair restraints B(5)	-			yrs. Old, unless properly cut to prevent choking risk A(3)  Food stored & handled properly D(1)		-	
Refrigerators have thermometers, temp under 45°F D(2-3)	<del></del>	0	<u> </u>	All cleaning & poisonous items stored away from food D	_		0
INFANT CARE 114-509				TRANSPORTATION 114-505 I	0		
	С	N	N/A		С	N	N/A
Infants are placed on their back to sleep A(5)(a)			0	Vehicle has proper safety restraints & in good repair I(1)	<del> </del>	- IN	NA
No bottles propped or given in cribs or on mats A(3)(c)	<u> </u>			Checklist for loading/unloading children reviewed (2)(d)	$\dashv \uparrow$	_	3
Food for toddlers cut in pieces ½ inch or less A(3)(k)				Defined a Collid Address Burney Co. 14440	-+	-	7
Food for infants cut in pieces ¼ inch or less A(3)(i)		<u> </u>		Silver a (valid) divide a liberior (evicated (1)(1)			v
Crock pots, bottle warmers, are inaccessible to children, No microwaving of beverages observed A(3)(d)		_		C-Compliant with Regulation N-Noncompliant with Regulation			
Cups and bottles labeled with child's name & used only by that	7				_		
child A(3)(a)				No violations noted at the time of visit □			
Signature of Director/Operator/Designee: Signature of Child Care Licensing Specialist:	4	<u>م</u> و		Date: 9/8/23 □ Refused to	sign		

	1		1
Page		of _	1

## <u>Division of Early Care and Education</u> <u>Deficiency Correction</u>

NAME OF PROVIDER/OPERATOR	Foundations Early Learning Center #21	14
PERMIT # 24912		

Deficiency Cited	Corrective Action Needed	Expected Date of Correction 9/8/2023	
Staff not prepared to follow the center's Emergency Plan & medical procedures.	Center to revise emergency plans and train all staff on emergency response.		

Providers/Operators are required by regulations and statutes to be in compliance at all time.

Licensing Specialist Date 9/15/2023