South Carolina Department of Social Services Office of Child Care Licensing INSPECTION VISIT FORM FOR REGISTERED FAITH BASED CHILD CARE CENTERS Date of Inspection: 9.14/23 Time of Inspection: 9:57am acility Name: First Baptist School of Charleston ermit #: 25262 Type of Inspection:

Annual □ Complaint □ Follow Up (original inspection date Reason for Follow up: pending deficiencies self-report ddress: 48 Meeting Street, CHARLESTON, SC 29401 Hours of Operation: Single Shift elephone #: 843-722-6646 Overn ight Care? - Yes - No enter Director/Designee: Jennifer Walpole hange in Ownership or Director? - Yes - No If yes, Name: faximum number of children: 50 Building 1: Building 2: X Building 3: □ 24 months at 30 months □ I-4 facility Infants are in designated rooms? y Yes □ No □ N/A laximum number of infants: 23 ems posted in public view: Registration Menu Ratio Chart (All classroom) Does facility transport children? Yes No MANAGEMENT 114-523 APPLICATION OF STAFF: CHILD RATIOS 114-524 С N N/A C Ν N/A Staff files are in compliance F(1-4) Adequate supervision throughout the facility A(1) (a-b) ď Are training hours up-to-date? F(3)(a-b) ø Facility following tracking of children procedures A(2) ø At least 1 person with CPR & 1st Aid on the premises H(5)(f) Ratios adequate in all classrooms and on playground B & C Ø HEALTH, SANITATION & SAFETY 114-525 C N N/A С Ν N/A Children's faces/hands are clean B(1) Z 0 Proper diaper diapering practices were observed F (1-16) 9 Medicine & harmful items labeled and stored properly D(2) b Proper handwashing practices were observed G(4) ø First Aid kit in facility and in vehicle if transport E(1), I(1)(g) Smoking permitted only in designated area A(3) ď PHYSICAL SITE 114-527 C N N/A С Ν N/A BUILDING **PLAYGROUND** 9 Ventilation and lighting sufficient A(2)(a-d),(4)(a-c) Outdoor space free of glass, paper & other litter B(2) Ø Ceiling, floors, windows, doors free from hazards A(5)(d) ø Fencing/safety barriers 4ft in height, in good repair B(4) 0 Ø No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ø Playground equipment safe & firmly anchored C (6) Z Building(s) temp between 68-80 °F A(7) Adequate cushioning material; at least 6ft, fall zone C(8) Ó Ź Facility free from pest problems (Insects, rodents)A(8)(b-c) ø RESTING C N N/A Garbage kept properly in plastic lined receptacles A(8)(d-i) Cribs meet federal standards (reviewed certificate) D(1) ø Ø Electrical outlets are securely covered A(11)(c) Ø Cots, beds, mats, & cribs labeled for each child D(2) Ø Sink area has hot & cold water A(12)(d) Ø Pack & plays not used for sleeping D(1-2) p Soap and towels in restrooms A(12)(i) ø 0 **TRANSPORTATION 114-525 I** Furniture, toys & equipment are clean and in good repair C(1) z Vehicle has proper safety restraints and in good repair I(1) Я Furniture, toys & equipment meets CPSC standards C(2) Checklist for loading/unloading children reviewed. I(2)(d) ø Z **MEAL REQUIREMENTS 114-528** CN N/A С N N/A Meals and snacks in compliance with USDA A(1)(b) 7 Round, firm foods are not given to children under 4y/o. Clean, wholesome, unspoiled properly labeled food A(4) unless properly cut to prevent choking risk. A(3) 0 9 Food preparers have proper hair restraints B(5) Food labeled, stored and handled properly D(1) 9 Refrigerators have thermometers(Temp under 45°F)D(2-3) Cleaning & poisonous items stored away from food D(8) ġ. INFANT CARE 114-529 С Ν N/A Cups and bottles labeled with child's name & used only by that child A(1)(a) No bottles propped or given in cribs or on mats A(1)(c) Z Breast milk is not heated in the microwave. If microwave is used to heat formula/beverages, parents are notified in writing A(1)(d) Z Food for toddlers cut in pieces 1/2 inch or less. A(1)(k) ď Food for infants cut in pieces 1/4 inch or less. A(1)(j) 6 Infants are placed on their backs to sleep, unless Doctor's note is provided. A(3)(a) П C = Compliant with Regulation - N = Noncompliant with Regulation No violations noted at the time of visit □ COS

☐ Refused to sign

Signature of Child Care Licensing Specialists H. History Date: 9

Signature of Director/Operator/Designee: