

South Carolina Department of Social Services
Office of Child Care Licensing

INSPECTION VISIT FORM FOR REGISTERED FAITH BASED CHILD CARE CENTERS

Facility Name: Fairview Early Childhood Center
Permit #: 428

Date of Inspection: 9/8/2023 Time of Inspection: 10:47am - 1:13pm

Type of Inspection: Annual Complaint Follow Up (original inspection date _____)

Address: 308 West Martintown Road, North Augusta, SC 29841
Telephone #: 803-278-7208

Reason for Follow up: pending deficiencies self-report
Hours of Operation: 6am - 6pm

Any changes in contact info (Phone/Email/Fax)? Yes No Overnight Care? Yes No

Center Director/Designee: Tremayne McTilman

Change in Ownership or Director? Yes No

If yes, Name: Tremayne McTilman

Maximum number of children: 182

Building 1: _____ Building 2: _____ Building 3: _____

Maximum number of infants: 42

24 months 30 months I-4 facility Infants are in designated rooms? Yes No N/A

Items posted in public view: Registration Menu Ratio Chart (All classroom) Does facility transport children? Yes No

MANAGEMENT 114-523

APPLICATION OF STAFF:CHILD RATIOS 114-524

	C	N	N/A		C	N	N/A
Staff files are in compliance F(1-4)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Adequate supervision throughout the facility A(1) (a-b)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Are training hours up-to-date? F(3)(a-b)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Facility following tracking of children procedures A(2)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
At least 1 person with CPR & 1 st Aid on the premises H(5)(f)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Ratios adequate in all classrooms and on playground B & C	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

HEALTH, SANITATION & SAFETY 114-525

	C	N	N/A		C	N	N/A
Children's faces/hands are clean B(1)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Proper diaper diapering practices were observed F(1-16)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Medicine & harmful items labeled and stored properly D(2)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Proper handwashing practices were observed G(4)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

PHYSICAL SITE 114-527

BUILDING	C	N	N/A	PLAYGROUND	C	N	N/A
Ventilation and lighting sufficient A(2)(a-d),(4)(a-c)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Outdoor space free of glass, paper & other litter B(2)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ceiling, floors, windows, doors free from hazards A(5)(d)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Fencing/safety barriers 4ft in height, in good repair B(4)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
No strangulation/choking/suffocation hazards A(5)(g)(i-iii)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Playground equipment safe & firmly anchored C (6)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Building(s) temp between 68-80 °F A(7)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Adequate cushioning material; at least 6ft. fall zone C(8)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Facility free from pest problems (Insects, rodents) A(8)(b-c)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	RESTING	C	N	N/A
Garbage kept properly in plastic lined receptacles A(8)(d-i)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Cribs meet federal standards (reviewed certificate) D(1)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Electrical outlets are securely covered A(11)(c)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Cots, beds, mats, & cribs labeled for each child D(2)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sink area has hot & cold water A(12)(d)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Pack & plays not used for sleeping D(1-2)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Soap and towels in restrooms A(12)(l)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	TRANSPORTATION 114-525 I	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Furniture, toys & equipment are clean and in good repair C(1)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Vehicle has proper safety restraints and in good repair I(1)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Furniture, toys & equipment meets CPSC standards C(2)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Checklist for loading/unloading children reviewed. I(2)(d)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

MEAL REQUIREMENTS 114-528

	C	N	N/A		C	N	N/A
Meals and snacks in compliance with USDA A(1)(b)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Round, firm foods are not given to children under 4y/o, unless properly cut to prevent choking risk. A(3)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Clean, wholesome, unspoiled properly labeled food A(4)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Food labeled, stored and handled properly D(1)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Food preparers have proper hair restraints B(5)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Cleaning & poisonous items stored away from food D(8)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Refrigerators have thermometers (Temp under 45°F) D(2-3)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				

INFANT CARE 114-529

	C	N	N/A
Cups and bottles labeled with child's name & used only by that child A(1)(a)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
No bottles propped or given in cribs or on mats A(1)(c)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Breast milk is not heated in the microwave. If microwave is used to heat formula/beverages, parents are notified in writing A(1)(d)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Food for toddlers cut in pieces 1/2 inch or less. A(1)(k)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Food for infants cut in pieces 1/4 inch or less. A(1)(j)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Infants are placed on their backs to sleep, unless Doctor's note is provided. A(3)(a)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

C = Compliant with Regulation N = Noncompliant with Regulation No violations noted at the time of visit

Signature of Director/Operator/Designee: Tremayne McTilman

Date: 9/8/2023 Refused to sign


Division of Early Care and Education
Deficiency Correction

NAME OF PROVIDER/OPERATOR Fairview Early Childhood Center

PERMIT # 428

Deficiency Cited	Corrective Action Needed	Expected Date of Correction
Pull-up handsfree diaper pail should be labeled.	Label handsfree container pull-up.	COB
Mechanical air ventilation in bathroom in classroom 260 not working.	Operable ventilation should be in bathroom.	11/8/2023
Secure area rug to floor in classrooms throughout facility.	Rugs must be secured to floor.	COB
Repair chipping paint on the walls throughout facility.	Walls shall be free from peeling paint.	11/8/2023
Area rugs throughout facility stained and need to be cleaned.	Sanitary conditions must be maintained on indoor furniture.	11/8/2023
Strong urine smell in boy's bathroom downstairs need to be cleaned.	Bathroom should be cleaned daily.	11/8/2023

Providers/Operators are required by regulations and statutes to be in compliance at all time.


Licensing Specialist  **Date** 10/17/23

Division of Early Care and Education
Deficiency Correction

NAME OF PROVIDER/OPERATOR Fairview Early Childhood Center
PERMIT # 428

Deficiency Cited	Corrective Action Needed	Expected Date of Correction
Replace torn red/blue sleeping mats throughout classrooms.	Furniture should be free of hazards.	COB
Red/blue sleeping mats stored on floor in classroom 240.	Rest equipment should not be stored on floor.	COB

Providers/Operators are required by regulations and statutes to be in compliance at all time.

Licensing Specialist  Date 10/17/2023