South Carolina Department of Social Services Office of Child Care Licensing

INSPECTION VISIT FORM FOR LICENSED CENTERS

Facility Name: Antioch 3 & 4K Development Center Preschool Permit #: 22987 Type of Inspection: b Annu	ial c	[Cor	Date of nplaint	Inspection: 019223 Time of Inspection: 0.2 Follow Up (original inspection date Reason for Follow up: clear up pending deficiency	·)	ų.	•
Center Director/Designee: Clarice Jones Change in Ownership or Director? Yes No If yes. Name:			•	Hours of Operation: Single Shift ne/Email/Fax)? □ Yes > No Overnight Care? □ \			
Maximum number of children: 41 Building 1:			Buil	ding 2: Building 3: 🗆	CDE	ماا	
Maximum number of infants: 5 = 24 months &	301	mont	hs □ I-	ding 2: Building 3: □ 4 facility Infants are in designated rooms?□ Yes □	No 😰	N/A	
Items posted in public view: License Menu & Ratio Ch	nart (/	All di	assroo	ms) Does facility transport children? Yes No N/	Ά		
MANAGEMENT, ADMINISTRATION & STAFFING 114-503				<u> </u>		Ш,	
MANAGEMENT, ADMINISTRATION & STAFFING 114-003	С	N	N/A	SUPERVISION 114-504	С	N	N/A
Staff files are in compliance H(1-7)		V		Adequate supervision throughout facility A(1-2)	0	_	12
Training hours up-to-date K(5)(b-c)	 	1		Facility following tracking of children procedures A(3)		枯	
At least 1 person with CPR & 1% Aid on the premises K(5)(h)				Ratios adequate in all classrooms and on playground B, C		V	
				& SAFETY 114-505			
	С	N	N/A		С	N	N/A
Children's faces/hands are clean B(1)	10	-	0	Proper diaper changing practices were observed F(1-16)	0		5
Medicine and harmful items labeled and stored properly D(2)	Va			Proper handwashing practices were observed G(4)		-	10
First Aid kit in facility and in vehicle if transport E(1), I(1)(g)	V	-	_	No smoking/consumption of alcoholic beverage A(3)	V		
			TE 114-	507			
BUILDING	С	N	N/A	PLAYGROUND	С	N	. N/A
Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c)	100	0		Playground equip. safe & firmly anchored B(7)	0	Y	
No strangulation/choking/suffocation hazards A(5)(g)(I-iii)	(P	70	_	Adequate cushioning material; at least 6ft fall zone B(9)	Var	7	
Ceiling, floors, windows, doors free from hazards A(5)(d)		0	0	Fencing/safety barriers 4ft. in height, in good repair B(4)	V	0	_
Building(s) temp between 68-80°F A(7) If no, close in 4 hrs.	V2	-		Outdoor space free from hazards and litter B(2)	V	<u></u>	0
Facility free from pest problems (Insects, rodents) A(8)(b-c)	100		0	RESTING	Č	Ń	N/A
Garbage kept property in plastic lined receptacles A(8) (d-l)	10		0	Play Pens observed C(4)	0	0	\$
Electrical outlets are securely covered A(11)(c)	1		0	Cribs meet federal standards (reviewed certificate) D(1)		0	4
Sink area has running water A(12)(d)	P		0	Cots, mats, cribs labeled or charted for each child D(2)	Ver	0	0
Soap and disposable towels available at sink A(12)(i)	12	p	0	PROGRAM 114-506	С	N	N/A
Furniture, toys & equipment are clean and in good repair C(1)	VZ	0	0	Written, planned, daily program of activities that is			
Furniture, toys & equipment meets the CPSC standards C(2)	10		0	developmentally & age appropriate observed A(1-3)	8	_	
Healthy pets/animals (Vaccination record up-to-date) E(4)		0	V	Positive, non-abusive discipline practice B(1)	V	0	
MEAL				S 114-508			
The second of th	С		N/A		C	N	N/A
Meals & snacks in compliance with USDA A(1)(b)	V				V	_	
Clean, wholesome, unspoiled, properly labeled food A(4)	1	<u> </u>		yrs. Old, unless property cut to prevent choking risk A(3)	0	0	
Food preparers have proper hair restraints B(5) Refrigerators have thermometers, temp under 45°F D(2-3)		-	0		Y		
INFANT CARE 114-509	V			All cleaning & poisonous items stored away from food D TRANSPORTATION 114-505 I	V O	O	0
INCAM SAGE 114-303	С	N	N/A	TRANSPORTATION 114-3031	С	N	N/A
Infants are placed on their back to sleep A(5)(a)	0	0	10/1	Vehicle has proper safety restraints & in good repair I(1)	0	0	V
No bottles propped or given in cribs or on mats A(3)(c)	0	<u> </u>	100	Checklist for loading/unloading children reviewed (2)(d)	0	0	
Food for toddlers cut in pieces ½ inch or less A(3)(k)	-	-	10	Driver's (valid) driver's license reviewed (1)(f)	0	0	
Food for infants cut in pieces 1/4 inch or less A(3)(j)			0	Comment of the Commen	_	J	
Crock pots, bottle warmers, are inaccessible to children, No				C-Compliant with Regulation		NI-P	
microwaving of beverages observed A(3)(d)			A	N-Noncompliant with Regulation			No.
Cups and bottles labeled with child's name & used only by that		_					
child A(3)(a)			VZ	No violations noted at the time of visit □			
Cups and bottles labeled with child's name & used only by that	0	٥	V				

	1		2
Page		of	4
_	$\overline{}$	- •	

<u>Division of Early Care and Education</u> <u>Deficiency Correction</u>

NAME OF PROVIDER/OPERATOR Antioch 3 & 4K Development Center PERMIT #22987

Deficiency Cited	Corrective Action Needed	Expected Date of Correction		
Proof of education is needed for one staff.	Provide proof of education	10/20/2023		
Training for 2022 is needed for two staff.	Obtain required training	11/9/2023		
Signed policies are needed for two staff.	Obtain signed policies	10/20/2023		
Out of ratio in the 3K classroom.	Maintain ratio in classroom	10/20/2023		
Playground equipment is not sturdy.	Remove equipment from the playground	11/9/2023		
There is a lack of supervision in the 3K classroom due to being out of ratio	Maintain ratio in classroom	10/20/2023		

Providers/Operators are required by regulations and statutes to be in compliance at all time.

Licensing Specialist Date_	10/19/	2023
----------------------------	--------	------

Page	2	of 2
5-		OI

<u>Division of Early Care and Education</u> <u>Deficiency Correction</u>

NAME OF PROVIDER/OPERATOR Antioch 3 & 4K Development Center PERMIT #22987

Deficiency Cited	Corrective Action Needed	Expected Date of Correction
Unqualified caregiver does not have six months of experience was left alone in the 3K classroom	Ensure all caregivers meet experience requirements	10/20/2023

Providers/Operators are required by regulations and statutes to be in compliance at all time.

Licensing Specialist Jele Bridges	Date_	101	19/2023
-----------------------------------	-------	-----	---------