South Carolina Department of Social Services Office of Child Care Licensing INSPECTION VISIT FORM FOR LICENSED CENTERS

acility Name: House of Joy

Signature of Child Care Licensing Specialist

Date of Inspection 10 23 23 Time of Inspection: 11:17 ermit #: 24500 Type of Inspection:

Annual

Complaint ₽ Pollow Up (original inspection date Reason for Follow up: a clear up pending deficiency a Self-Report Jdress: 1321 Springsteen Road, ROCK HILL, SC 29730 Hours of Operation: Single Shift ephone #: 803-329-0165 Any changes in contact info (Phone/Email/Fax)?

Yes No Overnight Care?

Yes

No enter Director/Designee: Joy Dickerson hance in Ownership or Director?

Yes
No If yes, Name: aximum number of children: 79 Building 2: Building 1: **Building 3:** □ CDEP aximum number of infants: 36 □ 24 months □ 30 months □ I-4 facility Infants are in designated rooms? PYes - No - N/A ams posted in public view: □ License □ Menu □ Ratio Chart (All classrooms) Does facility transport children? □ Yes □ N/A M55719 MANAGEMENT, ADMINISTRATION & STAFFING 114-503 SUPERVISION 114-504 N N/A CN N/A Staff files are in compliance H(1-7) Adequate supervision throughout facility A(1-2) Ø Training hours up-to-date K(5)(b-c) a Facility following tracking of children procedures A(3) D At least 1 person with CPR & 1St Aid on the premises K(5)(h) Ratios adequate in all classrooms and on playground B, C ď HEALTH, SANITATION & SAFETY 114-505 С N N/A С N N/A Children's faces/hands are clean B(1) -0 Ø. Proper diaper changing practices were observed F(1-16) 0 Medicine and harmful items labeled and stored properly D(2) Proper handwashing practices were observed G(4) ô First Aid kit in facility and in vehicle if transport E(1), I(1)(g) No smoking/consumption of alcoholic beverage A(3) O 1 PHYSICAL SITE 114-507 BUILDING C N N/A **PLAYGROUND** C N N/A Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) 0 Playground equip. safe & firmly anchored B(7) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Adequate cushioning material; at least 6ft fall zone B(9) P 4 Ceiling, floors, windows, doors free from hazards A(5)(d) V Fencing/safety barriers 4ft. in height, in good repair B(4) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Outdoor space free from hazards and litter B(2) Þ 4 D Facility free from pest problems (Insects, rodents) A(8)(b-c) ď RESTING C N N/A Garbage kept properly in plastic lined receptacles A(8) (d-i) ø Play Pens observed C(4) 9 Electrical outlets are securely covered A(11)(c) Cribs meet federal standards (reviewed certificate) D(1) MP' Ð 0 Sink area has running water A(12)(d) 1789 Cots, mats, cribs labeled or charted for each child D(2) E Soap and disposable towels available at sink A(12)(i) o **PROGRAM 114-506** C Ν N/A Furniture, toys & equipment are clean and in good repair C(1) Written, planned, daily program of activities that is 9 o \Box Furniture, toys & equipment meets the CPSC standards C(2) **@** developmentally & age appropriate observed A(1-3) Healthy pets/animals (Vaccination record up-to-date) E(4) 0 Positive, non-abusive discipline practice B(1) MEAL REQUIREMENTS 114-508 C N N/A C N N/A Meals & snacks in compliance with USDA A(1)(b) Round, firm foods are not offered to children under 4 Clean, wholesome, unspoiled, properly labeled food A(4) yrs. Old, unless properly cut to prevent choking risk A(3) 4 Food preparers have proper hair restraints B(5) Food stored & handled properly D(1) Ð Refrigerators have thermometers, temp under 45°F D(2-3) All cleaning & poisonous items stored away from food D **INFANT CARE 114-509** TRANSPORTATION 114-505 I C N N/A C N N/A Infants are placed on their back to sleep A(5)(a) ਈ Vehicle has proper safety restraints & in good repair (1) No bottles propped or given in cribs or on mats A(3)(c) Checklist for loading/unloading children reviewed (2)(d) o Food for toddlers cut in pieces 1/2 inch or less A(3)(k) Driver's (valid) driver's license reviewed (1)(f) ø Food for infants cut in pieces 1/4 inch or less A(3)(j) Q² Crock pots, bottle warmers, are inaccessible to children, No **C-Compliant with Regulation** ď đ microwaving of beverages observed A(3)(d) N-Noncompliant with Regulation Cups and bottles labeled with child's name & used only by that child A(3)(a) No violations noted at the time of visit Solle Cook Date: 10 · 23 · 23 □ Refused to sign Signature of Director/Operator/Designee: _

Date: 10-23-23

	1		1
Page	<u> </u>	of	1

<u>Division of Early Care and Education</u> <u>Deficiency Correction</u>

NAME OF PROVIDER/OPERATOR House of Joy

PERMIT #24500

Deficiency Cited	Corrective Action Needed	Expected Date of Correction
Door to outside was left open without being secure.	Door needs to be secure to prevent the entrance of insects or exit of children without being noticed.	Before children return
Exterior fence has gaps where it is not secure to the ground and a child can escape.	Fence needs to be enclosed/secured.	11/23/23
Two gates are not secure and/or do not latch. They must be secured.	Both gates must be secured.	11/23/23
T straps are missing from chair in drop table in the infants room.	Strap needs to be placed to secure infant/toddlers.	11/23/23
Staff member is missing TB on DHEC form and Discipline policies.	Both the TB and polices need to be in the staff file	Before staff may return to work
Additional staff member missing TB and staff health form	Both the TB and Staff health form must be in the staff file	Before staff may return to work.

Providers/Operators are required by regulations and statutes to be in compliance at all time.

Licensing Specialist_

_{Date} 10/27/23