South Carolina Department of Social Services Office of Child Care Licensing INSPECTION VISIT FORM FOR LICENSED CENTERS

acility Name: Stepping Stones CDC ermit #: 24895 Type of Inspection: Annua	al o	D Com	ate of I	nspection: 8.23.23 Time of Inspection: 9:1)	_	
ddress: 511 Main Street North, NEW ELLENTON, SC 29809 elephone #: 803-652-7596 Any changes in co enter Director/Designee: Esterlena Purdie change in Ownership or Director? Yes No If yes, Name:		t info	(Phon	Reason for Follow up: clear up pending deficiency			
laximum number of children: 60 Building 1:			Build	ing 2: Building 3: 🖂	CDEF	5	
	30 n	nonth	o ⊓ LA	facility Infants are in designated rooms? Yes a	JUET No.	NI/A	
ems posted in public view. Dicense Menu Ratio Cha						IWA	
one poster in public viola of the poster in public on	wit ()	010	0010011	by boos lability transport dimercial in 1022 100 147	`		
MANAGEMENT, ADMINISTRATION & STAFFING 114-503				SUPERVISION 114-504			
· · · · · · · · · · · · · · · · · · ·	С	N	N/A		С	N	N/A
Staff files are in compliance H(1-7)	e			Adequate supervision throughout facility A(1-2)		w-	
Training hours up-to-date K(5)(b-c)				Facility following tracking of children procedures A(3)	~er		
At least 1 person with CPR & 1 St Aid on the premises K(5)(h)	مطر		0	Ratios adequate in all classrooms and on playground B, C	P		
HEALTH		NITA	TION 8	SAFETY 114-505			
	С	N	N/A		С	N	N/A
Children's faces/hands are clean B(1)	42	0	_	Proper diaper changing practices were observed F(1-16)	4		
Medicine and harmful items labeled and stored properly D(2)	Þ	0	0	Proper handwashing practices were observed G(4)	0		
First Aid kit in facility and in vehicle if transport E(1), I(1)(g)	Ø^			No smoking/consumption of alcoholic beverage A(3)	0	0	
	SICA	L SIT	E 114-				
BUILDING	С	N	N/A	PLAYGROUND	С	N	N/A
Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c)	Ø	0		Playground equip. safe & firmly anchored B(7)			
No strangulation/choking/suffocation hazards A(5)(g)(i-iii)	ø			Adequate cushioning material; at least 6ft fall zone B(9)	0	PT'	
Ceiling, floors, windows, doors free from hazards A(5)(d)		₽ [^]	0	Fencing/safety barriers 4ft. in height, in good repair B(4)	40		
Building(s) temp between 68-80°F A(7) If no, close in 4 hrs.	Z	0	0	Outdoor space free from hazards and litter B(2)	<u> </u>	ver'	
Facility free from pest problems (Insects, rodents) A(8)(b-c)	Ø			RESTING	С	N	N/A
Garbage kept properly in plastic lined receptacles A(8) (d-i)	Ø			Play Pens observed C(4)	0		
Electrical outlets are securely covered A(11)(c)	ď	0		Cribs meet federal standards (reviewed certificate) D(1)	<i>a</i>		
Sink area has running water A(12)(d)	.7'	0		Cots, mats, cribs labeled or charted for each child D(2)			-0
Soap and disposable towels available at sink A(12)(i)	Ø	0		PROGRAM 114-506	C	N	N/A
Furniture, toys & equipment are clean and in good repair C(1)	1			Written, planned, daily program of activities that is			1477
Furniture, toys & equipment meets the CPSC standards C(2)	3			developmentally & age appropriate observed A(1-3)	0		
Healthy pets/animals (Vaccination record up-to-date) E(4)		0	<u> </u>	Positive, non-abusive discipline practice B(1)	1	О	
				S 114-508			<u></u>
	С	N	N/A		C	N	N/A
Meals & snacks in compliance with USDA A(1)(b)	\$	_		Round, firm foods are not offered to children under 4			V
Clean, wholesome, unspoiled, properly labeled food A(4)	る	0		yrs. Old, unless properly cut to prevent choking risk A(3)			<u> </u>
Food preparers have proper hair restraints B(5)	o		4	Food stored & handled properly D(1)	Ø		
Refrigerators have thermometers, temp under 45°F D(2-3)	Æ			All cleaning & poisonous items stored away from food D	Ø		
INFANT CARE 114-509				TRANSPORTATION 114-505 I			
	C	N	N/A		С	N	N/A
Infants are placed on their back to sleep A(5)(a)	4			Vehicle has proper safety restraints & in good repair I(1)			ব
No bottles propped or given in cribs or on mats A(3)(c)	6	0		Checklist for loading/unloading children reviewed (2)(d)			d
Food for toddlers cut in pieces ½ inch or less A(3)(k)	0		¥	Driver's (valid) driver's license reviewed (1)(f)			Ø
Food for infants cut in pieces ¼ inch or less A(3)(j)			2				
Crock pots, bottle warmers, are inaccessible to children, No	8			C-Compliant with Regulation			
microwaving of beverages observed A(3)(d)	П			N-Noncompliant with Regulation			
Cups and bottles labeled with child's name & used only by that child A(3)(a)	0	V		No violations noted at the time of visit □			
Signature of Director/Operator/Designee:	7	Ru	rde		o sigr	1	

Signature of Child Care Licensing Specialist: _

	1		1	
Page	<u>'</u>	_ of	1	

<u>Division of Early Care and Education</u> <u>Deficiency Correction</u>

NAME OF PROVIDER/OPERATOR: Stepping Stones CDC PERMIT # 24895

Deficiency Cited	Corrective Action Needed	Expected Date of Correction
Supervision	Teachers need to be near the children in case of an incident	cos
Torn swing chains	Have the swing chains fixed. Routinely review the playground for unsafe conditions	9-23-2023
Cushioning need to be at the fall zones of the sliding board	Add cushioning to the fall zones of the sliding board. Routinely review the playground for upsafe	9-23-2023
No names on 2 bottles and a sippy cup	Place names of the children's beverage containers before use.	cos
Boys restroom wall in the corner is warped	Fix the corner in rthe restroom and routinely review the facility for any hazards	9-23-2023

Providers/Operators are required by regulations and statutes to be in compliance at all time.

Licensing Specialist Davis Da: Date 8. 2
