South Carolina Department of Social Services Office of Child Care Licensing

INSPECTION VISIT FORM FOR LICENSED CENTERS

Date of Inspection: 10-10-23Time of Inspection: 2:360Facility Name: First Presbyterian Child Development Center Type of Inspection:

Annual Complaint □ Follow Up (original inspection date_ Permit #: 24310 Reason for Follow up:

clear up pending deficiency

Self-Report Hours of Operation: 7:00 am to 6:00 pm Address: 700 Park Avenue, FLORENCE, SC 29501 Any changes in contact info (Phone/Email/Fax)? ☐ Yes ☑ No Overnight Care? - Yes -No Telephone #: 843-799-1263 Center Director/Designee: Beth Hepler Change in Ownership or Director?

Yes

No If yes, Name: ____ _____ Building 2: _____ Building 3: □ CDEP Maximum number of children: 169 Building 1: _____ □ 24 months □ 30 months □ I-4 facility Infants are in designated rooms?

Yes □ No □ N/A Maximum number of infants: 49 Items posted in public view: License Menu A Ratio Chart (All classrooms) Does facility transport children? - Yes No - N/A SUPERVISION 114-504 MANAGEMENT, ADMINISTRATION & STAFFING 114-503 CN N/A С N N/A ď Adequate supervision throughout facility A(1-2) Staff files are in compliance H(1-7) В 9/1 Facility following tracking of children procedures A(3) Ø ⅎ Training hours up-to-date K(5)(b-c) Ratios adequate in all classrooms and on playground B, C Ώ At least 1 person with CPR & 1st Aid on the premises K(5)(h) z o **HEALTH, SANITATION & SAFETY 114-505** С Ν N/A С N N/A Proper diaper changing practices were observed F(1-16) Children's faces/hands are clean B(1) Proper handwashing practices were observed G(4) Medicine and harmful items labeled and stored properly D(2) 6 First Aid kit in facility and in vehicle if transport E(1), I(1)(g) No smoking/consumption of alcoholic beverage A(3) PHYSICAL SITE 114-507 PLAYGROUND N N/A BUILDING С Ν N/A Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) 9 Playground equip. safe & firmly anchored B(7) No strangulation/choking/suffocation hazards A(5)(q)(i-iii) Adequate cushioning material; at least 6ft fall zone B(9) Ф 9-Fencing/safety barriers 4ft. in height, in good repair B(4) G Ceiling, floors, windows, doors free from hazards A(5)(d) Outdoor space free from hazards and litter B(2) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. 0 0 □ С N N/A ωŹ RESTING Facility free from pest problems (Insects, rodents) A(8)(b-c) \Box Garbage kept properly in plastic lined receptacles A(8) (d-i) Play Pens observed C(4) рſ Z Cribs meet federal standards (reviewed certificate) D(1) O Ø Electrical outlets are securely covered A(11)(c) Cots, mats, cribs labeled or charted for each child D(2) Sink area has running water A(12)(d) 0 С N N/A n PROGRAM 114-506 Soap and disposable towels available at sink A(12)(i) Written, planned, daily program of activities that is Furniture, toys & equipment are clean and in good repair C(1) Ø Furniture, toys & equipment meets the CPSC standards C(2) developmentally & age appropriate observed A(1-3) 0 Healthy pets/animals (Vaccination record up-to-date) E(4) Positive, non-abusive discipline practice B(1) ┏ **MEAL REQUIREMENTS 114-508** С Ν N/A С N N/A ď Round, firm foods are not offered to children under 4 Meals & snacks in compliance with USDA A(1)(b) □ yrs. Old, unless properly cut to prevent choking risk A(3) D Clean, wholesome, unspoiled, properly labeled food A(4) ø Food stored & handled properly D(1) Food preparers have proper hair restraints B(5) ₽[^] All cleaning & poisonous items stored away from food D Refrigerators have thermometers, temp under 45°F D(2-3) سھل TRANSPORTATION 114-505 I INFANT CARE 114-509 N N/A С C N N/A Vehicle has proper safety restraints & in good repair I(1) □ Ø Infants are placed on their back to sleep A(5)(a) . 6 Checklist for loading/unloading children reviewed (2)(d) No bottles propped or given in cribs or on mats A(3)(c) Driver's (valid) driver's license reviewed (1)(f) o i Food for toddlers cut in pieces ½ inch or less A(3)(k) Food for infants cut in pieces 1/4 inch or less A(3)(j) 6 C-Compliant with Regulation Crock pots, bottle warmers, are inaccessible to children. No .6 О N-Noncompliant with Regulation microwaving of beverages observed A(3)(d) Cups and bottles labeled with child's name & used only by that No violations noted at the time of visit \square child A(3)(a)

Signature of Child Care Licensing Specialist: \(\text{QUVQV} \) \(\text{Date:} \)

Page 1	of <u>1</u>
--------	-------------

<u>Division of Early Care and Education</u> <u>Deficiency Correction</u>

NAME OF PROVIDER/OPERATOR <u>First Presbyterian Child Development Center</u> PERMIT # 24310

Deficiency Cited	Corrective Action Needed	Expected Date of Correction
_	Staff member will get a health assessment	10-24-23
Evidence person is free of tuberculosis was needed on file for one staff member.	Staff member will get tuberculosis results	10-24-23
Verification of education was needed on file for one caregiver.	Director will request verification of education from caregiver.	10-24-23

Providers/Operato	rs are required by regulations and sta	atutes to	be in compliance
at all time.	\wedge		
			1. (0.27
l iconsing Special	ist Laum Vall	Date_	10-10-23
Licensing openianor	· · · · · · · · · · · · · · · · · · ·		