South Carolina Department of Social Services Office of Child Care Licensing PECTION VISIT FORM FOR LICENSED CENTER

Change in Ownership or Director? Yes No If yes, Name: Maximum number of children: 40 Building 1:	ontac	et inf	o (Pho	Reason for Follow up: □ clear up pending deficiency Hours of Operation: Single Shift ne/Email/Fax)? □ Yes □ No Overnight Care? □ ding 2: Building 3: □	/ ⊡- % ∕es	D-N	6
MANAGEMENT, ADMINISTRATION & STAFFING 114-503				SUPERVISION 114-504	Α	-	
Stoff files are in compliance 144 Th	С	N	N/A		C	ΙŃ	N/A
Staff files are in compliance H(1-7) Training hours up-to-date K(5)(b-c)	13 /			Adequate supervision throughout facility A(1-2)	Ø	╬	
At least 1 person with CDD & 1St Aid on the promises. MENA	0		D	Facility following tracking of children procedures A(3)	T =	_	
At least 1 person with CPR & 1st Aid on the premises K(5)(h)		0		Ratios adequate in all classrooms and on playaround B. C.	2	+-	+
HEALIF				SAFETY 114-505			
Children's force (hande our also - D/A)	C	N	N/A		С	N	N/A
Children's faces/hands are clean B(t)	2			Proper diaper changing practices were observed F(1-16)			
Medicine and harmful items labeled and stored properly D(2)			d	Proper handwashing practices were observed G(4)	12	0	+
First Aid kit in facility and in vehicle if transport E(1), I(1)(g)			17	No smoking/consumption of alcoholic beverage A/2)	5	_	+
PHYS	SICAI	_ SIT	ΓΕ 114-	507	<i>V</i>		0
BUILDING .	С	N	N/A	PLAYGROUND	С	N	NI/A
Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c)	9	Д		Playground equip. safe & firmly anchored B(7)			N/A
No strangulation/choking/suffocation hazards A(5)(g)(i-iii)			0	Adequate cushioning material; at least 6ft fall zone B(9)	-		
Ceiling, floors, windows, doors free from hazards A(5)(d)				Fencing/safety barriers 4ft. in height, in good repair B(4)			0
Building(s) temp between 68-80°F A(7) If no, close in 4 hrs.	1			Outdoor space free from hazards and litter B(2)	<u></u>		3
Facility free from pest problems (Insects, rodents) A(8)(b-c)	. 7			RESTING	C	<u> </u>	
Garbage kept properly in plastic lined receptacles A(8) (d-i)	7			Play Pens observed C(4)	_	<u>N</u>	N/A
Electrical outlets are securely covered A(11)(c)		, 🗆		Cribs meet federal standards (reviewed certificate) D(1)	7		
Sink area has running water A(12)(d)	4	_		Cots, mats, cribs labeled or charted for each child D(2)	7		
Soap and disposable towels available at sink A(12)(i)	0			PROGRAM 114-506	Ø		Π,
Furniture, toys & equipment are clean and in good repair C(1)			0	Written, planned, daily program of activities that is	<u>c</u>	N	N/A
Furniture, toys & equipment meets the CPSC standards C(2)	0			developmentally & age appropriate observed A(1-3)		0	
Healthy pets/animals (Vaccination record up-to-date) E(4)		0	0	Positive, non-abusive discipline practice B(1)	-/4		
MEAL!	REQL	JIRE		S 114-508	2		_0
		N	N/A				1111
Meals & snacks in compliance with USDA A(1)(b)	7			Round, firm foods are not offered to children under 4	C,	N	N/A
Clean, wholesome, unspoiled, properly labeled food A(4)	9 /			yrs. Old, unless properly cut to prevent choking risk A(3)			
Food preparers have proper hair restraints B(5)	9			Food stored & handled properly D(1)	4		
Refrigerators have thermometers, temp under 45°F D(2-3)	7			All cleaning & poisonous items stored away from food D		0	
INFANT CARE 114-509				TRANSPORTATION 114-505	<u> </u>		
Infanto are placed on their health of the state of	С	<u>N</u>	N/A		С	Ň	N/A
Infants are placed on their back to sleep A(5)(a)	1			Vehicle has proper safety restraints & in good repair I(1)	7		
No bottles propped or given in cribs or on mats A(3)(c)	0			Checklist for loading/unloading children reviewed (2)(d)	- 1	-1	
Food for toddlers cut in pieces ½ inch or less A(3)(k)				Driver's (valid) driver's license reviewed (1)(f)	%	믜	
Food for infants cut in pieces 1/2 inch or less A(3)(j)					M		
Crock pots, bottle warmers, are inaccessible to children, No			_	C-Compliant with Regulation	Sale and		
microwaving of beverages observed A(3)(d)		-	ū	N-Noncompliant with Regulation			
Cups and bottles labeled with child's name & used only by that child A(3)(a)		0	0	No violations noted at the time of visit			
Signature of Director/Operator/Designee: Allek Bell Bell Bell Bell Bell Bell Bell							