South Carolina Department of Social Services Office of Child Care Licensing INSPECTION VISIT FORM FOR LICENSED CENTERS

ddress: 4 Oliver Court Suite 105, BLUFFTON, SC 29910		at ins	a /Dha	Hours of Operation: Single Shift			8
elephone #: 843-706-9367 Any changes in elephone #: 843-706-9367 Any changes in elephone #: 843-706-9367	conta	CUM	o (Pho	ne/Email/Fax)? □ Yes □ blo Overnight Care? □ Y	es		•
nange in Ownership or Director? Yes No If yes, Name:							
aximum number of children: 40 Building 1:			Build	ding 2: Building 3: □	CDE	Р	
	d 30 i	mont		4 facility Infants are in designated rooms? Yes			
ems posted in public view: Dicense Menu Natio	hart (All cla	assrooi	ms) Does facility transport children? Yes No N/	A	-	
280 MA 10	200						
MANAGEMENT, ADMINISTRATION & STAFFING 114-503		N.	1071	SUPERVISION 114-504			
Staff files are in compliance H/A 7)	C	N	N/A	Adagusta conscrizion throughout facility A(4.2)	C	N	N/A
Staff files are in compliance H(1-7) Training hours up-to-date K(5)(b-c)	+-	-	V	Adequate supervision throughout facility A(1-2)		N.	
At least 1 person with CPR & 1 st Aid on the premises K(5)(h)	1		0	Facility following tracking of children procedures A(3) Ratios adequate in all classrooms and on playground B, C	A A	_	0
				& SAFETY 114-505	-		
neae!	С	N	N/A	W OAI ETT 117-303	С	N	N/A
Children's faces/hands are clean B(1)				Proper diaper changing practices were changed E44.463			
Medicine and harmful items labeled and stored properly D(2)	1			Proper diaper changing practices were observed F(1-16) Proper handwashing practices were observed G(4)	<u> </u>		K
First Aid kit in facility and in vehicle if transport E(1), I(1)(g)		-					K
			TE 114-	No smoking/consumption of alcoholic beverage A(3)			
BUILDING	C	N	N/A	PLAYGROUND	С	N	N/A
Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c)	4	_			4		
No strangulation/choking/suffocation hazards A(5)(g)(i-iii)	1			Adequate cushioning material; at least 6ft fall zone B(9)	15-	ä	
Ceiling, floors, windows, doors free from hazards A(5)(d)	12	•		Fencing/safety barriers 4ft. in height, in good repair B(4)	K	-	<u>-</u>
Building(s) temp between 68-80°F A(7) If no, close in 4 hrs.	7			Outdoor space free from hazards and litter B(2)		-	0
Facility free from pest problems (Insects, rodents) A(8)(b-c)	Z.			RESTING	c	Ň	N/A
Garbage kept properly in plastic lined receptacles A(8) (d-i)	P			Play Pens observed C(4)	-		S <
Electrical outlets are securely covered A(11)(c)	To L			Cribs meet federal standards (reviewed certificate) D(1)	_		20
Sink area has running water A(12)(d)	N.		0		4	\exists	
Soap and disposable towels available at sink A(12)(i)	16			PROGRAM 114-506	c	N	N/A
Furniture, toys & equipment are clean and in good repair C(1)	1	0		Written, planned, daily program of activities that is	1		
Furniture, toys & equipment meets the CPSC standards C(2)	1	0		developmentally & age appropriate observed A(1-3)			
Healthy pets/animals (Vaccination record up-to-date) E(4)			*				
	REQ	UIRE	MENT	S 114-508			
	С	N	N/A		C	N	N/A
Meals & snacks in compliance with USDA A(1)(b)	0		又	Round, firm foods are not offered to children under 4			K
Clean, wholesome, unspoiled, properly labeled food A(4)			V	yrs. Old, unless properly cut to prevent choking risk A(3)			*
Food preparers have proper hair restraints B(5)			3	Food stored & handled properly D(1)		□	
Refrigerators have thermometers, temp under 45°F D(2-3)				All cleaning & poisonous items stored away from food D			de
INFANT CARE 114-509		N.I.	A1/A	TRANSPORTATION 114-505 I			
referrite are placed on their book to clean A/EV(a)	C	N	N/A_		$\overline{}$	N	N/A
Infants are placed on their back to sleep A(5)(a)	1-		4	Vehicle has proper safety restraints & in good repair I(1)			*
No bottles propped or given in cribs or on mats A(3)(c)	 -	_	-	Checklist for loading/unloading children reviewed (2)(d)		_	V
Food for toddlers cut in pieces ½ inch or less A(3)(k) Food for infants cut in pieces ½ inch or less A(3)(j)	<u> </u>		5	Driver's (valid) driver's license reviewed (1)(f)			
	-		1	C.Compliant with Population			
Crock pots, bottle warmers, are inaccessible to children, No			≰	C-Compliant with Regulation			
microwaving of beverages observed A(3)(d) Cups and bottles labeled with child's name & used only by that	-	-	,	N-Noncompliant with Regulation	Maria Control		North In
child A(3)(a)		0	4	No violations noted at the time of visit □			
	_	L	L	140 Florations noted at the time of Visit			

Signature of Child Care Licensing Specialist:

Page	of sa
. ~5~	

<u>Division of Early Care and Education</u> <u>Deficiency Correction</u>

NAME OF PROVIDER/OPERATOR Limitless Pediatric Solutions PERMIT #25097

Deficiency Cited	Corrective Action Needed	Expected Date of Correction
Director did not report major renovation or alterations to facility	The classroom will not be used until inspected by fire marshal	02/07/24
1 unqualifed caregiver- no hs diploma	1 unqualifed caregiver- no hs diploma	01/25/24
1 health assessment & TB result is needed	schedule doctor appointment within 2 weeks	02/07/24

Providers/Operators are required by regulations and statutes to be in compliance at all time.

Licensing Specialist	Katrina D. Simmons Date	02/02/24	
			_