South Carolina Department of Social Services Office of Child Care Licensing

INSPECTION VISIT FORM FOR LICENSED CENTERS

MANAGEMENT, ADMINISTRATION & STAFFING 114-503 C N N/A Staff files are in compliance H(1-7) Training hours up-to-date K(5)(b-c) At least 1 person with CPR & 1 ^{SI} Aid on the premises K(5)(h) At least 1 person with CPR & 1 ^{SI} Aid on the premises K(5)(h) At least 1 person with CPR & 1 ^{SI} Aid on the premises K(5)(h) BEALTH, SANITATION & SAFETY 114-505 C N N/A Children's faces/hands are clean B(1) Medicine and harmful items labeled and stored properly D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) PHYSICAL SITE 114-507 Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Pelayground equip. safe & firmly anchored B(7) Adequate cushioning material; at least 6ft fall zone B(9) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80° A(7) If no, close in 4 hrs. G DIAD C N C N C N C N C N C N C N C N	eport :
Any changes in contact info (Phone/Email/Fax)?	
aximum number of children: 0 Building 1: Building 2: Building 3: CDEP aximum number of infants: 28	5
aximum number of infants: 28	
MANAGEMENT, ADMINISTRATION & STAFFING 114-503 SUPERVISION 114-504 C N N/A Staff files are in compliance H(1-7) Training hours up-to-date K(5)(b-c) At least 1 person with CPR & 1st Aid on the premises K(5)(h) HEALTH, SANITATION & SAFETY 114-505 C N N/A C N N/A Adequate supervision throughout facility A(1-2) Facility following tracking of children procedures A(3) HEALTH, SANITATION & SAFETY 114-505 C N N/A C N N	
SUPERVISION 114-504 C N N/A Staff files are in compliance H(1-7) Training hours up-to-date K(5)(b-c) At least 1 person with CPR & 1 ^{SI} Aid on the premises K(5)(h) At least 1 person with CPR & 1 ^{SI} Aid on the premises K(5)(h) At least 1 person with CPR & 1 ^{SI} Aid on the premises K(5)(h) At least 1 person with CPR & 1 ^{SI} Aid on the premises K(5)(h) At least 1 person with CPR & 1 ^{SI} Aid on the premises K(5)(h) BEALTH, SANITATION & SAFETY 114-505 C N N/A Children's faces/hands are clean B(1) Medicine and harmful items labeled and stored properly D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) PHYSICAL SITE 114-507 Wentilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Garbage kept properly in plastic lined receptacles A(8) (d-i) Electrical outlets are securely covered A(11)(c) SUPERVISION 114-504 C N Adequate supervision throughout facility A(1-2) Facility floelowing tracking of children procedures A(3) C N N/A Proper diaper changing practices were observed F(1-16) Proper handwashing practices were observed G(4) Proper diaper changing practices were observed F(1-16) Proper diaper changing practices w	
Staff files are in compliance H(1-7) Training hours up-to-date K(5)(b-c) At least 1 person with CPR & 1 St Aid on the premises K(5)(h) HEALTH, SANITATION & SAFETY 114-505 C N N/A Children's faces/hands are clean B(1) Medicine and harmful items labeled and stored properly D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) PHYSICAL SITE 114-507 PHYSICAL SITE 114-507 Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Pick from pest problems (Insects, rodents) A(8)(b-c) Garbage kept properly in plastic lined receptacles A(8) (d-i) Electrical outlets are securely covered A(11)(c) Adequate supervision throughout facility A(1-2) Facility fellowing tracking of children procedures A(3) Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C N N/A Proper diaper changing practices were observed F(1-16) Proper handwashing practices were observed G(4) Proper diaper changing practices were observed G(4) Proper diaper changing practices were observed G(5) Proper handwashing practices were observed G(5) Proper handwashing practices were observed G(4) Proper diaper changing of children procedures A(3) Proper diaper changing fractices were observed G(4) Proper diaper changing of children procedures A(3) Proper diaper changing fractices were observed G(4) Proper diaper changing f	
Staff files are in compliance H(1-7) Training hours up-to-date K(5)(b-c) At least 1 person with CPR & 1st Aid on the premises K(5)(h) HEALTH, SANITATION & SAFETY 114-505 C N N/A Children's faces/hands are clean B(1) Medicine and harmful items labeled and stored property D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) PHYSICAL SITE 114-507 Wentilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility fee from pest problems (Insects, rodents) A(8)(b-c) Garbage kept properly in plastic lined receptacles A(8) (d-i) First Aid with compliance H(1-7) Adequate supervision throughout facility A(1-2) Facility following tracking of children procedures A(3) Ratios adequate in all classrooms and on playground B, C N N/A Proper diaper changing practices were observed F(1-16) Proper handwashing practices were observed G(4) Proper handwash	
Training hours up-to-date K(5)(b-c) At least 1 person with CPR & 1st Aid on the premises K(5)(h) BEALTH, SANITATION & SAFETY 114-505 C N N/A Children's faces/hands are clean B(1) Medicine and harmful items labeled and stored properly D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) PHYSICAL SITE 114-507 BUILDING C N N/A PLAYGROUND C N Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility following tracking of children procedures A(3) Ratios adequate in all classrooms and on playground B, C N N/A Proper diaper changing practices were observed F(1-16) Proper handwashing practices were observed G(4) No smoking/consumption of alcoholic beverage A(3) PHYSICAL SITE 114-507 C N N/A PLAYGROUND C N Adequate cushioning material; at least 6ft fall zone B(9) Pencing/safety barriers 4ft. in height, in good repair B(4) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Garbage kept properly in plastic lined receptacles A(8) (d-i) Facility fellowing tracking of children procedures A(3) Proper landwashing practices were observed F(1-16) Proper handwashing practices were observed G(4) Proper handwashi	N/A
At least 1 person with CPR & 1st Aid on the premises K(5)(h) Ratios adequate in all classrooms and on playground B, C	, 0
HEALTH, SANITATION & SAFETY 114-505 C N N/A Children's faces/hands are clean B(1) Medicine and harmful items labeled and stored properly D(2) Proper diaper changing practices were observed F(1-16) Proper handwashing practices were observed G(4) No smoking/consumption of alcoholic beverage A(3) PHYSICAL SITE 114-507 C N N/A Playground equip. safe & firmly anchored B(7) Adequate cushioning material; at least 6ft fall zone B(9) Proper handwashing practices were observed G(4) Physical Site 114-507 C N N/A Playground equip. safe & firmly anchored B(7) Adequate cushioning material; at least 6ft fall zone B(9) Proper handwashing practices were observed G(4) Physical Site 114-507 C N N/A Playground equip. safe & firmly anchored B(7) Adequate cushioning material; at least 6ft fall zone B(9) Proper handwashing practices were observed G(4) Playground equip. safe & firmly anchored B(7) Adequate cushioning material; at least 6ft fall zone B(9) Proper handwashing practices were observed G(4) Device 104 Proper handwashing practices were observed G(4) Playground equip. safe & firmly anchored B(7) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Outdoor space free from hazards and litter B(2) Proper handwashing practices were observed G(4) Playground equip. safe & firmly anchored B(7) Playground equip. safe & firmly anchored B	
C N N/A Children's faces/hands are clean B(1) Medicine and harmful items labeled and stored properly D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) Proper handwashing practices were observed G(4) No smoking/consumption of alcoholic beverage A(3) PHYSICAL SITE 114-507 C N N/A PLAYGROUND C N Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) Playground equip. safe & firmly anchored B(7) Adequate cushioning material; at least 6ft fall zone B(9) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c) Garbage kept properly in plastic lined receptacles A(8) (d-i) Play Pens observed C(4) Cribs meet federal standards (reviewed certificate) D(1)	
Children's faces/hands are clean B(1) Medicine and harmful items labeled and stored properly D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) PHYSICAL SITE 114-507 Buil DING C N N/A PLAYGROUND C N Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c) Garbage kept properly in plastic lined receptacles A(8) (d-i) Electrical outlets are securely covered A(11)(c) Proper diaper changing practices were observed F(1-16) Proper diaper changing practices were observed F(1-16) Proper diaper changing practices were observed G(4) No smoking/consumption of alcoholic beverage A(3) PLAYGROUND C N N/A PLAYGROUND C N Adequate cushioning material; at least 6ft fall zone B(9) Fencing/safety barriers 4ft. in height, in good repair B(4) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Garbage kept properly in plastic lined receptacles A(8) (d-i) Flay Pens observed C(4) Cribs meet federal standards (reviewed certificate) D(1)	7
Medicine and harmful items labeled and stored properly D(2) Proper handwashing practices were observed G(4) Proper handwashing practices were observed G(4) No smoking/consumption of alcoholic beverage A(3) PHYSICAL SITE 114-507	N/A
First Aid kit in facility and in vehicle if transport E(1), I(1)(g) PHYSICAL SITE 114-507 BUILDING C N N/A PLAYGROUND C N Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c) Garbage kept properly in plastic lined receptacles A(8) (d-i) Electrical outlets are securely covered A(11)(c) No smoking/consumption of alcoholic beverage A(3) Responsible of the smoking/consumption of alcoholic beverage A(3) No smoking/consumption of alcoholic beverage A(3) No smoking/consumption of alcoholic beverage A(3) C N No smoking/consumption of alcoholic beverage A(3) C N PlayGROUND C N Adequate cushioning material; at least 6ft fall zone B(9) Fencing/safety barriers 4ft. in height, in good repair B(4) C N Garbage kept properly in plastic lined receptacles A(8) (d-i) Play Pens observed C(4) Cribs meet federal standards (reviewed certificate) D(1)	0
PHYSICAL SITE 114-507 BUILDING C N N/A PLAYGROUND C N Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c) Garbage kept properly in plastic lined receptacles A(8) (d-i) Electrical outlets are securely covered A(11)(c) Playground equip. safe & firmly anchored B(7) Adequate cushioning material; at least 6ft fall zone B(9) Fencing/safety barriers 4ft. in height, in good repair B(4) Outdoor space free from hazards and litter B(2) Facility free from pest problems (Insects, rodents) A(8)(b-c) Play Pens observed C(4) Cribs meet federal standards (reviewed certificate) D(1)	0,
BUILDING C N N/A PLAYGROUND C N N/A Playground equip. safe & firmly anchored B(7) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c) Garbage kept properly in plastic lined receptacles A(8) (d-i) Electrical outlets are securely covered A(11)(c) C N N/A PLAYGROUND C N Playground equip. safe & firmly anchored B(7) Adequate cushioning material; at least 6ft fall zone B(9) Fencing/safety barriers 4ft. in height, in good repair B(4) Outdoor space free from hazards and litter B(2) RESTING C N Play Pens observed C(4)	6
Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c) Garbage kept properly in plastic lined receptacles A(8) (d-i) Electrical outlets are securely covered A(11)(c) Playground equip. safe & firmly anchored B(7) Adequate cushioning material; at least 6ft fall zone B(9) Fencing/safety barriers 4ft. in height, in good repair B(4) Outdoor space free from hazards and litter B(2) RESTING C N Garbage kept properly in plastic lined receptacles A(8) (d-i) Cribs meet federal standards (reviewed certificate) D(1)	
No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c) Garbage kept properly in plastic lined receptacles A(8) (d-i) Electrical outlets are securely covered A(11)(c) Adequate cushioning material; at least 6ft fall zone B(9) Fencing/safety barriers 4ft. in height, in good repair B(4) Outdoor space free from hazards and litter B(2) RESTING C N Play Pens observed C(4)	N/A
Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c) Garbage kept properly in plastic lined receptacles A(8) (d-i) Electrical outlets are securely covered A(11)(c) Fencing/safety barriers 4ft. in height, in good repair B(4) Outdoor space free from hazards and litter B(2) RESTING C N Play Pens observed C(4) Cribs meet federal standards (reviewed certificate) D(1)	
Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c) Garbage kept properly in plastic lined receptacles A(8) (d-i) Electrical outlets are securely covered A(11)(c) Outdoor space free from hazards and litter B(2) RESTING C N Play Pens observed C(4) Cribs meet federal standards (reviewed certificate) D(1)	
Facility free from pest problems (Insects, rodents) A(8)(b-c) Garbage kept properly in plastic lined receptacles A(8) (d-i) Electrical outlets are securely covered A(11)(c) Garbage kept properly in plastic lined receptacles A(8) (d-i) Cribs meet federal standards (reviewed certificate) D(1)	
Garbage kept properly in plastic lined receptacles A(8) (d-i) Electrical outlets are securely covered A(11)(c) Play Pens observed C(4) Cribs meet federal standards (reviewed certificate) D(1)	0
Electrical outlets are securely covered A(11)(c)	N/A
	6
Sink area has running water A(12)(d)	0
- \ (1) \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
Soap and disposable towels available at sink A(12)(i)	N/A
Furniture, toys & equipment are clean and in good repair C(1) 🔞 🗆 Written, planned, daily program of activities that is	
Furniture, toys & equipment meets the CPSC standards C(2) developmentally & age appropriate observed A(1-3)	
Healthy pets/animals (Vaccination record up-to-date) E(4) 🔻 🗖 Positive, non-abusive discipline practice B(1)	
MEAL REQUIREMENTS 114-508	
C N N/A C N	N/A
Meals & snacks in compliance with USDA A(1)(b)	_ 0
Clean, wholesome, unspoiled, properly labeled food A(4)	0
Food preparers have proper hair restraints B(5)	
Refrigerators have thermometers, temp under 45°F D(2-3)	
INFANT CARE 114-509 TRANSPORTATION 114-505 I	
C N N/A C N	N/A
Infants are placed on their back to sleep A(5)(a)	
No bottles propped or given in cribs or on mats A(3)(c)	
Food for toddlers cut in pieces ½ inch or less A(3)(k) Driver's (valid) driver's license reviewed (1)(f)	2
Food for infants cut in pieces ¼ inch or less A(3)(j)	
Crock pots, bottle warmers, are inaccessible to children, No microwaving of beverages observed A(3)(d) C-Compliant with Regulation N-Noncompliant with Regulation	4.00
Cups and bottles labeled with child's name & used only by that child A(3)(a) No violations noted at the time of visit	

Signature of Child Care Licensing Specialist:

Signature of Director/Operator/Designee

	1		1	
Page	<u>'</u>	of		

<u>Division of Early Care and Education</u> <u>Deficiency Correction</u>

NAME OF PROVIDER/OPERATOR The Little Brown school

PERMIT # 22581

Deficiency Cited	Corrective Action Needed	Expected Date of Correction	
Discipline, educ verfication, fingerpint results, and central registry missing for one caregiver.	Director will make sure this file is complete for this caregiver.	СОВ	
Cushioning material needed on the infant playground and older children playground.	Director will make sure cushioning is placed under the play equipment	СОВ	
TB test results are missing for one caregiver	Director will make caregiver get TB test results on file.	СОВ	
1-2 class over ratio 1:11 due to unqualified caregiver	Director will make sure all caregivers are qualified.	СОВ	
1-2 year old class was not following tracking procedure.	Director will make sure all caregiverrs are following the tracking procedure	СОВ	
Vaccination needed on cat and rabbit	Director make sure vaccination on file rabbit and cat	СОВ	

Providers/Operators are required by regulations and statutes to be in compliance at all time.

Licensing Specialist 1	Janey Mice	Date	2/23	24
<u> </u>	1/ 0			