	Office	of Ch	nild Carr	t of Social Services e Licensing			
INSPECTION	VISII	FUI	KM FUI	R LICENSED CENTERS	λ.	A	
cility Name: Upstate Preschool DBA Kids 'R' Kids rmit #: 21914 Type of Inspection: Annu-	al n	D: Com	ate of li plaint	rispection: 91024 Time of Inspection: 10:30 Follow Up (original inspection date Reason for Follow up: 0 clear up pending deficiency or			ort
Idress: 390 Westmoreland Road, GREER, SC 29651 slephone #: 864-877-7746 Any changes in center Director/Designee: Kori Knisely nange in Ownership or Director? Yes Any of yes, Name:		t info	(Phon	Hours of Operation: Single Shift e/Email/Fax)? Yes No Overnight Care? Yes	Ī		
	- 30 m	onth	se es LA	facility Infants are in designated rooms? Yes	OEP No a l	N/A	
MANAGEMENT, ADMINISTRATION & STAFFING 114-503	STATE OF	1000	120000	SUPERVISION 114-504			1,201
WANAGEWENT, ADMINISTRATION & STATING TIT 500	С	N	N/A		С	N	N/A
Staff files are in compliance H(1-7)	B		0	Adequate supervision throughout facility A(1-2)	0	0	0
Training hours up-to-date K(5)(b-c)	1	a		Facility following tracking of children procedures A(3)	10/		0
At least 1 person with CPR & 1St Aid on the premises K(5)(h)	10/	0	0	Ratios adequate in all classrooms and on playground B, C	10		0
HEALT	H, SA	NITA	TION 8	3 SAFETY 114-505	SERVICE		
THE PARTY OF THE P	С	N	N/A	建设设置设施的	C	N	NIA
Children's faces/hands are clean B(1)	7		0	Proper diaper changing practices were observed F(1-16)	D	D	P
Medicine and harmful items labeled and stored properly D(2)	10/		0	Proper handwashing practices were observed G(4)	0		Φ.
	100/	0		No smoking/consumption of alcoholic beverage A(3)		0	B
First Aid kit in facility and in vehicle if transport E(1), I(1)(g)		1	TE 114			38-24 A	TES.
BUILDING	C	N	N/A	PLAYGROUND	С	N	N/A
Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c)	W	0	0	Playground equip. safe & firmly anchored B(7)	0		0
No strangulation/choking/suffocation hazards A(5)(g)(i-iii)	To To	1		Adequate cushioning material; at least 6ft fall zone B(9)	12"		0
Ceiling, floors, windows, doors free from hazards A(5)(d)	B	-	1 -	Fencing/safety barriers 4ft. in height, in good repair B(4)	0	O	0
Building(s) temp between 68-80°F A(7) If no, close in 4 hrs.	10/			Outdoor space free from hazards and litter B(2)	2	D	0
Facility free from pest problems (Insects, rodents) A(8)(b-c)	8	-		RESTING	С	N	N/
Garbage kept properly in plastic lined receptacles A(8) (d-i)	1			Play Pens observed C(4)	D	ם	100
Gallage Rept property in product inter the state of the s	-	4	1	to the state of th	m/l	1 -	m

Training hours up-to-date K(5)(D-C)		<u> </u>			Joint Tollowing Co.			
At least 1 person with CPR & 1St Aid on the premises K(5)(h)		0	٥	_ Ra	Ratios adequate in all classrooms and on playground B, C		0	0
HEALTH	1, SA	NITA	TION	1 & S/	AFETY 114-505		A L	ANTA
	С	N	N/A		建筑是是成为这种企业的企业的企业的企业	C	N	N/A
Children's faces/hands are clean B(1)	0/	0		Pr	roper diaper changing practices were observed F(1-16)	D	O.	0
Medicine and harmful items labeled and stored properly D(2)	1	0			roper handwashing practices were observed G(4)	0		9
First Aid kit in facility and in vehicle if transport E(1), I(1)(g)	10/	0		No	o smoking/consumption of alcoholic beverage A(3)		0	B/
PHY	SICA	L SI	TE 11	4-507	AND THE RESERVE OF THE PROPERTY OF THE PROPERT			OF B
BUILDING	C	N	N/	A \$8%	PLAYGROUND	C	N	N/A
Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c)	V	0	0	Р	Playground equip. safe & firmly anchored B(7)	0		0
No strangulation/choking/suffocation hazards A(5)(g)(i-iii)	1			A	dequate cushioning material; at least 6ft fall zone B(9)	0		0
Ceiling, floors, windows, doors free from hazards A(5)(d)	8	0		F	encing/safety barriers 4ft. in height, in good repair B(4)	100	0	0
Building(s) temp between 68-80°F A(7) If no, close in 4 hrs.	10/			C	Outdoor space free from hazards and litter B(2)	2	D	0
Facility free from pest problems (Insects, rodents) A(8)(b-c)	1	o		155	RESTING	С	N	N/A
Garbage kept properly in plastic lined receptacles A(8) (d-i)	1	D			Play Pens observed C(4)	0	D	0
Electrical outlets are securely covered A(11)(c)	10/	0	_ C	C	Cribs meet federal standards (reviewed certificate) D(1)	ED/1		D
Sink area has running water A(12)(d)	0			1 C	Cots, mats, cribs labeled or charted for each child D(2)	8		U
Soap and disposable towels available at sink A(12)(i)	0			9.5	PROGRAM 114-506	C	N	N/A
Furniture, toys & equipment are clean and in good repair C(1)	(a)	-	1	. V	Written, planned, daily program of activities that is	0	0	0
Furniture, toys & equipment meets the CPSC standards C(2)	Q,	7		<u> </u>	developmentally & age appropriate observed A(1-3)	100	-	-
Healthy pets/animals (Vaccination record up-to-date) E(4)	13		+	1	Positive, non-abusive discipline practice B(1)	D		0
MEA			EME		114-508		SEE	F 17
	С			/A		C	N	N/A
Meals & snacks in compliance with USDA A(1)(b)	0	-		<u> </u>	Round, firm foods are not offered to children under 4	IV.	0	D
Clean, wholesome, unspoiled, properly labeled food A(4)	Ь	7	I	3 1	yrs. Old, unless properly cut to prevent choking risk A(3)	10	0	0
Food preparers have proper hair restraints B(5)		-		II I	Food stored & handled properly D(1)	14		
Refrigerators have thermometers, temp under 45°F D(2-3)	10) [All cleaning & poisonous items stored away from food D	P		0
INFANT CARE 114-509		SET		1000	TRANSPORTATION 114-505 I			4.11
第一个人的人的人的人的人的人的人的人的人的人的人的人的人的人的人的人的人的人的人的	0			I/A		C		N//
Infants are placed on their back to sleep A(5)(a)	l k			0	Vehicle has proper safety restraints & in good repair I(1)	¥		(1)
No bottles propped or given in cribs or on mats A(3)(c))		Checklist for loading/unloading children reviewed (2)(d)	0		D
Food for toddlers cut in pieces ½ inch or less A(3)(k)	12	1)		Driver's (valid) driver's license reviewed (1)(f)	Ver	0	C
Food for infants cut in pieces ¼ inch or less A(3)(j)	u]			57		
Crock pots, bottle warmers, are inaccessible to children, No		7			C-Compliant with Regulation			
microwaving of beverages observed A(3)(d)	1		3		N-Noncompliant with Regulation			
Cups and bottles labeled with child's name & used only by that		7		_				
child A(3)(a)		2	7		No violations noted at the time of visit D		_	

child A(3)(a)			
Signature of Director/Operator/Designee:		Date: 9/6/24 - Refused to s	sign