South Carolina Department of Social Services Office of Child Care Licensing

INSPECTION VISIT FORM FOR LICENSED CENTERS

enter Director/Designee: Graciela Kubischkehange in Ownership or Director? Yes W No If yes, Name: aximum number of children: 127 Building 1: 24 months	V	mon					
ems posted in public view: License Menu Ratio C					I/A	"] IA/\	•
MANAGEMENT, ADMINISTRATION & STAFFING 114-503	LEV	ĮØ.		SUPERVISION 114-504	Mary	A I S	14 LEV
	C	N	N/A		C	- N	N/A
Staff files are in compliance H(1-7)	8			Adequate supervision throughout facility A(1-2)	A		
Training hours up-to-date K(5)(b-c)	10			Facility following tracking of children procedures A(3) Ratios adequate in all classrooms and on playground B,	<u> </u>		
At least 1 person with CPR & 1 ^{SI} Aid on the premises K(5)(h)				C	15		
	TH, S	ANIT	ATION	& SAFETY 114-505	Wile.	NI ST	GRID -
rawal walkani kanakani kata kata waka kata kata kata kata kata	С	N	N/A	Beautiful transitions became to Assign to well	С	N	N/A
Children's faces/hands are clean B(1)			0	Proper diaper changing practices were observed F(1-16)			
Medicine and harmful items labeled and stored properly D(2)		<u> </u>	0	Proper handwashing practices were observed G(4)	M	0	
First Aid kit in facility and in vehicle if transport E(1), I(1)(g)	1		0	No smoking/consumption of alcoholic beverage A(3)	ď		
	YSIC	AL Ş	ITE 114		libre.	Mai	10,241
BUILDING	C.	N	N/A	PLAYGROUND	C	N	N/A
Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c)	86		0	Playground equip. safe & firmly anchored B(7)	V		
No strangulation/choking/suffocation hazards A(5)(g)(i-iii)	300		-	Adequate cushioning material; at least 6ft fall zone B(9)	n/		
Ceiling, floors, windows, doors free from hazards A(5)(d)	M		0	Fencing/safety barriers 4ft. in height, in good repair B(4)		0	0
Building(s) temp between 68-80°F A(7) If no, close in 4 hrs.	Ø		0	Outdoor space free from hazards and litter B(2)	V	-	
Facility free from pest problems (Insects, rodents) A(8)(b-c)	V			RESTING	C	N	N/A/
Garbage kept properly in plastic lined receptacles A(8) (d-i)	M		0	Play Pens observed C(4)			₩.
Electrical outlets are securely covered A(11)(c)	-100		0	Cribs meet federal standards (reviewed certificate) D(1)			0
Sink area has running water A(12)(d)	-A		-0	Cots, mats, cribs labeled or charted for each child D(2)	102		
Soap and disposable towels available at sink A(12)(i)	II.	0		PROGRAM 114-506	С	N	N/A
Furniture, toys & equipment are clean and in good repair C(1)	16/			Written, planned, daily program of activities that is	M	0	
Furniture, toys & equipment meets the CPSC standards C(2)	M	0	0	developmentally & age appropriate observed A(1-3) Positive, non-abusive discipline practice B(1)			
Healthy pets/animals (Vaccination record up-to-date) E(4)	D RE		EMEN	TS 114-508	M		
WEA	C.	N	N/A	13 114-300	C,	N	N/A
Meals & snacks in compliance with USDA A(1)(b)			0	Round, firm foods are not offered to children under 4 yrs.	a		
Clean, wholesome, unspoiled, properly labeled food A(4)			0	Old, unless properly cut to prevent choking risk A(3)	tV.		
Food preparers have proper hair restraints B(5)	V	.0	0	Food stored & handled properly D(1)	M		
Refrigerators have thermometers, temp under 45°F D(2-3)	Φ/		0	All cleaning & poisonous items stored away from food D	de l		
INFANT CARE 114-509				TRANSPORTATION 114-505 I	341	lim	
	С,	N	N/A		C	N	N/A
Infants are placed on their back to sleep A(5)(a)	D/			Vehicle has proper safety restraints & in good repair I(1)			V
No bottles propped or given in cribs or on mats A(3)(c)	N/	0		Checklist for loading/unloading children reviewed (2)(d)			11/
Food for toddlers cut in pieces ½ inch or less A(3)(k)	N/			Driver's (valid) driver's license reviewed (1)(f)			Ů.
Food for infants cut in pieces 1/4 inch or less A(3)(j)	Ø			C Committee to take Described			5100000010
Crock pots, bottle warmers, are inaccessible to children, No microwaving of beverages observed A(3)(d)	8	0	D	C-Compliant with Regulation N-Noncompliant with Regulation			
Cups and bottles labeled with child's name & used only by that child A(3)(a)	100	□		No violations noted at the time of visit M	-15-00 (10.7)		