South Carolina Department of Social Services

Office of Child Care Licensing INSPECTION VISIT FORM FOR REGISTERED FAITH BASED CHILD CARE CENTERS Date of Inspection: 2-12-25 Time of Inspection: 11:50a Facility Name: South Aiken Baptist Day Care Permit #: 122 Type of Inspection: Annual Complaint Follow Up (original inspection date) Reason for Follow up: pending deficiencies self-report Hours of Operation: 6a-6p Address: 980 Dougherty Road, AIKEN, SC 29803 Any changes in contact info (Phone/Email/Fax)? ☐ Yes Telephone #: 803-648-7872 Overnight Care? - Yes Center Director/Designee: Tonya Bryant, Deanna Broaden Change in Ownership or Director? ☐ Yes ☑ No If yes, Name: Building 1: _____ Building 2: Maximum number of children: 162 Building 3: Maximum number of infants: 18 Items posted in public view: Registration - Menu - Ratio Chart (All classroom) Does facility transport children? - Yes - No APPLICATION OF STAFF: CHILD RATIOS 114-524 MANAGEMENT 114-523 N N/A С N N/A Adequate supervision throughout the facility A(1) (a-b) Staff files are in compliance F(1-4) Ø ♂ Facility following tracking of children procedures A(2) Are training hours up-to-date? F(3)(a-b) Ja / Ò At least 1 person with CPR & 1st Aid on the premises H(5)(f) Ratios adequate in all classrooms and on playground B & C HEALTH, SANITATION & SAFETY 114-525 С N N/A C N N/A Children's faces/hands are clean B(1) e de Proper diaper diapering practices were observed F(1-16) 0 0 4 Proper handwashing practices were observed G(4) 0 Medicine & harmful items labeled and stored properly D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) Smoking permitted only in designated area A(3) 4 PHYSICAL SITE 114-527 C N N/A С N N/A PLAYGROUND BUILDING Outdoor space free of glass, paper & other litter B(2) Ventilation and lighting sufficient A(2)(a-d),(4)(a-c) 10 Ceiling, floors, windows, doors free from hazards A(5)(d) Fencing/safety barriers 4ft in height, in good repair B(4) -ď No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Playground equipment safe & firmly anchored C (6) 0 Adequate cushioning material; at least 6ft, fall zone C(8) Building(s) temp between 68-80 °F A(7) C Facility free from pest problems (Insects, rodents)A(8)(b-c) RESTING N N/A Garbage kept properly in plastic lined receptacles A(8)(d-i) 2 Cribs meet federal standards (reviewed certificate) D(1) Ø Electrical outlets are securely covered A(11)(c) Cots, beds, mats, & cribs labeled for each child D(2) 0 9 Pack & plays not used for sleeping D(1-2) Sink area has not & cold water A(12)(d) 2 0 **TRANSPORTATION 114-525 I** Soap and towels in restrooms A(12)(i) 2 Vehicle has proper safety restraints and in good repair I(1) Furniture, toys & equipment are clean and in good repair C(1) Furniture, toys & equipment meets CPSC standards C(2) Checklist for loading/unloading children reviewed. I(2)(d) Ø **MEAL REQUIREMENTS 114-528** С N N/A CN N/A Round, firm foods are not given to children under 4y/o, Meals and snacks in compliance with USDA A(1)(b) 2 unless properly cut to prevent choking risk. A(3) Clean, wholesome, unspoiled properly labeled food A(4) 12 Food labeled, stored and handled properly D(1) Food preparers have proper hair restraints B(5) ST. 2 Cleaning & poisonous items stored away from food D(8) 2 Refrigerators have thermometers(Temp under 45°F)D(2-3) e' INFANT CARE 114-529 C Ν N/A Cups and bottles labeled with child's name & used only by that child A(1)(a) مل No bottles propped or given in cribs or on mats A(1)(c) 4 Breast milk is not heated in the microwave. If microwave is used to heat formula/beverages, parents are notified in writing A(1)(d) 47 Food for toddlers cut in pieces ½ inch or less. A(1)(k) T Food for infants cut in pieces ¼ inch or less. A(1)(j) -2 Infants are placed on their backs to steep, unless Doctor's note is provided. A(3)(a) ಕ

Signature of Director/Operator/Designee:

Signature of Child Care Licensing Specialist:

C = Compliant with Regulation - N = Noncompliant with Regulation

Date: Refused to sign

Date: 2.12.25

No violations noted at the time of visit