South Carolina Department of Social Services Office of Child Care Licensing INSPECTION VISIT FORM FOR REGISTERED FAITH BASED CHILD CARE CENTERS Date of Inspection: 8.11.25 Time of Inspection: 11:20a Facility Name: Aiken's First Baptist Church Preschool Permit #: 23448 Type of Inspection:

Annual Complaint Follow Up (original inspection date Reason for Follow up: pending deficiencies self-report Address: 120 Chesterfield Street., AIKEN, SC 29801 Hours of Operation: M-F; 7:30am-2pm Telephone #: 803-991-2156 Any changes in contact info (Phone/Email/Fax)? ☐ Yes ✓ No Overnight Care? - Yes -No Center Director/Designee: Kimberly Johnson Mitchell Change in Ownership or Director? □ Yes □ No If yes, Name: Maximum number of children: 285 Building 1: Building 2: Building 3: Maximum number of infants: 45 □ 24 months □ 30 months □ 1-4 facility Infants are in designated rooms? → Yes □ No □ N/A Items posted in public view: Registration - Menu - Ratio Chart (All classroom) Does facility transport children? - Yes - No MANAGEMENT 114-523 APPLICATION OF STAFF: CHILD RATIOS 114-524 C N N/A C N N/A Staff files are in compliance F(1-4) Adequate supervision throughout the facility A(1) (a-b) Are training hours up-to-date? F(3)(a-b) 20 Facility following tracking of children procedures A(2) At least 1 person with CPR & 1St Aid on the premises H(5)(f) Ratios adequate in all classrooms and on playground B & C **HEALTH, SANITATION & SAFETY 114-525** С N N/A С N N/A Children's faces/hands are clean B(1) J. Proper diaper diapering practices were observed F(1-16) 4 П Medicine & harmful items labeled and stored properly D(2) Proper handwashing practices were observed G(4) 0 First Aid kit in facility and in vehicle if transport E(1), I(1)(g) Smoking permitted only in designated area A(3) П -PHYSICAL SITE 114-527 C N N/A С N N/A BUILDING **PLAYGROUND 9** Ventilation and lighting sufficient A(2)(a-d),(4)(a-c) Ø Outdoor space free of glass, paper & other litter B(2) Ceiling, floors, windows, doors free from hazards A(5)(d) Fencing/safety barriers 4ft in height, in good repair B(4) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) d Playground equipment safe & firmly anchored C (6) Ø Building(s) temp between 68-80 °F A(7) Adequate cushioning material; at least 6ft, fall zone C(8) 4 Facility free from pest problems (Insects, rodents)A(8)(b-c) 4 RESTING C Ν N/A Garbage kept properly in plastic lined receptacles A(8)(d-i) **D** Cribs meet federal standards (reviewed certificate) D(1) **D** Electrical outlets are securely covered A(11)(c) **✓** Cots, beds, mats, & cribs labeled for each child D(2) Sink area has hot & cold water A(12)(d) Pack & plays not used for sleeping D(1-2) 9 **P** Soap and towels in restrooms A(12)(i) **TRANSPORTATION 114-525 I** Z e, Furniture, toys & equipment are clean and in good repair C(1) Vehicle has proper safety restraints and in good repair I(1) Z 4 Furniture, toys & equipment meets CPSC standards C(2) Checklist for loading/unloading children reviewed. I(2)(d) **MEAL REQUIREMENTS 114-528** С N N/A С N N/A Meals and snacks in compliance with USDA A(1)(b) Round, firm foods are not given to children under 4v/o. Clean, wholesome, unspoiled properly labeled food A(4) unless properly cut to prevent choking risk. A(3) 0 Food preparers have proper hair restraints B(5) Food labeled, stored and handled properly D(1) 4 Refrigerators have thermometers(Temp under 45°F)D(2-3) Cleaning & poisonous items stored away from food D(8) 4 **INFANT CARE 114-529** C Ν N/A Cups and bottles labeled with child's name & used only by that child A(1)(a) 4 No bottles propped or given in cribs or on mats A(1)(c) 4 Breast milk is not heated in the microwave. If microwave is used to heat formula/beverages, parents are notified in writing A(1)(d) Food for toddlers cut in pieces ½ inch or less. A(1)(k) N

Infants are placed on their backs to sleep, unless Doctor's note is provided. A(3)(a)

C = Compliant with Regulation - N = Noncompliant with Regulation

Signature of Director/Operator/Designee:

Date: 8-11-25 Refused to sign

Date: 8-11-25

 D

Food for infants cut in pieces 1/4 inch or less. A(1)(i)

	1		1
Page	<u> </u>	of	

<u>Division of Early Care and Education</u> <u>Deficiency Correction</u>

NAME OF PROVIDER/OPERATOR:	Aiken's	First	Baptist	
DEDMIT #: 23448				

Deficiency Cited	Corrective Action Needed	Expected Date of Correction		
Staff need central registry result in the file	Complete Central registry	8-22-2025		

Providers/Operators are required by regulations and statutes to be in compliance at all time.

Licensing Specialist

Date 8.11.35