Sou	ith Carolin	a Depa	artment of Social Services			
	Office	of Chil	Id Care Licensing			
Facility Name: The Loopening Contact Control VISIT FORW FOR REGISTERED FAITH BASED CUIL D. CARD						
Permit #: 97 Type of Insp	ection: d	A	Date of Inspection: Time of Inspection: Time of Inspection:	10:	23	R A
Address: 7200 North 1/1		Annua				
Telephone # 0 to the rollow up: opending deficiencies analy						
Any changes	in contact	info (P	hone/Email/Eavy2 - Var			
Center Director/Designee: Kristin M Green		,	Overnight Ca	re? 🗆	Yes	πN
Change in Ownership or Director? Yes No Il Maximum number of children: 194 Building 1	^f yes, Nar	ne [.]				
Maximum number of information 2.4 Building 1:		Build	ling 2: Building 3:			
Items posted in public view: Registration Menu	□ 30 mor	iths o	Ing 2: Building 3: I-4 facility Infants are in designated rooms? @Yes IN classroom) Does facility transport children?			
	rRatio Ch	art (All	classroom) Does facility transport a Little) 🗆 N/	A	
MANAGEMENT 114-523	Sec. Participation		Yes DA	5		
	CN	K N/A	APPLICATION OF STAFF: CHILD RATIOS 1 14-524			-
Staff files are in compliance F(1-4)		1-	The second se	C		
Are training hours up-to-date? F(3)(a-b)		+	Adequate supervision throughout the facility a (4) (N//
At least 1 person with CPR & 1 st Aid on the premises H(5)(f)		_	- County TOROWING (IBCKING OF Childron presed in the	_	-	
			Ratios adequate in all classrooms and on playground B & N & SAFETY 114-525	C 🕡		-
Children's faces than 1	CN	N/A			14	
Children's faces/hands are clean B(1)				С	N	N//
Medicine & harmful items labeled and stored properly D(2)		-	Proper diaper diapering practices were observed F(1-16)			-
First Aid kit in facility and in vehicle if transport E(1), I(1)(g)	+	+	rioper nanuwashing practices were observed O(A)	A		-
a start start was a start of the			Smoking permitted only in designated area A/2	1	t	-
PHY	SICAL SI		-527	0	<u>L-0-</u>	Q
BUILDING	CN	N/A	A CONTRACTOR OF			
Ventilation and lighting sufficient Arave durate		1 1.5 0.	PLAYGROUND	С	N	N/A
Sound invola, withouts hours troo from hand in the			Outdoor space free of place paper & other the	FR		
the earling diduon/choking/suffocation hazards A/6//-//: !!!			- shoring/saicly udities 4m in hought in good as			
Panding(s) terrib De(ween 68-80 of A/2)		+		12	-0	0
Facility free from pest problems (insects, reduct) is the			Adequate cushioning material; at least 6ft. fall zone C(8)	P		0
ourbage republication in mastic lined recenteral.			RESINC	15	무	0
		<u> </u>	Cribs meet federal standards (reviewed certificate) D(1)	C	N	N/A
On the died lids hold & cold water A(12)(d)	30	0	- Colo, Doug, India, & Chins laneled for each shill three		믜	0
Sudp and lowels in restrooms A/12Via	0.0		r dok d plays not used for sleeping D(1.2)	0	무	D
Furniture, toys & equipment are clean and in good repair C(1)	2,0		I KANSPORTATION 114 FOF L			
Furniture, toys & equipment meets CPSC standards C(2)	0		Vehicle flas proper safety restrainte and in			8
The second s					ät	8
14-528						
Meals and snacks in compliance with USDA A(1)(b)	0			C	N	N/A
Clean, wholesome, unspoiled properly labeled food A(4)			Round, firm foods are not given to children under 4y/o,	-+	+	11/24
Food preparers have proper hair restraints B(5)			United property cut to nievent choking risk A(2)	9		0
Refrigerators have thermometers(Temp under 45°F)D(2-3)			Food labeled, stored and handled properly D(1)			0
INFA	NT CARE		Cleaning & poisonous items stored away from food D(8)		5	0
Cups and bottles labeled with at it in	Carlo Med				2 0	1990
Cups and bottles labeled with child's name & used only by that c	hild A(1)(a	1)		CI	N I I	N/A
No bottles propped or given in cribs or on mats A(1)(c)	<u> </u>	7			51	
Erect for head in the microwave. If microwave is used	to heat for	mula/h	AVerages parasta //			
Breast milk is not heated in the microwave. If microwave is used Food for toddlers cut in pieces ½ inch or less. A(1)(k)			everages, parents are notified in writing A(1)(d)	010		0
VOU IVE INITIALIS CITE ID DIPCAS 1/ inch as loss A taxus					-+	
Infants are placed on their backs to sleep, unless Doctor's note is provided. A(3)(a)					-	u
C = Compliant with D	1- 50 -11 .	10/14	Here and an in the second s			u l
C - Compliant with Regulation - N - Nemonau II						
N/	A		No violations noted at the time of visit	101.0		-
Signature of Director/Operator/Designee:	V 1000	h	a aller			
Date: Date: Date:						
Call a solution of the solutio						
Date:						