## South Carolina Department of Social Services

Office of Child Care Licensing

## VIRTUAL INSPECTION FOR REGISTERED FAITH BASED CENTERS

DUE TO COVID19 EMERGENCY Date of Inspection: 7/9/21 Time of Inspection: 11:04am Facility Name: Ebenezer Baptist Church Weekday Ministry Permit #: 94 Type of Inspection: 

Renewal Follow Up (original inspection date 5 18 2) Address: 524 South Ebenezer Road, Florence, SC 29501 Hours of Operation: Telephone #: 843-664-9699 Any changes in contact info (Phone/Email/Fax)? 

Yes Overnight Care? - Yes No Center Director/Designee: Michele Humphries Driggers Change in Ownership or Director? ☐ Yes ☑ No If yes, Name: Maximum number of children: 278 Building 1: \_ Building 2: Building 3: □ 24 months 1 30 months □ 1-4 facility Infants are in designated rooms? 2 Yes □ No □ N/A Maximum number of infants: 67 Items posted in public view: Registration of Menu R MANAGEMENT 114-523 APPLICATION OF STAFF: CHILD RATIOS 114-524 | N | N/A , C | N | N/A Staff files are in compliance F(1-4) 6 Adequate supervision throughout the facility A(1) (a-b) 0 Are training hours up-to-date? F(3)(a-b) Facility following tracking of children procedures A(2) Ð At least 1 person with CPR & 1st Aid on the premises H(5)(f) Ratios adequate in all classrooms and on playground B & C HEALTH, SANITATION & SAFETY 114-525 С N N/A N/A Children's faces/hands are clean B(1) ₽/ Proper diaper diapering practices were observed F(1-16) o w Medicine & harmful items labeled and stored properly D(2) 9 Proper handwashing practices were observed G(4) ď 0 First Aid kit in facility and in vehicle if transport E(1), I(1)(q) Smoking permitted only in designated area A(3) PHYSICAL SITE 114-527 C N N/A Ö Ν N/A BUILDING PLAYGROUND 0 Ventilation and lighting sufficient A(2)(a-d),(4)(a-c) Outdoor space free of glass, paper & other litter B(2) ₩. 0 Ø Ceiling, floors, windows, doors free from hazards A(5)(d) Fencing/safety barriers 4ft in height, in good repair B(4) □
✓ No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Playground equipment safe & firmly anchored C (6) O/ ď Building(s) temp between 68-80 °F A(7) **9** Adequate cushioning material; at least 6ft. fall zone C(8) Facility free from pest problems (Insects, rodents)A(8)(b-c) **9** RESTING С N N/A Garbage kept properly in plastic lined receptacles A(8)(d-i) Cribs meet federal standards (reviewed certificate) D(1) **5**/ d Electrical outlets are securely covered A(11)(c) Cots, beds, mats, & cribs labeled for each child D(2) О VD/ d Sink area has hot & cold water A(12)(d) Pack & plays not used for sleeping D(1-2) Soap and towels in restrooms A(12)(i) **TRANSPORTATION 114-525 I** Furniture, toys & equipment are clean and in good repair C(1) Vehicle has proper safety restraints and in good repair I(1) 0 ø Furniture, toys & equipment meets CPSC standards C(2) Checklist for loading/unloading children reviewed. ((2)(d) o 1 Q/ **MEAL REQUIREMENTS 114-528** CN CN N/A N/A Meals and snacks in compliance with USDA A(1)(b) ď Round, firm foods are not given to children under 4y/o, unless properly cut to prevent choking risk. A(3) Clean, wholesome, unspoiled properly labeled food A(4) t/ Food labeled, stored and handled properly D(1) Food preparers have proper hair restraints B(5) ø Refrigerators have thermometers(Temp under 45°F)D(2-3) Cleaning & poisonous items stored away from food D(8) **INFANT CARE 114-529** C Ν N/A Cups and bottles labeled with child's name & used only by that child A(1)(a) D' No bottles propped or given in cribs or on mats A(1)(c) ď 0 Breast milk is not heated in the microwave. If microwave is used to heat formula/beverages, parents are notified in writing A(1)(d) ď Food for toddlers cut in pieces ½ inch or less. A(1)(k) K 0 Food for infants cut in pieces 1/4 inch or less. A(1)(j) ď Infants are placed on their backs to sleep, unless Doctor's note is provided. A(3)(a) C = Compliant with Regulation - N = Noncompliant with Regulation | No violations noted at the time of visitizing

Signature of Child Care Licensing Specialist: Guely Broack Date: 7/9/21

Signature of Director/Operator/Designee not required due to inspection completed virtually due to COVID19 Emergency.