South Carolina Department of Social Services Office of Child Care Licensing INSPECTION VISIT FORM FOR LICENSED CENTERS

Staff files are in compliance H(1-7) Training hours up-to-date K(5)(b-c) At least 1 person with CPR & 1st Aid on the premises K(5)(h) HEALTH, SANITATION & SAFETY 114-505 C N N/A Children's faces/hands are clean B(1) Medicine and harmful items labeled and stored property D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) Physical Site 114-507 Building & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Adequate supervision throughout facility A(1-2) Adequate supervision throughout facility A(1-2) Facility following tracking of children procedures A(3) Ratios adequate in all classrooms and on playground B, C N/A Proper diaper changing practices were observed F(1-16) Proper handwashing practices were observed G(4) No smoking/consumption of alcoholic beverage A(3) PHYSICAL SITE 114-507 Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Adequate cushioning material; at least 6ft fall zone B(9) Ceiling, floors, windows, doors free from hazards A(5)(d) Fencing/safety barriers 4ft. in height, in good repair B(4)	es e	N/A	N/A
Any changes in contact info (Phone/Email/Fax)? Pes No Overnight Care? Selephone #: 803-749-9553 Any changes in contact info (Phone/Email/Fax)? Pes No Overnight Care? Selephone #: 803-749-9553 Any changes in contact info (Phone/Email/Fax)? Pes No Overnight Care? Selephone #: 803-749-9553 Any changes in contact info (Phone/Email/Fax)? Pes No Overnight Care? Selephone #: 803-749-9553 Any changes in contact info (Phone/Email/Fax)? Pes No Overnight Care? Selephone #: 803-749-9553 Any changes in contact info (Phone/Email/Fax)? Pes No Overnight Care? Selephone #: 803-749-9553 Any changes in contact info (Phone/Email/Fax)? Pes No Overnight Care? Selephone #: 803-749-9553 Any changes in contact info (Phone/Email/Fax)? Pes No Overnight Care? Selephone #: 945-8553 Building 1: 33 9 Building 2: Building 3: Selephone #: 945-8553 Building 1: 33 9 Building 2: Building 3: Selephone #: 945-8553 Building 1: 33 9 Building 2: Building 3: Selephone #: 945-8553 Building 1: 33 9 Building 2: Building 3: Selephone #: 945-8553 Building 3: Selephone #: 945-8553 Con N/A Con N/A Children's faces/hands are clean B(1) Selephone #: 945-8553 Building 3: Selephone #: 945-8553 Con N/A Building 3: Selephone #: 945-8553 Con N/A Building 3: Selephone #: 945-8553 Con N/A Building 3: Selephone #: 945-8533 Any changes in contact info (Phone/Email/Fax)? Pes No N/A Building 1: 33 9 Building 2: Building 2: Building 3: Selephone #: 945-8553 Con N/A Building 1: 33 9 Building 2: Building 2: Building 3: Selephone #: 945-8553 Con N/A Building 1: 33 9 Building 2: Building 2: Building 2: Building 3: Selephone #: 945-8553 Con N/A Building 1: 33 9 Building 2: Buil	C C	No N/A	N/A
hange in Ownership or Director?	C	N/A	0
aximum number of children: 339 aximum number of infants: 79 aximum number of infants: 79 ams posted in public view: License Menu Ratio Chart (All classrooms) MANAGEMENT. ADMINISTRATION & STAFFING 114-503 SUPERVISION 114-504 C N N/A Staff files are in compliance H(1-7) Training hours up-to-date K(5)(b-c) At least 1 person with CPR & 1st Aid on the premises K(5)(h) HEALTH, SANITATION & SAFETY 114-505 C N N/A Children's faces/hands are clean B(1) Medicine and harmful items labeled and stored property D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) PHYSICAL SITE 114-507 BUILDING C N N/A PLAYGROUND Celling, floors, windows, doors free from hazards A(5)(d) Percing/safety barriers 4ft. in height, in good repair B(4) Fencing/safety barriers 4ft. in height, in good repair B(4) First Oxideration and lighting a sufficient A(5)(d) Percing/safety barriers 4ft. in height, in good repair B(4) Fencing/safety barriers 4ft. in height, in good repair B(4)	C	N/A	0
aximum number of infants: 79	C	N/A	0
Adequate supervision throughout facility A(1-2) Training hours up-to-date K(5)(b-c) At least 1 person with CPR & 1st Aid on the premises K(5)(h) C N N/A C N N N/A C N N/A C N N N/A C	C C	N D	0
Staff files are in compliance H(1-7) Training hours up-to-date K(5)(b-c) At least 1 person with CPR & 1st Aid on the premises K(5)(h) HEALTH, SANITATION & SAFETY 114-505 C N N/A Children's faces/hands are clean B(1) Medicine and harmful items labeled and stored property D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) PHYSICAL SITE 114-507 BUILDING C N N/A CAleguate supervision throughout facility A(1-2) Facility following tracking of children procedures A(3) Ratios adequate in all classrooms and on playground B, C HEALTH, SANITATION & SAFETY 114-505 C N N/A Proper diaper changing practices were observed F(1-16) Proper handwashing practices were observed G(4) Proper handwashing practices were observed G(4) PHYSICAL SITE 114-507 BUILDING C N N/A PLAYGROUND O Playground equip. safe & firmly anchored B(7) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) C elling, floors, windows, doors free from hazards A(5)(d) Frencing/safety barriers 4ft. in height, in good repair B(4)	C C		0
Staff files are in compliance H(1-7) Training hours up-to-date K(5)(b-c) At least 1 person with CPR & 1st Aid on the premises K(5)(h) HEALTH, SANITATION & SAFETY 114-505 C N N/A Children's faces/hands are clean B(1) Medicine and harmful items labeled and stored property D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) PHYSICAL SITE 114-507 BUILDING C N N/A PLAYGROUND Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) C N N/A Playground equip. safe & firmly anchored B(7) Adequate supervision throughout facility A(1-2) Adequate supervision throughout facility A(1-2) Facility following tracking of children procedures A(3) Ratios adequate in all classrooms and on playground B, C N/A Proper diaper changing practices were observed F(1-16) Proper handwashing practices were observed G(4) No smoking/consumption of alcoholic beverage A(3) PHYSICAL SITE 114-507 BUILDING C N N/A PLAYGROUND O Playground equip. safe & firmly anchored B(7) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Adequate cushioning material; at least 6ft fall zone B(9) Ceiling, floors, windows, doors free from hazards A(5)(d) Fencing/safety barriers 4ft. in height, in good repair B(4)	C		0
Staff files are in compliance H(1-7) Training hours up-to-date K(5)(b-c) At least 1 person with CPR & 1st Aid on the premises K(5)(h) HEALTH, SANITATION & SAFETY 114-505 C N N/A Children's faces/hands are clean B(1) Medicine and harmful items labeled and stored properly D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) BUILDING Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Adequate supervision throughout facility A(1-2) Facility following tracking of children procedures A(3) Facility following tracking of children procedures A(3) Facility following tracking of children procedures A(3) Ratios adequate in all classrooms and on playground B, C N N/A Proper diaper changing practices were observed F(1-16) Proper handwashing practices were observed G(4) No smoking/consumption of alcoholic beverage A(3) PHYSICAL SITE 114-507 Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Fencing/safety barriers 4ft. in height, in good repair B(4) Fencing/safety barriers 4ft. in height, in good repair B(4)	C		0
Training hours up-to-date K(5)(b-c) At least 1 person with CPR & 1 st Aid on the premises K(5)(h) HEALTH, SANITATION & SAFETY 114-505 C N N/A Children's faces/hands are clean B(1) Medicine and harmful items labeled and stored properly D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) PHYSICAL SITE 114-507 BUILDING C N N/A PLAYGROUND Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) First Aid and the premises K(5)(h) Facility following tracking of children procedures A(3) Ratios adequate in all classrooms and on playground B, C Proper diaper changing practices were observed F(1-16) Proper handwashing practices were observed G(4) Proper handwashing practices were observed G(4) No smoking/consumption of alcoholic beverage A(3) PHYSICAL SITE 114-507 C N N/A PLAYGROUND O Adequate cushioning material; at least 6ft fall zone B(9) Ceiling, floors, windows, doors free from hazards A(5)(d) Fencing/safety barriers 4ft. in height, in good repair B(4)	C -	<u>-</u>	
At least 1 person with CPR & 1st Aid on the premises K(5)(h) HEALTH, SANITATION & SAFETY 114-505 C N N/A Children's faces/hands are clean B(1) Medicine and harmful items labeled and stored properly D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) Proper handwashing practices were observed G(4) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) PHYSICAL SITE 114-507 BUILDING Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C N N/A Proper diaper changing practices were observed G(4) Proper handwashing practices were observed G(4) No smoking/consumption of alcoholic beverage A(3) PHYSICAL SITE 114-507 C N N/A PLAYGROUND O Adequate cushioning material; at least 6ft fall zone B(9) Ceiling, floors, windows, doors free from hazards A(5)(d) Fencing/safety barriers 4ft. in height, in good repair B(4)	C -		
HEALTH, SANITATION & SAFETY 114-505 C N N/A Children's faces/hands are clean B(1) Medicine and harmful items labeled and stored properly D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) PHYSICAL SITE 114-507 BUILDING C N N/A PLAYGROUND Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) C N Fencing/safety barriers 4ft. in height, in good repair B(4) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) Proper diaper changing practices were observed F(1-16) No smoking/consumption of alcoholic beverage A(3) PHYSICAL SITE 114-507 C N N/A PLAYGROUND C D Adequate cushioning material; at least 6ft fall zone B(9) Ceiling, floors, windows, doors free from hazards A(5)(d)	C	- 45	
Children's faces/hands are clean B(1) Medicine and harmful items labeled and stored properly D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) Proper handwashing practices were observed G(4) No smoking/consumption of alcoholic beverage A(3) PHYSICAL SITE 114-507 BUILDING C N N/A PLAYGROUND Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Proper diaper changing practices were observed F(1-16) No smoking/consumption of alcoholic beverage A(3) PHYSICAL SITE 114-507 C N N/A PLAYGROUND O Playground equip. safe & firmly anchored B(7) Adequate cushioning material; at least 6ft fall zone B(9) Ceiling, floors, windows, doors free from hazards A(5)(d) Fencing/safety barriers 4ft. in height, in good repair B(4)		N	
Medicine and harmful items labeled and stored property D(2)	0	14	N/A
Medicine and harmful items labeled and stored properly D(2)			1
PHYSICAL SITE 114-507 BUILDING C N N/A PLAYGROUND Contilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Playground equip. safe & firmly anchored B(7) Adequate cushioning material; at least 6ft fall zone B(9) Fencing/safety barriers 4ft. in height, in good repair B(4)			0
PHYSICAL SITE 114-507 BUILDING C N N/A PLAYGROUND Contilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Playground equip. safe & firmly anchored B(7) Adequate cushioning material; at least 6ft fall zone B(9) Fencing/safety barriers 4ft. in height, in good repair B(4)	- I		
Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Playground equip. safe & firmly anchored B(7) Adequate cushioning material; at least 6ft fall zone B(9) Fencing/safety barriers 4ft. in height, in good repair B(4)			
No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Adequate cushioning material; at least 6ft fall zone B(9) Fencing/safety barriers 4ft. in height, in good repair B(4)	С	N	N/A
Ceiling, floors, windows, doors free from hazards A(5)(d)			d
			(2)
3.1,3.1	0		6
			8
	C	N	N/A
		-	
1.1.1		_	
		<u></u>	
	c	N	N/A
	4		
		-	_
MEAL REQUIREMENTS 114-508			
	С	N	N/A
Mode & checks in compliance with LICDA A(A)/h)			0
Clean, wholesome, unspoiled, properly labeled food A(4) \Box \Box \Box yrs. Old, unless properly cut to prevent choking risk A(3) \Box			4
		0	0
		0	D /
INFANT CARE 114-509 TRANSPORTATION 114-505 I			
Infants are placed on their back to place A/EVa)		N	N/A
Infants are placed on their back to sleep A(5)(a) vehicle has proper safety restraints & in good repair I(1) Vehicle has proper safety restraints & in good repair I(1) Checklist for loading/unloading children reviewed (2)(d)			d
3 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	_	-	12/
Food for toddlers cut in pieces ½ inch or less A(3)(k)			0
Crock pots, bottle warmers, are inaccessible to children, No			
microwaving of beverages observed A(3)(d) N-Noncompliant with Regulation			
Cups and bottles labeled with child's name & used only by that child A(3)(a) No violations noted at the time of visit			
Signature of Director/Operator/Designee: Date: 7/6/2021 Refused to signature of Child Care Licensing Specialist: Date: 7/6/2021	sign		