South Carolina Department of Social Services

Office of Child Care Licensing

VIRTUAL INSPECTION VISIT FORM FOR LICENSED GROUP CHILD CARE HOMES DUE TO COVID19 EMERGENCY Date of Inspection: 1019 21 Time of Inspection: 946 Am Operator Name: Faye Ragin Permit #: 15667 Type of Inspection: Renewal Complaint Follow Up (original inspection date Reason for Follow up: opending deficiencies oself-report Address: 9571 Paxville Hwy Manning, SC 29102 Hours of Operation: M-F6:00a-5:00p Telephone #: 803-452-5896 Any changes in contact info (Phone/Email/Fax)? ☐ Yes ıb⁄No. Overnight Care? ☐ Yes ☑ No Change in location? ☐ Yes ☑/No If yes, Address: Maximum number of children: 12 Number of infants: 3 Is the GCCH over - capacity? ☐ Yes √No If yes, Number of children over Additional staff is required when attendance reaches 9 children or when 4 or more children are younger than 2 yrs. old Items posted in public view: ZLicense ZMenu Does facility transport children? 114-515.1 □ Yes

No □ N/A MANAGEMENT, ADMINISTRATION & STAFFING 114-513 SUPERVISION 114-514 С N/A N CINI N/A Staff files are in compliance H(1-7) O Adequate supervision throughout facility A(1) **z**1 o Training hours up-to-date K(5) X Adequate number staff in home or outside during play A(2) **Z** At least 1 person with CPR & 1st Aid on the premises K(5)(g) HEALTH, SANITATION & SAFETY 114-515 C N N/A C N/A N Children's faces/hands are clean B(1) Proper diaper changing practices were observed F(1-7) Ž Medicine & harmful items are labeled and stored properly D(2) 0 Proper handwashing practices were observed G(4) First Aid kit in facility and in vehicle if transport E(1) Q Smoking permitted only in designated area A(2) D PHYSICAL SITE 114-517 BUILDING C N N/A **OUTDOOR PLAY AREA** C N N/A Ventilation and lighting sufficient A(2), A(4) Fencing/safety barriers 4ft. in height, in good repair B(3) L Ceiling, floors, windows, doors free from hazards A(5)(d) 6 a Outdoor space free from hazards and litter B(2) ď No strangulation/choking/suffocation hazards A(5)(h)(i-iii) Stationary equipment safe & firmly anchored C(7) ď Building(s) temp between 68-80°F A(7) Adequate cushioning material; at least 6ft fall zone C(9) 6 Facility free from pest problems (Insects, rodents) A(8)(b-c) 1 RESTING С N N/A Trash kept properly in plastic lined receptacles A(8) (d-i) Ø Cribs meet federal standards (reviewed certificate) D(1) ď Electrical outlets are securely covered A(11)(c) L Cots, mats, cribs labeled or charted for each child D(2) Sink area has hot & cold water A(12)(d) Pack & plays not used for sleeping D(1-2) Ø n Soap and disposable towels available at sink A(12)(g) Z PROGRAM 114-516 С N N/A Furniture, toys & equipment are clean and in good repair C(1) Ø Written, planned, daily program of activities that is d Furniture, toys & equipment meets the CPSC standards C(2) Ø developmentally & age appropriate observed A(1-3) Healthy pets/animals (Vaccination record up-to-date) E(4) Positive, non-abusive discipline practice B(1) **MEAL REQUIREMENTS 114-518** C N N/A C N N/A Meals & snacks in compliance with USDA A(1)(b) Round, firm foods are not offered to children under 4 Z R Clean, wholesome, unspoiled, properly labeled food A(4) yrs. Old, unless properly cut to prevent choking risk A(3) **7** Food preparers & staff outer clothing must be clean B(5) Refrigerators have thermometers, temp under 45°F D(3) Ø Food stored & handled properly D(1) All cleaning & poisonous items stored away from food E Q' \Box **INFANT CARE 114-519** С N N/A Breast milk is not heated in the microwave. If microwave is used to heat formula/beverages, parents are notified in writing A(3)(d) Cups and bottles labeled with child's name & used only by that child A(3)(a) No bottles propped or given in cribs or on mats A(3)(c) П Food for infants cut in pieces 1/4 inch or less A(3)(i) Food for toddlers cut in pieces 1/2 inch or less A(3)(k) Infants are placed on their backs to sleep, unless Doctor's note is provided. A(5)(a) п C = Compliant with Regulation - N = Noncompliant with Regulation No violations noted at the time of visit,

Signature of Director/Operator/Designee: (no signature required due to virtual inspection completed)

10/19/21