South Carolina Department of Social Services Office of Child Care Licensing INSPECTION VISIT FORM FOR REGISTERED FAITH BASED CHILD CARE CENTERS Date of Inspection: <u>A/38/22</u> Time of Inspection: <u>16:21aM</u> Facility Name: Williamsburg Kindergarten DC Permit #: 481 Type of Inspection: Annual Complaint Follow Up (original inspection date_ Reason for Follow up: pending deficiencies pself-report Address: 411 N Academy Street, KINGSTREE, SC 29556 Hours of Operation: Single Shift Telephone #: 843-355-6846 Overnight Care? - Yes ANO Center Director/Designee: Judy M Hall Change in Ownership or Director?

Yes If yes, Name: Maximum number of children: 52 Building 1: __ Building 2: Building 3: Maximum number of infants: 3 24 months □ 30 months □ I-4 facility Infants are in designated rooms? □ Yes □ No ® N/A Items posted in public view: Registration Registration Registration Representation Registration **MANAGEMENT 114-523** APPLICATION OF STAFF: CHILD RATIOS 114-524 N N/A C N N/A Staff files are in compliance F(1-4) Adequate supervision throughout the facility A(1) (a-b) Are training hours up-to-date? F(3)(a-b) Facility following tracking of children procedures A(2) At least 1 person with CPR & 1St Aid on the premises H(5)(f) D 10 Ratios adequate in all classrooms and on playground B & C 0 **HEALTH, SANITATION & SAFETY 114-525** CN N/A С N N/A Children's faces/hands are clean B(1) 1 Proper diaper diapering practices were observed F(1-16) D Medicine & harmful items labeled and stored properly D(2) Proper handwashing practices were observed G(4) D First Aid kit in facility and in vehicle if transport E(1), I(1)(g) Smoking permitted only in designated area A(3) 0 PHYSICAL SITE 114-527 N C N/A C N N/A BUILDING **PLAYGROUND** Q. Ventilation and lighting sufficient A(2)(a-d),(4)(a-c) Outdoor space free of glass, paper & other litter B(2) 4 Ceiling, floors, windows, doors free from hazards A(5)(d) Fencing/safety barriers 4ft in height, in good repair B(4) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Playground equipment safe & firmly anchored C (6) D 0 Building(s) temp between 68-80 °F A(7) Adequate cushioning material; at least 6ft. fall zone C(8) Facility free from pest problems (Insects, rodents)A(8)(b-c) D RESTING C N N/A Garbage kept properly in plastic lined receptacles A(8)(d-i) Cribs meet federal standards (reviewed certificate) D(1) 1 Electrical outlets are securely covered A(11)(c) Cots, beds, mats, & cribs labeled for each child D(2) 4 Sink area has hot & cold water A(12)(d) 0 Pack & plays not used for sleeping D(1-2) 9 Soap and towels in restrooms A(12)(i) TRANSPORTATION 114-525 I 2 Furniture, toys & equipment are clean and in good repair C(1) 10 Vehicle has proper safety restraints and in good repair I(1) m_ Furniture, toys & equipment meets CPSC standards C(2) Checklist for loading/unloading children reviewed. I(2)(d) 9 0 **MEAL REQUIREMENTS 114-528** C N N/A C N N/A Meals and snacks in compliance with USDA A(1)(b) Round, firm foods are not given to children under 4y/o. 1 Clean, wholesome, unspoiled properly labeled food A(4) unless properly cut to prevent choking risk. A(3) Food preparers have proper hair restraints B(5) Food labeled, stored and handled properly D(1) 1 Refrigerators have thermometers(Temp under 45°F)D(2-3) Cleaning & poisonous items stored away from food D(8) 9 **INFANT CARE 114-529** C N N/A

Infants are placed on their backs to sleep, unless Doctor's note is provided. A	(3)(a)
C = Compliant with Regulation - N = Noncompliant with Regulation	No violations noted at the time of visit
Signature of Director/Operator/Designee: Signature of Child Care Licensing Specialist: Jenell June	Date 2/28/2022 □ Refused to sign Date: 2/28/2023

Breast milk is not heated in the microwave. If microwave is used to heat formula/beverages, parents are notified in writing A(1)(d)

Cups and bottles labeled with child's name & used only by that child A(1)(a)

No bottles propped or given in cribs or on mats A(1)(c)

Food for toddlers cut in pieces ½ inch or less. A(1)(k)

Food for infants cut in pieces 1/4 inch or less. A(1)(i)