South Carolina Department of Social Services

Office of Child Care Licensing

VIRTUAL INSPECTION FOR REGISTERED FAITH BASED CENTERS DUE TO COVID19 EMERGENCY

Date of Inspection: 3/1/22 Time of Inspection: 11:00-11:45 acility Name: Divine Redeemer Catholic School Type of Inspection: Renewal Defollow Up (original inspection date ermit #: 18294 ddress: 1104 Fort Drive HANAHAN, SC 29410 Hours of Operation: M-F7:30a-3:00p Any changes in contact info (Phone/Email/Fax)? ☐ Yes >> NO Overnight Care?

Yes In No. elephone #: 843-553-1508 :enter Director/Designee: Margo Black If yes, Name: _____Building 2: _____ hange in Ownership or Director?

Yes Building 1: faximum number of children: 32 Building 3: □ 24 months □ 30 months □ I-4 facility Infants are in designated rooms? □ Yes □ No N/A faximum number of infants: 0 ems posted in public view: Registration Renu Ratio Chart (All classroom) Does facility transport children? Pesto MANAGEMENT 114-523 APPLICATION OF STAFF: CHILD RATIOS 114-524 CN N/A С N N/A Staff files are in compliance F(1-4) Adequate supervision throughout the facility A(1) (a-b) Are training hours up-to-date? F(3)(a-b) Facility following tracking of children procedures A(2) At least 1 person with CPR & 1st Aid on the premises H(5)(f) Ratios adequate in all classrooms and on playground B & C HEALTH, SANITATION & SAFETY 114-525 CN N/A С N N/A Children's faces/hands are clean B(1) Proper diaper diapering practices were observed F (1-16) × Medicine & harmful items labeled and stored properly D(2) Proper handwashing practices were observed G(4) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) Smoking permitted only in designated area A(3) PHYSICAL SITE 114-527 C N N/A C N/A BUILDING **PLAYGROUND** Ventilation and lighting sufficient A(2)(a-d),(4)(a-c) Outdoor space free of glass, paper & other litter B(2) Ceiling, floors, windows, doors free from hazards A(5)(d) Fencing/safety barriers 4ft in height, in good repair B(4) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Playground equipment safe & firmly anchored C (6) Adequate cushioning material; at least 6ft, fall zone C(8) Building(s) temp between 68-80 °F A(7) XFacility free from pest problems (Insects, rodents)A(8)(b-c) RESTING × C Ν N/A Garbage kept properly in plastic lined receptacles A(8)(d-i) × Cribs meet federal standards (reviewed certificate) D(1) Electrical outlets are securely covered A(11)(c) Cots, beds, mats, & cribs labeled for each child D(2) Sink area has hot & cold water A(12)(d) Pack & plays not used for sleeping D(1-2) \Box Soap and towels in restrooms A(12)(i) **TRANSPORTATION 114-525 I** Furniture, toys & equipment are clean and in good repair C(1) Vehicle has proper safety restraints and in good repair I(1) Furniture, toys & equipment meets CPSC standards C(2) Checklist for loading/unloading children reviewed. I(2)(d) **MEAL REQUIREMENTS 114-528** C Ν N/A C Ν N/A Meals and snacks in compliance with USDA A(1)(b) Round, firm foods are not given to children under 4y/o, Clean, wholesome, unspoiled properly labeled food A(4) unless properly cut to prevent choking risk. A(3) 0 ood preparers have proper hair restraints B(5) Food labeled, stored and handled properly D(1) Refrigerators have thermometers (Temp under 45°F)D(2-3) Cleaning & poisonous items stored away from food D(8) **INFANT CARE 114-529** C N N/A Cups and bottles labeled with child's name & used only by that child A(1)(a) No bottles propped or given in cribs or on mats A(1)(c) Breast milk is not heated in the microwave. If microwave is used to heat formula/beverages, parents are notified in writing A(1)(d) Food for toddlers cut in pieces ½ inch or less. A(1)(k) Food for infants cut in pieces 1/4 inch or less. A(1)(j) Infants are placed on their backs to sleep, unless Doctor's note is provided. A(3)(a) No violations noted at the time of visit C = Compliant with Regulation - N = Noncompliant with Regulation

Signature of Director/Operator/Designee: (no signature required due to virtual inspection completed)

Signature of Child Care Licensing Specialist:

Date: 3/1/22