## South Carolina Department of Social Services

Office of Child Care Licensing INSPECTION VISIT FORM FOR REGISTERED FAITH BASED CHILD CARE CENTERS Date of Inspection: 11/5/2021 Time of Inspection: 10:45 acility Name: Wee Care Child Development Center Type of Inspection: Annual Complaint Follow Up (original inspection date ermit #: 515 Reason for Follow up: pending deficiencies pself-report ddress: 641 Parris Island Gateway, Beaufort, SC 29906 Hours of Operation: Single Shift elephone #: 843-525-9344 Any changes in contact info (Phone/Email/Fax)? ☐ Yes ☑ No Overnight Care? 

Yes enter Director/Designee: Edith Blocker hange in Ownership or Director? 

Yes 

No If yes, Name: laximum number of children: 157 Building 1: Building 2: Building 3: ■ 24 months □ 30 months □ I-4 facility Infants are in designated rooms? Yes □ No □ N/A faximum number of infants: 15 ems posted in public view: Registration Menu Ratio Chart (All classroom) Does facility transport children? Yes No MANAGEMENT 114-523 APPLICATION OF STAFF: CHILD RATIOS 114-524 N/A N N N/A Staff files are in compliance F(1-4) Adequate supervision throughout the facility A(1) (a-b) Are training hours up-to-date? F(3)(a-b) Facility following tracking of children procedures A(2) 8 At least 1 person with CPR & 1st Aid on the premises H(5)(f) ď Ratios adequate in all classrooms and on playground B & C o HEALTH, SANITATION & SAFETY 114-525 С N N/A Ν N/A Children's faces/hands are clean B(1) V Proper diaper diapering practices were observed F(1-16) Medicine & harmful items labeled and stored properly D(2) Proper handwashing practices were observed G(4) 2 4 First Aid kit in facility and in vehicle if transport E(1), I(1)(g) Smoking permitted only in designated area A(3) PHYSICAL SITE 114-527 C N N/A C Ν N/A BUILDING **PLAYGROUND** Ventilation and lighting sufficient A(2)(a-d),(4)(a-c) Outdoor space free of glass, paper & other litter B(2) ď Ceiling, floors, windows, doors free from hazards A(5)(d) Fencing/safety barriers 4ft in height, in good repair B(4) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Playground equipment safe & firmly anchored C (6) **(1)** Adequate cushioning material; at least 6ft. fall zone C(8) Building(s) temp between 68-80 °F A(7) ď V Facility free from pest problems (Insects, rodents)A(8)(b-c) **4** RESTING C N N/A Garbage kept properly in plastic lined receptacles A(8)(d-i) **4** Cribs meet federal standards (reviewed certificate) D(1) ₫ Electrical outlets are securely covered A(11)(c) Cots, beds, mats, & cribs labeled for each child D(2) Sink area has hot & cold water A(12)(d) Pack & plays not used for sleeping D(1-2) **I**✓ 6 Soap and towels in restrooms A(12)(i) **TRANSPORTATION 114-525 I** Furniture, toys & equipment are clean and in good repair C(1) Vehicle has proper safety restraints and in good repair I(1) Furniture, toys & equipment meets CPSC standards C(2) Checklist for loading/unloading children reviewed, I(2)(d) d MEAL REQUIREMENTS 114-528 С N N/A С N I N/A Meals and snacks in compliance with USDA A(1)(b) Round, firm foods are not given to children under 4y/o. Clean, wholesome, unspoiled properly labeled food A(4) unless properly cut to prevent choking risk. A(3) D/ 1 П ood preparers have proper hair restraints B(5) Food labeled, stored and handled properly D(1) **4** Refrigerators have thermometers(Temp under 45°F)D(2-3) **4** Cleaning & poisonous items stored away from food D(8) ď **INFANT CARE 114-529** C Ν N/A Cups and bottles labeled with child's name & used only by that child A(1)(a) **W** No bottles propped or given in cribs or on mats A(1)(c) V Breast milk is not heated in the microwave. If microwave is used to heat formula/beverages, parents are notified in writing A(1)(d) ₽⁄ Food for toddlers cut in pieces ½ inch or less. A(1)(k) M Food for infants cut in pieces 1/4 inch or less. A(1)(i) Infants are placed on their backs to sleep, unless Doctor's note is provided. A(3)(a) □ | No violations noted at the time of visit C = Compliant with Regulation - N = Noncompliant with Regulation

Signature of Child Care Licensing Specialist: Marly S. Rice Date: 115 202

Signature of Director/Operator/Designee:

201 ☐ Refused to sign