SOUTH CAROLINA DEPARTMENT OF SOCIAL SERVICES CHILD CARE LICENSING ORIGINAL & RENEWAL INSPECTION CHECKLIST

Type of Inspection:

Provisional Evaluation

Full Evaluation

Renewal

e in Ownership or Director? Yes No If yes, Name: Building 1:	g 2: y Clear Fire Repo	Building 3: ort □ Yes □ No □ N	A Date cleared	15,48		
Physical Site	CENTER	FAITH BASED		-	_	N/
ne Approval/ License/ Registration is displayed in public view.	114-503 A.1	114-523 A.1		- +	믹	
aily menu dated and posted in conspicuous location in public view.	114-508 A.1	114-528 A.1		•	믹	
uilding has proper ventilation to include kitchen and bathrooms.	114-507 A.2	114-527 A.2		Ø		
uilding has proper ventilation to include knother and but needs	114-505 A.3	114-525 A.2	114-517 A.2	2	믜	
obacco free facility	114-507 A.3	114-527 A.3	114-517 A.3	7	믜	
ecals on all glass doors, placed at eye level of children.	114-507 A.4	114-527 A.4	114-517 A.4(a)	2	믜	0
dequate lighting for rooms, hallway, bathrooms and fire escapes.	114-507 A.5(d)	114-527 A.5(d)	114-517 A.5(d)	Z		- [
eiling, floors, windows, doors and rugs properly secured.	114-507 A.5(g)	114-527 A.5(g)	114-517 A.5(h)	2		
o strangulation, choking or suffocation hazards.	114-507 A.11(c)	114-527 A.11(c)	114-517 A.11(c)	7		
lectrical outlets securely covered and inaccessible to children.	114-507 A.7(a)	114-527 A.7	114-517 A. 7(a)			
emperature in building between 68 and 80 degrees ∘F.	114-507 A.6(b)	114-527 A.6(b)	114-517 A.6(b)	<u></u>		
acility has hot and cold water.	114-507A.8(f)	114-527 A.8(f)	114-517 A.8(f)	12/	0	
rash in restroom and classroom kept in plastic lined container.	114-507 A.8(b)	114-527 A.8(b)	114-517 A.8(b)	12/		L
acility free from pest problems (insects, rodents, etc.).	114-507 C.1	114-527 C.1	114-517 C.1	Z		
runiture, toys & equipment are clean and free from hazards.	114-507 C.2	114-527 C.2	114-517 C.2	Ø	0	
Furniture, toys & equipment meet standards of the CPSC.	114-507 A.12	114-527 A.12		2		1
Rathroom completely enclosed. Private tollet use by prescribol & up.	114-507 A.12(e)	114-527 A.12(e)	114-517 A.12(e)	Z		
Child size toilets & sinks (has seat adapter and sturdy steps).	114-507 A.12(i)	114-527 A.12(i)	114-517 A.12(g)	7	. []
Soap and disposable towels provided at each sink.	114-507 D.2	114-527 D.2	114-517 D.2	12/	_]
Coto or mate labeled with child's name for use only by that child.	114-507 D.6	114-527 D.6	114-517 D.6)
Cots and mats stored so that the side child lies on does not touch hour.	114-507 E.1	114-527 E.1	114-517 E.1	\ <u>\</u>	<u> </u>)
Poisons/harmful agents locked, labeled and stored properly.	114-507 E.4	114-527 E.4	114-517 E.4			5
Only healthy pets/animals permitted. (Vaccination records up-to-date)	114-507 E.4 114-504 B.1	114-524 B.1		P	• []
Batic chart prominently posted in each classroom.	114-503 J.2	114-523 G.2	114-513 J.2	J.	, [5
Emergency phone numbers posted (police, fire and poison control).	114-503 J.2	114-020-0:2		Z	(5
Internal means of communication among staff.			114-513 F.1	ار	1	
Parents have free & full access.	114- 503 F.1				- 1	
If overnight care is provided, requirements have been met.	114-509 C	THE RESERVE THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLU	114-516 A.7		7	
Age appropriate radio, TV, VCR and DVD for children use.	114-506 A.7			+		ᅴ
Staff files are in compliance to include required training hours.	114-503 F(1-4)	1 14-525 11.(1-7)	THOUTH			

1/18/2019 rev.