



School and Childcare Exclusion List

Official School and Child Care Exclusion List of Contagious or Communicable Diseases

Statutory authority: SC Code of Laws Sections 44-1-140, 44-29-200; 63-13-180
SC Code of Regulations Chapter 61-20 and Chapter 114, Article 5

Requirements

South Carolina law requires schools to take measures to prevent the spread of disease in the school and childcare populations by limiting the attendance of students and staff with contagious or infectious diseases at school and school activities. [SC Regulation #61-20](#) requires DHEC to publish each year an Official School and Childcare Exclusion List of Contagious and Communicable Diseases, hereinafter referred to as the School and Childcare Exclusion List.

SC Law indicates that schools “on account of the prevalence of any contagious or infectious diseases or to prevent the spread of disease, may prohibit or limit the attendance of any employee or student at any school or school-related activities under its control.” SC Regulation states that schools, out-of-home childcare providers, and parents/guardians should not allow the attendance of children with “any contagious or infectious disease or syndrome requiring isolation” ... “if the disease or syndrome of the child or minor is on the Official School and Childcare Exclusion List of Contagious and Communicable Diseases.”

Students, employees and staff (including volunteers) are also excluded from school or childcare attendance if they have been exposed to one or more of the conditions designated in these lists, until the return to school or childcare criteria are met.

2020 Updates

The following updates were made to the School and Childcare Exclusion Lists:

- Coronavirus Infectious Disease 2019 (COVID-19) added to the exclusion list.
- Diarrhea (*E. coli* O157:H7 and other Shiga Toxin-Producing *E. coli* (STEC)) exclusion includes children under the age of 5 in out-of-home childcare, in Kindergarten, and students 5 years of age or older thru grade 12. Documentation for return to school with a parent note for students 5 years of age or older thru grade 12.
- Diarrhea *Salmonella* Typhi (Typhoid fever) exclusion includes:
 - Children under 5 or staff in out-of-home childcare or students under the age of 5 in Kindergarten.
 - Culture independent diagnostic tests added as an option for a negative result.
 - Specimens must be collected 1 week or more after antibiotics are completed.
- Diarrhea (*Shigella*) exclusion includes children under the age of 5 or staff in out-of-home childcare or students under the age of 5 in Kindergarten. Exclude students 5 years of age or older thru grade 12.
- Fever without a known cause may require a negative COVID-19 testing or completion of COVID-19 exclusion.
 - Exclusion of children in childcare, students or staff with a temperature of 100.4 F or

greater.

- Head lice: Children can return to school with a parent note after one treatment with an over the counter or prescription lice elimination product. The school or childcare may also allow children to return after crawling lice and nits have been removed from the hair by combing or heat treatment methods.

This update to the School and Childcare Exclusion List is effective August 2020.

Guidance for Implementing the School and Childcare Exclusion List

1. The **School and Childcare Exclusion List** applies to the following groups of people in out-of-home childcare, (as defined in S.C. Code Ann. Section 63-13-20), and in any public, private, parochial, church or Sunday school (Reg 61-20).
 - Children and staff in out-of-home childcare settings;
 - Preschool/kindergarten students in grades 3K, 4K, and 5K;
 - Students in grades 1-12; and
 - School employees and staff (including volunteers) who have contact with students.
2. **Parent Notification:** Schools and childcare providers are encouraged to distribute the list of conditions that require exclusion from school attendance to parents/guardians, and/or distribute parent brochures developed by DHEC. The list is also available at <http://www.scdhec.gov/Health/ChildTeenHealth/SchoolExclusion>.
3. **Parent Reporting to School:** Schools and childcare providers should inform parents/guardians that they must notify the school within 24 hours after the child has developed a known or suspected communicable illness addressed on the Exclusion List.
4. **Return to School:** Students, children and staff may return to the school as soon as their symptoms are resolved, unless stated otherwise in the Exclusion List or by their health care provider.
5. **Special Circumstances:** Immunocompromised or medically fragile children with an excludable condition or exposure may need longer periods of exclusion, subject to recommendations by their health care provider(s) or by DHEC. For the purposes of school exclusion, the term “medically fragile” refers to those students with special health care needs or developmental delays who require close assistance with feeding or other personal hygiene activities by which communicable illnesses may be easily spread. Nothing in these criteria precludes the exercise of the professional judgment of local education agency medical and/or nursing staff to protect the health of students.
6. **Exclusion criteria that vary** by age or grade level are indicated in the Exclusion List. “Young children” or “younger children” as indicated in the List are generally those in childcare, preschool, or kindergarten grades. When students are taught or routinely spend time in mixed age groups, the standards for the youngest children in the group apply. Conditions that do not require exclusion for school and/or childcare staff are indicated in the tables on the following pages.
7. **Notes / Documentation for Return:** A student may return to school as indicated in the tables that follow. Physicians, nurse practitioners, or physician assistants may provide medical notes for return to school following an excludable condition or DHEC may provide a release to return based on a negative test result or other circumstance. Medical notes, which document diagnosis, initiation of treatment, improvement in status, etc., and parent notes should be kept on file at the school for at least one calendar year, or as otherwise required by local school district policy. Medical notes may not shorten or abrogate the minimum period of exclusion required by DHEC for any specific condition.
8. **Period of Exclusion:** If a student does not respond to treatment for an excludable condition, the health care provider or health department may suggest longer periods of exclusion.

Guidance for Implementing the School and Childcare Exclusion List

- 9. Outbreaks:** During disease outbreaks or under special circumstances, DHEC may change the length of the exclusion periods. During outbreaks, exclusion criteria may also apply to students, children and staff who are not confirmed by laboratory testing but who display the same symptoms of illness as lab-confirmed cases.
- 10. Minor illnesses:** Conditions that are transmissible and may affect a child's ability to participate in normal activities, but that generally do not result in severe illness. Selected examples include conjunctivitis, fifth disease, hand-foot-mouth disease, scabies, head lice, and Strep throat. Consider consultation with a medical consultant for other conditions if there are questions about opening an investigation or initiating an outbreak response. Outbreaks of diarrheal illnesses (e.g., known or suspected Norovirus outbreaks) are investigated per applicable policies.
- 11. Disease/Outbreak reporting to the Health Department and the Family Education Rights and Privacy Act (FERPA):** DHEC has determined that conditions reportable immediately or within 24 hours by phone, including all clusters or outbreaks of illnesses, fall under the FERPA allowance and exception of reporting illnesses without parental consent. Conditions that are reportable within 3 days may be reported to DHEC by name with parental consent or reported de-identified without parental consent.
- 12. The requirement to report Immediately Reportable or Urgently Reportable (within 24 hours) conditions applies to physicians, laboratories, health facilities, and “any person or entity that maintains a database containing health care data.”** The List of Reportable Conditions may be accessed here:
<http://www.scdhec.gov/Health/FHPF/ReportDiseasesAdverseEvents/ReportableConditionInSC/>

<p>COVID-19 related symptoms: Any of the following <u>with or without fever</u>:</p> <ul style="list-style-type: none"> • Shortness of breath or difficulty breathing -or- • Loss of taste or smell -or- • New or worsening cough 	<p>Respiratory and airborne routes, or by contact with infected individuals or objects.</p>	<p>2 days prior to the onset of symptoms (or date of test collection if no symptoms) to the end of the exclusion period</p>	<p>Report positive cases <u>urgently</u> by phone within 24 hours.</p>	<p>Exclude students or staff with (an) excludable symptom(s) of COVID-19 without another more likely cause until:</p> <ul style="list-style-type: none"> • A negative viral test (PCR or antigen*) is obtained <ul style="list-style-type: none"> - OR - • Meet all criteria for return <ul style="list-style-type: none"> ○ 10 days since symptoms started – and - ○ 24 hours since the last fever without the use of fever-reducing medication – and – ○ Symptoms improved <p>Note: These criteria may be updated as more information is available on COVID-19. Some individuals may be recommended for longer time periods before returning.</p> <p>* - Testing recommendations will be updated as they become available and may impact school/childcare exclusion – refer to guidance for response to cases) https://scdhec.gov/sites/default/files/media/document/Interim-DHEC-Guidance-for-School-Response-to-COVID-19_09.09.2020_FINAL.pdf</p>	<p>For those with symptoms:</p> <ul style="list-style-type: none"> • Negative viral test (PCR or antigen*) – OR- • 10 days after the start of symptoms and parent’s note that symptoms have improved & no fever in the past 24 hours without using fever-reducing medication – OR – • Doctor’s note clearing return requiring no further exclusion
--	---	---	--	--	---

<p>Diarrhea¹ (Gastrointestinal illness, cause not identified or cause has not yet been determined)</p>	<p>Varies, often associated with poor toileting habits, food and drink, contaminated fomites, environmental exposures including animals and recreational water; may be bacterial, parasitic or viral.</p>	<p>Varies according to the causative agent</p>	<p>Yes, above normal absentee rate</p>	<p>Younger Students</p> <ul style="list-style-type: none"> Exclude children in 5th grade or younger, with diarrhea until symptoms are resolved for at least 24 hours, or medical evaluation indicates that inclusion is acceptable. <p>Older Students and Staff</p> <ul style="list-style-type: none"> Exclusion for diarrhea in 6th through 12th grade students or for school staff is not mandatory unless the person with diarrhea is determined to be contributing to the spread of illness in the school setting. <p>See also “COVID-19 exclusion” section for additional considerations.</p>	<p>Parent note</p> <p>N/A</p>
---	---	--	--	--	-------------------------------

¹ Diarrhea is defined as 3 or more loose or watery stools in a 24-hour period that are not associated with changes in diet.

Children, students and staff with the following conditions must be excluded from the school or out-of-home childcare until the exclusions criteria have been met and documentation has been provided as noted below:

Disease/ Agent	Mode of Transmission	Contagious Period	Report to Public Health	Exclusion	Documentation for Return
				<p>Special Circumstances for Diarrhea</p> <ul style="list-style-type: none"> • Exclude students of any age and staff with uncontrolled diarrhea or stools that contain blood or mucus, unless symptoms are associated with a non-infectious condition (e.g., IBS or Crohn’s Disease). Return is permitted when symptoms are resolved, or medical evaluation indicates that inclusion is acceptable. • For diapered children or students of any age who require assistance with personal hygiene, exclude for 2 or more diarrheal episodes in a school or program day <u>if the frequency or nature of the diarrheal episodes</u> challenges the ability of the caregiver(s) to maintain sanitary techniques and/or conditions (diaper spillage or accidents in toilet trained children). 	

Children, students and staff with the following conditions must be excluded from the school or out-of-home childcare until the exclusions criteria have been met and documentation has been provided as noted below:

Disease/ Agent	Mode of Transmission	Contagious Period	Report to Public Health	Exclusion	Documentation for Return
Diarrhea (<i>Campylobacter</i>)	Fecal-oral route through direct person-to-person contact or contaminated fomites, by ingestion of contaminated food, water, or animal contact.	Excretion is shortened by treatment Without treatment, can be infectious for 2-3 weeks with possible relapse	Report outbreaks IMMEDIATELY by phone Report within 3 days	Exclude until diarrheal symptoms are resolved for at least 24 hours.	Parent note or staff statement that diarrhea has resolved for 24 hours
Diarrhea (<i>Cryptosporidium</i>)	Recreational water contact, the fecal-oral route through direct person-to-person contact or contaminated fomites, by ingestion of contaminated food, water, or animal contact.	Parasite can remain in stool for 2 weeks	Report outbreaks IMMEDIATELY by phone Report within 3 days	Exclude until diarrheal symptoms are resolved for at least 24 hours. Restrict recreational water activities (pools, splash pads, water tables, etc.) until 2 weeks after diarrheal symptoms resolve.	Parent note or staff statement that diarrhea has resolved for 24 hours

Children, students and staff with the following conditions must be excluded from the school or out-of-home childcare until the exclusions criteria have been met and documentation has been provided as noted below:

Disease/ Agent	Mode of Transmission	Contagious Period	Report to Public Health	Exclusion	Documentation for Return
	contaminated fomites, by ingestion of contaminated food or water, or animal contact.				
Diarrhea (<i>Giardia</i>)	Recreational water contact, the fecal-oral route through direct person-to-person contact or contaminated fomites, by ingestion of contaminated food, water, or animal contact.	Can be up to months, most contagious during diarrhea phase	Report outbreaks IMMEDIATELY by phone Report within 3 days	Exclude until diarrheal symptoms are resolved for at least 24 hours.	Parent note or staff statement that diarrhea has resolved for 24 hours
Diarrhea (Norovirus)	By the fecal-oral route through direct person-to-person contact or	Can be shed before symptoms start and 2 or more	Report outbreaks only	Exclude until asymptomatic (diarrhea and/or vomiting have ceased for at least 24 hours).	A parent note or staff statement that diarrhea and/or vomiting have resolved for 24 hours.

Children, students and staff with the following conditions must be excluded from the school or out-of-home childcare until the exclusions criteria have been met and documentation has been provided as noted below:

Disease/ Agent	Mode of Transmission	Contagious Period	Report to Public Health	Exclusion	Documentation for Return
	contaminated fomites, by ingestion of contaminated food or water.	weeks after symptoms end			
Diarrhea (Rotavirus)	Fecal-oral route through direct person-to-person contact or contaminated fomites, by ingestion of contaminated food or water.	Present several days before symptoms and last for weeks after	Report outbreaks only	Exclude until diarrheal symptoms are resolved for at least 24 hours.	A parent note or staff statement that diarrhea has resolved for 24 hours
Diarrhea <i>Salmonella</i> Typhi (Typhoid fever)	Fecal-oral route through direct person-to-person contact or contaminated fomites, by ingestion of contaminated food or water.	Can persist in stool up to 12 weeks; chronic carriage possible	Report outbreaks IMMEDIATELY by phone Report typhoid fever within 24 hours	Children under the age of 5 or staff in out-of-home childcare or students under the age of 5 in Kindergarten: <ul style="list-style-type: none"> Exclude until diarrheal symptoms are resolved for at least 24 hours AND three consecutive stool cultures or culture independent diagnostic tests collected at 24-hour intervals are negative for <i>Salmonella</i> Typhi. If antibiotics were prescribed, stool specimens must be collected 1 week or more after the antibiotics are completed. 	Documentation of 3 negative test results
Diarrhea (Nontyphoidal <i>Salmonella</i>)	Fecal-oral route through direct person-to-person contact or	Can persist in stool up to 12 weeks	Report outbreaks IMMEDIATELY by phone	Exclude until diarrheal symptoms are resolved for at least 24 hours.	Parent note or staff statement that diarrhea has resolved for 24 hours

Children, students and staff with the following conditions must be excluded from the school or out-of-home childcare until the exclusions criteria have been met and documentation has been provided as noted below:

Disease/ Agent	Mode of Transmission	Contagious Period	Report to Public Health	Exclusion	Documentation for Return
	contaminated fomites, by ingestion of contaminated food, water, or animal contact.		Report nontyphoidal <i>Salmonella</i> within 3 days		
Diarrhea (<i>Shigella</i>)	Fecal-oral route through direct person-to-person contact or contaminated fomites, by ingestion of contaminated food or water.	Untreated <i>Shigella</i> is found in the stool up to 4 weeks	Report outbreaks IMMEDIATELY by phone Report within 3 days	<p>Children under the age of 5 or staff in out-of-home childcare or students under the age of 5 in Kindergarten:</p> <ul style="list-style-type: none"> Exclude until diarrheal symptoms are resolved for at least 24 hours, and at least 1 stool culture or culture-independent diagnostic test is negative for <i>Shigella</i>. If antibiotics were prescribed, stool cultures must be collected 48 or more hours after the antibiotics are completed. <ul style="list-style-type: none"> Students 5 years of age or older thru grade 12: <ul style="list-style-type: none"> Exclude until diarrhea has stopped for at least 24 hours, provided that the student has good hand hygiene and ability to self-toilet. A student with questionable or poor hand hygiene may be required to have at least 1 <i>Shigella</i>-negative stool culture and to be diarrhea-free for at least 24 hours prior to returning. If antibiotics were prescribed, stool 	<p>Medical note documenting negative test results</p> <p>Parent note or staff statement that diarrhea has resolved for 24 hours</p>

Children, students and staff with the following conditions must be excluded from the school or out-of-home childcare until the exclusions criteria have been met and documentation has been provided as noted below:

Disease/ Agent	Mode of Transmission	Contagious Period	Report to Public Health	Exclusion	Documentation for Return
				cultures must be collected 48 or more hours after the antibiotics are completed.	
Fever	N/A	Dependent upon the cause of the fever	Report outbreaks only	<ul style="list-style-type: none"> Fever of greater than 24 hours or without a known cause may require negative COVID-19 testing or completion of COVID-19 exclusion. Exclude all staff for oral temperature 100.4°F or higher. In the childcare setting for infants up to 4 months of age: <ul style="list-style-type: none"> Fever (100.4°F or above rectally) in a child 60 days of age or younger requires immediate medical attention. In the childcare setting for infants and children who are over 4 months: <ul style="list-style-type: none"> Exclude for Axillary temperature: 100.00°F or Oral temperature: 100.4°F or greater For Schools for students of all ages <ul style="list-style-type: none"> Exclude Axillary temperature: 100.0°F or for Oral temperature: 100.4°F or greater 	<p>School to specify based on situation</p> <p>Students or staff can return to school if another diagnosis is determined by their healthcare provider.</p>
<i>Haemophilus influenzae</i> type B (Hib)	Respiratory (droplet) route or by direct contact with contaminated objects	May be as long as bacteria is in the mouth or nose	Report Within 24 hours	<ul style="list-style-type: none"> Exclude until the student is cleared by a health professional. Exclude staff with proven Hib infection until antibiotic therapy is initiated. No exclusion is required for exposed students or staff. 	Medical note documenting completion of antibiotic treatment, and clearance to return to school

Children, students and staff with the following conditions must be excluded from the school or out-of-home childcare until the exclusions criteria have been met and documentation has been provided as noted below:

Disease/ Agent	Mode of Transmission	Contagious Period	Report to Public Health	Exclusion	Documentation for Return
Hand, foot and mouth Disease	Direct contact with infected: <ul style="list-style-type: none"> • nose discharge • throat discharge • blisters • feces 	The virus may be shed for weeks to months in the stool after the infection starts; respiratory shedding of the virus is usually 1-3 weeks	Report outbreaks only	Exclude while symptoms of fever or excessive drooling are present, which is typically during the first week of illness.	Parent note
Head lice (pediculosis) ²	Direct contact with infected person or contaminated object.	As long as live lice are present	Not reportable	Exclude for: <ul style="list-style-type: none"> • The presence of live, crawling lice visualized on direct inspection of the scalp, or • The presence of nits (eggs) that appear to 	Excluded persons may return with a parent note after one treatment with an over the counter or prescription lice elimination product and no active lice is observed crawling in the hair or after removal by combing or

² Ideally, head lice screening is performed by healthcare providers, including school health nurses, or by school health aides who have been trained by school nurses. [Students with evidence of infestation (e.g., nits further than ¼ inch from the scalp may be excluded per local school policies]

Children, students and staff with the following conditions must be excluded from the school or out-of-home childcare until the exclusions criteria have been met and documentation has been provided as noted below:

Disease/ Agent	Mode of Transmission	Contagious Period	Report to Public Health	Exclusion	Documentation for Return
				<p>be ¼ inch or 6 mm from the scalp.</p> <p>Students identified with head lice can remain in the classroom until the end of the school day, with limitations placed upon activities that cause head-to-head contact or sharing of any headgear. Staff with head lice are excluded at the end of the school or childcare day if close head-to-head contact can be avoided during routine activities.</p> <p>Re-screening Recommendations for Head Lice:</p> <ul style="list-style-type: none"> • Persons who were excluded for pediculosis should be rescreened at 7-10 days after initial treatments. • Rescreened persons who are found to have live crawling lice should be re-treated and excluded until screening identifies no live, crawling lice on the scalp. 	<p>heat treatment methods³.</p>
Hepatitis A virus infection	Fecal-oral route through direct person-to-person contact or contaminated fomites, by	Most infectious in the 2 weeks before onset of signs or symptoms,	Report within 24 hours by phone	Exclude until 1 week after onset of illness or jaundice. Refer contacts to their health care providers for consideration of immunoglobulin or vaccine in consultation with the health department.	Medical note documenting diagnosis and more than one week since onset

³ Although not recommended, education agencies opting for more stringent “No Nit Policies” for school re-admission should explain their policies to families.

Children, students and staff with the following conditions must be excluded from the school or out-of-home childcare until the exclusions criteria have been met and documentation has been provided as noted below:

Disease/ Agent	Mode of Transmission	Contagious Period	Report to Public Health	Exclusion	Documentation for Return
	ingestion of contaminated food or water.	the risk is <u>minimal</u> after the onset of jaundice			
Impetigo (<i>Streptococcal</i> <i>Staphylococcal</i> bacteria)	By infection of skin opening, or by contact with skin sores of an infected person.	Until treatment with antibiotics for 24 hours or lesions crusted	Not Reportable	Exclude until 24 hours after antibiotic treatment has been initiated or as long as lesion is draining AND cannot be covered with a watertight dressing.	Parent note or staff statement indicating antibiotic therapy has been initiated for 24 hours
Influenza/ Influenza-like Illness (ILI) (ILI is defined as an oral temperature of > 100° F with a cough and/or sore throat for which there is no other known cause)	Airborne and respiratory (droplet) routes, or by contact with infected individuals or objects.	One day before symptom onset until at least 7 days after onset	Report outbreaks IMMEDIATELY by phone	Exclude until at least 24 hours after fever has resolved without the use of fever-reducing medicines. <ul style="list-style-type: none"> ILI without a known cause may require negative COVID-19 testing or completion of COVID-19 exclusion. 	Parent note or staff statement that fever has resolved for at least 24 hours without the use of fever reducing medications
Measles (<i>Rubeola</i>)	Airborne and respiratory (droplet) routes.	1-2 days before signs and symptoms appear until 4 days after rash	REPORT IMMEDIATELY by phone	Exclude until 4 days after onset of rash and cleared by health care provider.	Medical note documenting at least 4 days since onset of illness

Children, students and staff with the following conditions must be excluded from the school or out-of-home childcare until the exclusions criteria have been met and documentation has been provided as noted below:

Disease/ Agent	Mode of Transmission	Contagious Period	Report to Public Health	Exclusion	Documentation for Return
Meningitis (Bacterial) <ul style="list-style-type: none"> • <i>Neisseria Meningitides</i> (meningococcal) • <i>Haemophilus influenza</i> (h. flu) • <i>Streptococcus pneumonia</i> (pneumococcal) 	Contact with respiratory secretions or contact with contaminated objects.	Until after 24 hours of antibiotics	REPORT IMMEDIATELY by phone	Exclude as soon as meningitis is suspected and until cleared by a healthcare provider. Refer to medical attention promptly for any combination of multiple symptoms of fever, headache, stiff neck, irritability, or photophobia Special attention should be made to a rash that is non-blanching and has small red or purple spots on the skin caused by bleeding under the skin. Re-admit when cleared by a health care professional.	Medical note documenting that the affected person is non-contagious
Meningitis (Viral)	Environmental exposure to respiratory secretions of an infected individual or by poor toileting habits.	Shedding of virus in feces can continue for several weeks or the respiratory tract for a week or less	REPORT IMMEDIATELY by phone	Exclude as soon as meningitis is suspected and until bacterial meningitis is ruled out.	Medical note documenting that the affected person is non-contagious
Mouth Sores (also see hand-foot and mouth disease) (Herpes Simplex, Canker Sores, and Thrush)	Exposure to an infectious agent.	Varies by the infectious agent	Report outbreaks only	Exclude young children for sores, including mouth ulcers and blisters, inside the mouth associated with uncontrolled drooling, unless the child's health care provider states that the child is noninfectious. Exclusion of children with cold sores	Parent note

Children, students and staff with the following conditions must be excluded from the school or out-of-home childcare until the exclusions criteria have been met and documentation has been provided as noted below:

Disease/ Agent	Mode of Transmission	Contagious Period	Report to Public Health	Exclusion	Documentation for Return
				(recurrent herpes simplex virus (HSV) infection) is not indicated. Caregivers in the childcare setting with (HSV) cold sores should not be excluded, but should not touch their lesions, and carefully observe hand hygiene practices	
Mumps (Rubulavirus)	Respiratory (droplet) route or contact with infected individuals or contaminated objects.	1-2 days before to 5 days after the swelling of glands	Report within 24 hours by phone	Exclude until 5 days after onset of parotid gland swelling.	Medical note documenting at least 5 days since onset of parotid gland swelling
Pinkeye (Conjunctivitis) Purulent or Non-purulent	Contact with discharge from eyes, nose or mouth of an infected individual or contaminated hands or shared objects.	Bacterial: while symptoms are present or until treatment is started Viral: while signs and symptoms are present and for days to weeks after the onset of signs and symptoms	Report outbreaks only	Exclude symptomatic students and staff who have fever, severe eye pain, purulent drainage or are too sick to participate in routine activities	Parent note or staff statement that condition has resolved

Children, students and staff with the following conditions must be excluded from the school or out-of-home childcare until the exclusions criteria have been met and documentation has been provided as noted below:

Disease/ Agent	Mode of Transmission	Contagious Period	Report to Public Health	Exclusion	Documentation for Return
Rash with fever and behavioral change associated with severe diseases such as Meningitis, Chicken Pox, Measles and other communicable diseases	Varies depending upon the infectious agent.	Varies depending upon the infectious agent	Report outbreaks only	<ul style="list-style-type: none"> Exclude students/children until a health care provider has determined that the illness is not a communicable disease. Exclude faculty and staff for rash with fever and/or joint pain, until a communicable disease such as measles or rubella has been ruled out. 	Medical note documenting evaluation, non-communicability
RSV (Respiratory Syncytial Virus)	Respiratory (droplet) route or contact with infected individuals or contaminated objects.	<p>Shed for 3-8 days for children and adults</p> <p>Shed for 3-4 weeks in young infants</p>	Report outbreaks IMMEDIATELY by phone	Exclude younger children with RSV if the child has a fever or if the child is too sick to participate in activities with other children and staff.	Parent note
Ringworm (Tinea) Ringworm of the Scalp (<i>Tinea capitis</i>)	Contact with infected individuals, animals or contact with contaminated objects.	<p>Infectious as long as fungus is in the skin lesion</p> <p>Once treatment begins the individual is no longer infectious</p>	Not Reportable	<p>Exclude all students, employees and staff at the end of the day.</p> <ul style="list-style-type: none"> Ringworm of the scalp requires oral antifungal treatment. <p>Students, employees and staff must have appropriate treatment initiated to return.</p>	Parent or staff note that treatment has been initiated

Children, students and staff with the following conditions must be excluded from the school or out-of-home childcare until the exclusions criteria have been met and documentation has been provided as noted below:

Disease/ Agent	Mode of Transmission	Contagious Period	Report to Public Health	Exclusion	Documentation for Return
Ringworm of the Body (<i>Tinea corporis</i>).	Contact with infected individuals, animals or contact with contaminated objects.	Infectious as long as fungus is in the skin lesion Once treatment begins the individual is no longer infectious	Not Reportable	Exclude all students, employees and staff at the end of the day. <ul style="list-style-type: none"> Ringworm of the body requires topical treatment. Students, employees and staff must have appropriate treatment initiated to return.	Parent or staff note that treatment has been initiated
Rubella (German Measles)	Respiratory (droplet) route or contact with infected individual or contaminated objects.	May be spread 7 days before to 14 days after the rash appears	Report within 24 hours by phone	Exclude until 7 days after onset of rash. Congenital Rubella: Exclude until 1 year of age unless nasopharyngeal and urine cultures after 3 months of age are repeatedly negative for rubella virus.	Medical note documenting at least 7 days since onset of rash
Scabies	Close person to person contact, or contact with infected objects	Until treatment is completed	Report outbreaks only	Exclude until after appropriate scabicial treatment has been completed (usually overnight)	Medical note documenting evaluation and completion of therapy

Children, students and staff with the following conditions must be excluded from the school or out-of-home childcare until the exclusions criteria have been met and documentation has been provided as noted below:

Disease/ Agent	Mode of Transmission	Contagious Period	Report to Public Health	Exclusion	Documentation for Return
Shingles (Varicella Herpes Zoster)	Contact with fluid from vesicles of immune-competent persons; Airborne and contact when localized in immunocompromised persons or if disseminated in all persons	Until blisters are scabbed over		Exclude if lesions cannot be covered, until lesions are crusted, and no new lesions appear within a 24-hour period.	Parent note or staff statement indicating any uncovered lesions have dried/crusted
Skin lesions (including Staphylococcal and Streptococcal skin and soft tissue infections, MRSA, Herpes Gladiatorum, etc.)	Contact with infected person or contaminated objects.	Varies by infectious agent and treatment	Report outbreaks only	Exclude only if skin lesions are draining and cannot be covered, or if the covering cannot be maintained because drainage is soaking through the coverage. Carrier Status: Having a MRSA infection or harboring MRSA bacteria (being a carrier) is not a reason for exclusion.	Not required

Strep Throat (Streptococcal pharyngitis)	Respiratory (droplet) route or contact with contaminated objects.	Infectious until treated with appropriate antibiotic	Report outbreaks only	Exclude until afebrile and at least 24 hours after treatment has been initiated.	Medical note documenting initiation of treatment, with parent note of afebrile status
TB (Tuberculosis) (Suspect or confirmed TB-cough with bloody	Airborne route.	Varies with progression and severity of illness	Report within 24 hours by phone	Exclude for active (infectious) TB, until the local health department authority or treating infectious disease physician states that the student or staff member is noninfectious.	The health department or infectious disease physician must clear the student or staff

Children, students and staff with the following conditions must be excluded from the school or out-of-home childcare until the exclusions criteria have been met and documentation has been provided as noted below:

Disease/ Agent	Mode of Transmission	Contagious Period	Report to Public Health	Exclusion	Documentation for Return
phlegm greater than 3 weeks, unexplained weight loss, fever or night sweats greater than 3 weeks)					member for return to school
Vomiting	Varies with cause.	Varies with cause	Report outbreaks only	<p>Exclude young children for Vomiting</p> <ul style="list-style-type: none"> • 2 or more times during the previous 24 hours, or • for vomiting and fever (101 or higher) <p>Special Circumstances for Vomiting:</p> <ul style="list-style-type: none"> • Exclude and refer for medical attention anyone with vomit that appears green and bloody, vomiting after recent head injury, vomiting and no urine output for 8 hours, or who appears very ill during vomiting episodes for prompt medical evaluation. <p>No exclusion is required for a brief, non-repeating episode of vomiting with no other signs of severe illness.</p> <p>See also "COVID-19 exclusion" section for additional considerations.</p>	Readmit children when parent note stating vomiting has resolved, and child is able to remain hydrated and participate in activities
Whooping Cough (Pertussis)	Respiratory (droplet) route.	From the beginning of symptoms until 3 weeks after the cough	Report within 24 hours by phone Report outbreaks	<ul style="list-style-type: none"> • Exclude until completion of 5 days of macrolide antimicrobial therapy, such as azithromycin or erythromycin. • No exclusion is required if the person is initially diagnosed with pertussis past the infectious period (21 days or more 	Medical note documenting macrolide antibiotic prescribed with parent note or employee/staff

Children, students and staff with the following conditions must be excluded from the school or out-of-home childcare until the exclusions criteria have been met and documentation has been provided as noted below:

Disease/ Agent	Mode of Transmission	Contagious Period	Report to Public Health	Exclusion	Documentation for Return
		begins. Infants with no vaccinations can be infectious for over 6 weeks	IMMEDIATELY by phone	after cough onset, or 6 weeks after cough onset for infants.)	statement of completion of 5 days of antibiotics

Exclusion criteria for children, students and staff who are contacts of (exposed to) individuals with excludable conditions⁴

<i>Exclusion Criteria for Contacts (Exposures)</i>	Documentation for Return
<p><i>Neisseria meningitides (Meningococcal):</i> Exclude close contacts to Neisseria meningococcal (meningococcal disease) cases until antimicrobial treatment has been initiated.</p>	Medical note documenting initiation of antimicrobial therapy

⁴ Exclusion may be indicated for contacts to other conditions when recommended by DHEC or the student’s or employee/staff member’s healthcare provider.

Exclusion criteria for children, students and staff who are contacts of (exposed to) individuals with excludable conditions⁴

<i>Exclusion Criteria for Contacts (Exposures)</i>	Documentation for Return
<p>Whooping cough (Pertussis):</p> <p>Contacts do not need to be excluded. <u>If close contacts to pertussis cases are identified who are coughing or have other symptoms of pertussis they are considered to be suspect cases.</u></p> <p>Contacts with cough illness are excluded as suspect cases:</p> <ul style="list-style-type: none"> a) until after 5 days of appropriate antimicrobial therapy, or b) if no antibiotics are given, until 21 days after last contact with an infected person, or c) until after a negative pertussis test result, or d) until a health care provider clears the child or employee to return to school. 	<p>Medical note indicating the symptomatic contact is cleared to return to school or childcare or that student/employee has met one of the criteria at left.</p> <p>Parent report if returning to school 21 or more days after last contact.</p>

Exclusion criteria for children, students and staff who are contacts of (exposed to) individuals with excludable conditions⁴

<i>Exclusion Criteria for Contacts (Exposures)</i>	Documentation for Return
<p>Unimmunized students without documentation of immunity or natural disease must be excluded if exposed to the following conditions as indicated below⁵:</p>	
<ul style="list-style-type: none"> <p>Measles:</p> <p>Exclude exposed students and household school aged contacts that have not been immunized against measles for 21 days after onset of rash in last case of measles in the affected school or community.</p> <p>Staff born in 1957 or later who cannot provide documentation of 1 dose of measles vaccine on or after their first birthday, or laboratory evidence of immunity should be excluded for 21 days after onset of rash in last case of measles in the affected school or community.</p> <p>Pregnant students and staff should not receive MMR immunization.</p> <p>DHEC is available to provide consultation on vaccinating children 6-11 months of age who are exposed to measles.</p> 	<p>Individuals without previous measles immunization may be readmitted to school immediately after receiving measles-containing vaccine (if received within 72 hours of exposure to case) or measles immunoglobulin (if received within 6 days of exposure).</p> <p>Contact DHEC regarding previously unimmunized persons who receive vaccine or immunoglobulin after the above time frames.</p>
<ul style="list-style-type: none"> <p>Mumps:</p> <p><u>During mumps outbreaks</u>, exclude exposed students who have not been immunized against mumps until they receive at least one dose of mumps-containing vaccine. If they have an immunization exemption, continue to exclude them until the health department determines that it is safe for them to return. This will typically be for 25 days after the onset of parotitis in the last person with mumps in the affected school.</p> <p><u>During mumps outbreaks</u>, staff born in 1957 or later who cannot provide documentation of 2 doses of mumps vaccine on or after their first birthday, or laboratory evidence of immunity should be excluded for 25 days after the onset of parotitis in the last person with mumps in the affected school or facility.</p> <p>Pregnant students and staff should not receive MMR immunization.</p> 	<p>Unimmunized persons receiving their first dose of mumps-containing vaccine as part of outbreak control may be readmitted immediately to the school or childcare facility.</p>

⁵ DHEC should be consulted immediately about pregnant, non-immunized, or immunocompromised students or staff who are exposed to measles, mumps, rubella, or varicella.

Exclusion criteria for children, students and staff who are contacts of (exposed to) individuals with excludable conditions⁴

<i>Exclusion Criteria for Contacts (Exposures)</i>	Documentation for Return
<ul style="list-style-type: none"> Rubella: Exclude exposed students who have not been immunized against rubella until they receive at least one dose of rubella-containing vaccine. Exclude exposed students older than age 6 who have received only one dose of vaccine, until they have received one additional dose of rubella or MMR vaccine. Staff born in 1957 or later who cannot provide documentation of 2 doses of rubella vaccine on or after their first birthday, or laboratory evidence of immunity, should be excluded for 21 days after the onset of rash in the last person with rubella in the affected school or community. If immunization exemption applies, continue to exclude exposed students until the health department determines that it is safe for them to return, typically for 21 days after the onset of rash in the last person with rubella in the affected school or community. Pregnant students and staff should not receive MMR or rubella immunization. 	<p>Unimmunized persons receiving their first dose of rubella-containing vaccine as part of outbreak control may be readmitted immediately to the school or childcare facility.</p>
<ul style="list-style-type: none"> Varicella (chicken pox): Asymptomatic daycare attending or school aged household contacts that are unimmunized should also be excluded. The exclusion period would be from the 8th day since first exposure to the rash through day 21 after exposure to the rash. <u>In outbreaks⁶</u>, exclude unimmunized students with no history of varicella vaccination from the start of the outbreak (or day that it is first recognized) until day 21 after the onset of rash in the last person diagnosed with Varicella in the affected school.⁷ Students and staff may return immediately following receipt of varicella vaccine. Pregnant students and staff should not receive Varicella immunization. 	<p>Unimmunized students receiving their first dose of varicella vaccine as part of outbreak control may be readmitted immediately to the school or childcare facility.</p>

⁶ An outbreak of Varicella is defined as 3 or more cases within 6 weeks in a common setting, such as school, childcare, community, or institutional setting.

⁷ Mild break-through cases of Varicella (occurring in immunized persons) are generally considered less infectious than cases in unimmunized persons. Consult with DHEC as needed for exclusion guidance in ongoing outbreaks of Varicella or if/when exclusion may be extended past one incubation period (i.e., over 21 days).

Exclusion Criteria for Contacts (Exposures)	Documentation for return
<ul style="list-style-type: none"> Coronavirus Infectious Disease 2019 (COVID-19) Students/attendees or staff members who have been identified as close contacts of a person infectious with COVID-19 and recommended for quarantine must be excluded from school/childcare until completing the recommended quarantine period. The quarantine period is typically 14 days after last contact with a person who is infectious with COVID-19 but may be extended if the close contact lives in the same household as a person contagious with COVID-19. In that case, the quarantine period is recommended to extend 14 days after the person contagious with COVID-19 completes their isolation period and is no longer considered contagious. Close contacts recommended for quarantine are also recommended to get tested during their quarantine period. Testing should occur no sooner than 7 days into their quarantine period to allow for better detection of the virus. They must complete the full quarantine period even if they test negative. If they test positive, they should be excluded until completing isolation by the criteria given above. This testing is not required to return to school/childcare; they should instead plan to complete the recommended isolation/quarantine period. 	<p>Regional health departments and schools/childcares should communicate about students and staff recommended for quarantine whether the exposure happened inside or outside the facility.</p> <p>Regional health departments will assist in determining the appropriate return date based on the timing of the exposure and living situation for the contact.</p>

Children in childcare and students in school with the following conditions are not typically excluded, so long as they are healthy enough to participate in routine activities:

- | | |
|---|---|
| <ul style="list-style-type: none"> • Canker Sores • Chronic Hepatitis B or C infection • Colds: Exclusion is not warranted even if illness is associated with green or yellow nasal discharge, as long as the student does not have a fever or any of the other excludable symptoms described in this document. May require negative COVID-19 testing or completion of exclusion period depending on symptoms. • Cold sores • Cough not associated with an infectious disease or a fever. May require negative COVID-19 testing or completion of exclusion period. • Croup • Cytomegalovirus (PE and sports exclusions may apply) • Diseases spread by mosquitos: Malaria, West Nile Virus • Diseases spread by ticks: Babesiosis, Ehrlichiosis, Lyme Disease, Rocky Mountain Spotted Fever, Tularemia | <ul style="list-style-type: none"> • Ear infection • Fifth Disease (Parvovirus B19 infection), once the rash has appeared and the child no longer has a fever • HIV infection • Mononucleosis (PE and sports exclusions may apply) • MRSA carrier or colonized individual, without uncovered draining lesions • Pinworms • Rash, without fever or behavior change • Roseola, once the fever is gone • Thrush • Urinary Tract Infection • Warts, including Molluscum contagiosum • Yeast Diaper Rash |
|---|---|

References:

American Academy of Pediatrics. *Model Childcare Health Policies* Rosemont, PA: Healthy Childcare Pennsylvania.

American Academy of Pediatrics. 2018. *Red Book: 2018 Report of the Committee on Infectious Diseases* (31st ed.). (D. W. Kimberlin, M. T. Brady, M. A. Jackson, & S. S. Long, Eds.) Itasca, IL: American Academy of Pediatrics.

American Academy of Pediatrics. (2013). *Managing Infectious Diseases in Child Care and Schools: A Quick Reference Guide* (3rd ed.). (S. S. Aronson, & T. R. Shope, Eds.) Elk Grove Village, IL: American Academy of Pediatrics.

American Academy of Pediatrics, American Public Health Association, National Resource Center for Health and Safety in Child Care and Early Childhood Education. (2011). *Caring for Our Children: National Health and Safety Performance Standards: Guidelines for Out-of-Home Child Care Programs* (3rd. ed.). Retrieved from http://nrckids.org/CFOC3/CFOC3_color.pdf

Centers for Disease Control and Prevention. (2010, August 9). *MRSA infections: Information and advice about MRSA for school officials*. from cdc.gov: <http://www.cdc.gov/mrsa/community/schools/index.html>

Lopez, A. S., & Marin, M. (2008). *Strategies for the control and investigation of varicella outbreaks 2008*. Retrieved May 28, 2013, from Centers for Disease Control and Prevention, National Center for Immunization and Respiratory Diseases: <http://www.cdc.gov/chickenpox/outbreaks/downloads/manual.pdf>

SC Department of Social Services, Division of Child Day Care Licensing and Regulatory Services. (2005, March 2). *SC Code of Regulations 114-505: Health, Sanitation, and Safety*. Retrieved from <http://www.scchildcare.org/media/540/06.pdf>

How to Report Other Conditions

Report all other conditions to the public health office (listed below) in the region in which the patient resides.

Immediate and Urgent Reporting (TELEPHONE)

Lowcountry

Allendale, Bamberg, Beaufort,
Berkeley, Calhoun, Charleston,
Colleton, Dorchester, Hampton,
Jasper, Orangeburg

4050 Bridge View Drive, Suite 600
N. Charleston, SC 29405

Office: (843) 441-1091
Fax: (843) 953-0051

Nights/Weekends: (843) 441-1091

Midlands

Aiken, Barnwell, Chester,
Edgefield, Fairfield, Lancaster,
Lexington, Kershaw, Newberry,
Richland, Saluda, York

2000 Hampton Street
Columbia, SC 29204

Office: (888) 801-1046
Fax: (803) 576-2993

Nights/Weekends: (888) 801-1046

Pee Dee

Clarendon, Chesterfield,
Darlington, Dillon, Florence,
Georgetown, Horry, Lee, Marion,
Marlboro, Sumter, Williamsburg

1931 Industrial Park Road
Conway, SC 29526

Office: (843) 915-8886
Fax: (843) 915-6502
Fax2: (843) 915-6506

Nights/Weekends: (843) 915-8845

Upstate

Abbeville, Anderson, Cherokee,
Greenville, Greenwood, Laurens,
McCormick, Oconee, Pickens,
Spartanburg, Union

200 University Ridge
Greenville, SC 29602

Office: (864) 372-3133
Fax: (864) 282-4373

Nights/Weekends: (864) 423-6648

How to Report Tuberculosis

Report to the public health office (listed below) in the region in which the patient resides.

Lowcountry

Berkeley, Charleston, Dorchester

Office: (843) 719-4612

Fax: (843) 719-4778

Allendale, Bamberg, Beaufort,
Calhoun, Colleton, Hampton,
Jasper, Orangeburg

Office: (843) 549-1516 ext. 222

Fax: (843) 549-6845

Nights/Weekends/Holidays: (803) 898-0558 Fax: (803) 898-0685

Midlands

Chester, Kershaw, Lancaster,
Newberry, York

Office: (803) 909-7357

Fax: (803) 327-4391

Aiken, Barnwell, Edgefield,
Fairfield, Lexington,
Richland, Saluda

Office: (803) 576-2870

Fax: (803) 576-2880

Pee Dee

Dillon, Georgetown, Horry,
Marion

Office: (843) 915-8798

Fax: (843) 915-6504

Chesterfield, Clarendon,
Darlington, Florence, Lee,
Marlboro, Sumter, Williamsburg

Office: (843) 673-6693

Fax: (843) 673-6670

Upstate

Cherokee, Oconee, Pickens,
Spartanburg, Union

Office: (864) 596-2227 ext. 108

Fax: (864) 596-3340

Abbeville, Anderson, Greenwood,
Greenville, Laurens, McCormick

Office: (864) 372-3198

Fax: (864) 282-4294